

SEPTEMBER 2025

CTL

CYBER TECH LIGHTING INC.

331 S. HALE AVE. FULLERTON ,
CA 92831 USA.

TEL:714-870-0794, 1-877-60CYBER

FAX:714-870-0795

WWW.CYBERTECHLIGHTING.COM



01-10

LED INDOOR FIXTURES

11

LED INDOOR GROW FIXTURES

12

LED EMERGENCY LAMPS & EXIT SIGNS

13

WIRING DEVICES

14-18

LED OUTDOOR FIXTURES

19

LED 12V OUTDOOR LANDSCAPE FIXTURES

20-21

LED SECURITY LIGHTS

22

LED SECURITY LIGHTS & CAMERAS

23-27

LED CAN KITS AND TRIMS

28-34

LED LAMPS & BULBS

35

INCANDESCENT SPECIALTY HEAT LAMPS

36

LED DESK LIGHTS

37-39

LED UNDERCABINET & TASK LIGHTS

40

LED WORK LIGHTS

NOT ALL CTL PRODUCTS ARE FEATURED IN THIS CATALOG.
PLEASE GO TO OUR WEBSITE TO SEE ALL AVAILABLE PRODUCTS.



SH3630P-LED

36" LED SHOP LIGHT FIXTURE


- Single Lamp Shop Light or Utility Light
- 30W 3000 Lumens
- Includes On/Off Pull Chain Switch and a 5 Foot Power Cord
- No Lamps to Purchase or Replace
- Hanging Hardware Included
- Can also be Surface Mounted or Hung
- Instant On Full Brightness
- 20,000 Hours Rated Life
- 4000K Cool White Color



SH4840SOP

45" DUAL LAMP SHOP LIGHT

- 42W 4200 Lumens
- Includes On/Off Pull Chain Switch and a 5 Foot Power Cord
- No Lamps to Purchase or Replace
- Hanging Hardware Included
- Can also be Surface Mounted
- Instant On Full Brightness
- 50,000 Hours Rated Life
- 4000K Cool White Color
- Convenience Outlet for Easy Linking



SH4740XOP-LED

47" DUAL EXTRA SLIM LAMP SHOP LIGHT

- 40W 4200 Lumens
- Includes On/Off Pull Chain Switch and a 5 Foot Power Cord
- No Lamps to Purchase or Replace
- Hanging Hardware Included
- Can also be Surface Mounted
- Instant On Full Brightness
- 25,000 Hours Rated Life
- 4000K Cool White Color
- Convenience Outlet for Easy Linking



SH4850DP-LED

48" PLATED DIAMOND TEXTURED SHOP LIGHT

- 50W 5500 Lumens
- Includes On/Off Pull Chain Switch and a 5 Foot Power Cord
- No Lamps to Purchase or Replace
- Hanging Hardware Included
- Can also be Surface Mounted
- Instant On Full Brightness
- 25,000 Hours Rated Life
- 4000K Cool White Color
- Convenience Outlet for Easy Linking



SH4848HO-LED

48" DUAL LAMP HIGH LUMEN SHOP LIGHT

- 48W 5500 Lumens, High Lumen Per Watt Unit
- Includes On/Off Pull Chain Switch and a 5 Foot Power Cord
- No Lamps to Purchase or Replace
- Hanging Hardware Included
- Can also be Surface Mounted
- Instant On Full Brightness
- 25,000 Hours Rated Life
- 5000K Day Light Color
- Convenience Outlet for Easy Linking



SH4880PO-HO

48" EXTRA HIGH LUMEN SHOP LIGHT

- 84W 10000 Lumens, High Lumen Per Watt Unit
- Includes On/Off Pull Chain Switch and a 5 Foot Power Cord
- No Lamps to Purchase or Replace
- Hanging Hardware Included
- Can also be Surface Mounted
- Instant On Full Brightness
- 25,000 Hours Rated Life
- 5000K Day Light Color
- Convenience Outlet for Easy Linking

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (LxWxD)	UPC
SH3630P-LED	36" LED One Lamp Shop Light White Color	30W	4000K	3000	20,000 Hours	12 pcs	35.75"x2.6"x1.3"	80680215643-9
SH4840SOP	45" LED Two Lamps Shop Light White Color	42W	4000K	4200	50,000 Hours	10 pcs	45"x4.09"x1.65"	74616080015-8
SH4740XOP-LED	47" LED Two Lamps Shop Light White Color	40W	4000K	4200	25,000 Hours	10 pcs	47.24"x3.35"x1.33"	74616080041-7
SH4850DP-LED	48" LED Diamond Plated Shop Light Cool White	50W	4000K	5500	25,000 Hours	6 pcs	47.24"x5.82"x2.56"	80680215628-6
SH4848HO-LED	48" LED Two Lamps Shop Light Day Light	48W	5000K	5500	25,000 Hours	10 pcs	47.24"x5.63"x1.81"	80680215627-9
SH4880PO-HO	48" LED Extra High Lumen Shop Light Day Light	84W	5000K	10000	25,000 Hours	10 pcs	47.24"x3"x1.94"	80680215641-5



4 FT LED SINGLE & DOUBLE TUBE STRIP

- Two 15 Watt LED T8 Lamp, 3600 Combined Lumens*
- Operates on 120-277V
- Ceiling Mount or Suspended
- 4000K Cool White
- Application: Garages, Restrooms, Carports, Walkways
- Standard 4" Strip Housing
- Tradition Housing with Lamp



CCT

4 & 8 FT LED ULTRA SLIM SQUARE COVERED STRIP LIGHT

- Adjustable Watt 40W, 30W, and 20W (4ft)
- Adjustable Watt 80W, 70W, and 60W (8ft)
- Adjustable Color 3000K Warm White, 3500K Bright Warm White, 4000K Cool White or 5000K Day Light
- Operates on 120-277V, 0-10V Dimmable
- Steel Body & Polycarbonate Square Lens
- 50,000 Hour Life, 2-1/2" Wide Body
- Motion Sensors and Battery Backup's Can be Added on to Unit (Sold Separately) NOTE: Motion Sensor for 4Ft Only



CCT

4 & 8 FT LED SLIM COVERED STRIP LIGHT

- Adjustable Watt 40W, 30W, and 20W(4ft)
- Adjustable Watt 70W, 60W, and 50W(8ft)
- Operates on 120-277V, 0-10V Dimmable
- Steel Body & Easy Fit Polycarbonate Round Lens
- Adjustable 5CCT Light Color(4ft)
- Adjustable 3CCT Light Color(8ft)
- 50,000 Hour Life, 3-1/4" Wide Body
- Motion Sensors and Battery Backup's Can be Added on to Unit (Sold Separately)



4 FT LED WIDE COVERED STRIP LIGHT

- 40 Watt LED 5200 Lumen Output
- Operates on 120-277V, 0-10V Dimmable
- Steel Body & Easy Fit Polycarbonate Round Lens
- Available in 4000K Cool White & 5000K Day Light
- 50,000 Hour Life, 3-3/4" Wide Body
- Motion Sensors and Battery Backup's Can be Added on to Unit (Sold Separately)



8 FT LED WIDE COVERED STRIP LIGHT

- 63 Watt (8190LM) & 85 Watt (11050LM) Option
- Operates on 120-277V, 0-10V Dimmable
- Steel Body & Easy Fit Polycarbonate Round Lens
- Available in 4000K Cool White & 5000K Day Light
- 50,000 Hour Life, 3-3/4" Wide Body
- Motion Sensors and Battery Backup's Can be Added on to Unit (Sold Separately)

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (LxWxD)	UPC
ST48132-LED	4' LED One Lamps Strip Fixture Cool White	15W	4000K	1800	50,000 Hours	1 pc	48.4"x2.1"x2.5"	79357374846-1
ST48232-LED	4' LED Two Lamps Strip Fixture Cool White	30W	4000K	3600	50,000 Hours	1 pc	48"x4"x 2.5"	79357374847-8
ST4840XS-LED/CCT	4' LED Slim Square Strip 4CCT	40/30/20W	3000K/3500K/4000K/5000K	5200/3900/2600	50,000 Hours	1 pc	48.03"x2.24"x2.64"	80680215579-1
ST9660XS-LED/CCT	8' LED Slim Square Strip 4CCT	80/70/60W	3000K/3500K/4000K/5000K	10560/9240/7920	50,000 Hours	1 pc	96"x2.36"x2.56"	80680215604-0
ST48234S-LED/CCT	4' LED Strip Fixture 5CCT	40W/30W/20W	3000K/4000K/5000K/5700K/6500K	5600/4200/2800	50,000 Hours	1 pc	48.03"x2.93"x3.25"	74616080011-0
ST96567S-LED/CCT	8' LED Strip Fixture 3CCT	70W/60W/50W	3500K/4000K/5000K	9100/7800/6500	50,000 Hours	1 pc	96"x2.95"x3.27"	74616080036-3
ST4840L-LED/840	4' LED Covered Strip Light Fixture Cool White	40W	4000K	5200	50,000 Hours	1 pc	47.5"x4.4"x3.6"	80680215379-7
ST4840L-LED/850	4' LED Covered Strip Light Fixture Day Light	40W	5000K	5200	50,000 Hours	1 pc	47.5"x4.4"x3.6"	80680215380-3
ST9660L-LED/840	8' LED Covered Strip Light Fixture Cool White	63W	4000K	8190	50,000 Hours	1 pc	96"x4.4"x3.6"	80680215395-7
ST9660L-LED/850	8' LED Covered Strip Light Fixture Day Light	63W	5000K	8190	50,000 Hours	1 pc	96"x4.4"x3.6"	80680215394-0
ST9685L-LED/840	8' LED Covered Strip Light Fixture Cool White	85W	4000K	11050	50,000 Hours	1 pc	96"x4.4"x3.6"	80680215382-7
ST9685L-LED/850	8' LED Covered Strip Light Fixture Day Light	85W	5000K	11050	50,000 Hours	1 pc	96"x4.4"x3.6"	80680215381-0



C4804-LED

CCT

4 FT LED STAIRWELL WRAP FIXTURE

- Adjustable 3CCT 3000K/4000K/5000K
- 40W LED 4000 Lumen Output
- Non-Corrosive Powder Coated Steel Body
- Full Wrap Acrylic Lens
- 4 Inch Width Body
- 120-277 Volt, 0-10V Dimmable
- 50,000 Hour Life
- Damp or Dry Location

Motion Sensor & Battery Backup Available



C4805-LED

CCT

4 FT LED WRAP FIXTURE

- Adjustable 3CCT 3000K/4000K/5000K
- 40W LED 4000 Lumen Output
- Non-Corrosive Powder Coated Steel Body
- Full Wrap Acrylic Lens
- 5 Inch Width Body
- 120-277 Volt, 0-10V Dimmable
- 25,000 Hour Life
- Damp or Dry Location
- JA8, 90 CRI



C4809-LED

CCT

4 FT x 9IN ECONOMY LED WRAP FIXTURE

- Adjustable 3CCT 3000K/4000K/5000K
- 40W LED 4600 Lumen Output
- Non-Corrosive Powder Coated Steel Body
- Acrylic Lens
- 9 Inch Width Body
- 120-277 Volt
- 50,000 Hour Life
- Damp or Dry Location

Motion Sensor & Battery Backup Available

Model#	Description	LED Watt	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (LxWxD)	UPC
C4804-LED	4" LED Wrap Fixture	40W	3000K /4000K /5000K	4000	50,000 Hours	1 pc	46.25"x4.05" x3.79"	80680215383-4
C4805-LED	5" LED Wrap Fixture	40W	3000K /4000K /5000K	4000	25,000 Hours	4 pc	48.74"x5" x2.25"	68059658284-7
C4809-LED	9" LED Wrap Fixture	40W	3000K /4000K /5000K	4600	50,000 Hours	1 pc	48.03"x8.66" x2.63"	68059658285-4



C2405W-LED

CCT 2 FT LED CONTEMPORARY WRAP FIXTURE

- Adjustable 3CCT 3000K/4000K/5000K
- 2 Foot length
- 20W LED 2000 Lumen Output
- Non-Corrosive Powder Coated Steel Body
- Easy Fit Polycarbonate Lens
- 5 Inch Width Body
- 120~277 Volt, 0-10V Dimmable
- 25,000 Hour Life
- Damp or Dry Location

JA8 90-CRI


C4805W-LED

CCT 4 FT LED CONTEMPORARY WRAP FIXTURE

- Adjustable 3CCT 3000K/4000K/5000K
- 4 Foot length
- 40W LED 4000 Lumen Output
- Non-Corrosive Powder Coated Steel Body
- Easy Fit Polycarbonate Lens
- 5 Inch Width Body
- 120~277 Volt, 0-10V Dimmable
- 25,000 Hour Life
- Damp or Dry Location

JA8 90-CRI


C4840SVP-LED/CCT

CCT 4 FT LED VAPOR LIGHT

- 40 Watt LED 4600 Lumen Output
- Operates on 120-277V 0-10V Dimmable
- Polycarbonate construction
- Adjustable Color 3000K Warm White, 4000K Cool White or 5000K Day Light
- Application: Carports, Walkways, Airplane Hangers, Laundry Rooms, Freezers, Retail Stores, Warehouses
- 50,000 Hour Life 5 Year Limited Warranty
- Motion Sensors and Battery Backup's Can be Added on to Unit



C9665SVP-LED/850

8 FT LED VAPOR LIGHT

- 65 Watt LED 8450 Lumen Output
- Operates on 120-277V 0-10V Dimmable
- Polycarbonate construction
- Available in 5000K Day Light
- Application: Carports, Walkways, Airplane Hangers, Laundry Rooms, Freezers, Retail Stores, Warehouses
- 50,000 Hour Life 5 Year Limited Warranty
- Motion Sensors and Battery Backup's Can be Added on to Unit



VP-MS

MOTION SENSOR

- Microwave Motion Sensor
- Can be Set for Dual Bright Operation
- Installed into Fixtures in House or Can be Purchased Separately
- Compatible with ST4840L-LED, ST4824S-LED, ST9660L-LED, ST9685L-LED, C4840SVP-LED, C9665SVP-LED


BATTERY BACKUP

- Operates Unit for 90 Minute
- Has A Test Button and Indicator Light
- Installed into Fixtures in House or Can be Purchased Separately
- BK-800 or BK802 Compatible with ST4840L-LED, C4809-LED, C4804-LED, C4840SVP-LED, and Outdoor Wallpacks
- BK-1602 Compatible with ST9660L-LED, ST9685L-LED, C9665SVP-LED/850

Model#	Description	LED Wattage	Halogen Equivalent	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (LxWxD)	UPC Prefix 680596
C2405W-LED	2' LED Wrap Fixture	20W	N/A	3000/4000K /5000K	2000	25,000 Hours	4 pc	24.5"x 5.31" x 2.08"	80680215549-4
C4805W-LED	4' LED Wrap Fixture	40W	N/A	3000/4000K /5000K	4000	25,000 Hours	4 pc	47.4"x 5.31" x 2.08"	80680215550-0
C4840SVP-LED/CCT	4' LED Vapor Light Fixture 3CCT	40W	N/A	3000/4000K /5000K	4600	50,000 Hours	4 pc	47.24" x 3.84" x 3.2"	80680215509-8
C9665SVP-LED/850	8' LED Vapor Light Fixture Day Light	65W	N/A	5000K	8450	50,000 Hours	1 pc	96"x 4"x 3-3/16"	80680215510-4

New: Back lit adjustable CCT panel also available



CL36P14-D/DL

CL2X3P22-CCT*

CL3X5P24-CCT*

CCT



CL40SMP14D-CCT



CL40SMP448D-CCT



CL40TF22-D/CW

CL45TF24-D/CW



CL36IDTF22/CW

CL50IDTF24/CW

CCT



CL3SID22-CCT




CL5SID24-CCT



CL-BAT-BACKUP

LED PANEL LIGHT 1'x4', 2'x2' & 2'x4'

- 50,000 Hour Life, Instant on LED
- Adjustable CCT 3500K/4000K/5000K*
- 10% 0-10V Dimming
- Surface Mounting Kits Available
- Includes Earth Quake Clips



Accessories

Surface Mount Kit Available

LED SLIM SURFACE MOUNT PANEL LIGHT

- 1'x4" & 4'x4" Panel, Triac Dimmable
- 50,000 Hour Life, Instant on LED
- Adjustable 40/30/20Watt
- Adjustable CCT 2700K/3000K/3500K/4000K/5000K
- White Framed Edge
- Surface Mount (No extender frame needed) or T-Bar Drop Ceiling Mount

LED TRADITIONAL TROFFER FIXTURE

- Low Profile Design 2'x2' & 2'x4'
- Non-corrosive Powder Coated Steel Body
- Can be Installed with Backup Batteries(Sold Separately)
- 120-277V and 0-10 Dimmable
- Includes Earth Quake Clips
- Height Dimensions 2.75"

LED INDIRECT DEEP REFLECTOR TROFFER

- Low Profile Design 2'x2' & 2'x4'
- Non-corrosive Powder Coated Steel Body
- Can be Installed with Backup Batteries(Sold Separately)
- 120-277V and 0-10 Dimmable
- High End Rounded Reflectors to Properly Reflect Light
- Includes Earth Quake Clips

LED SLIM DIRECT/INDIRECT TROFFER

- Low Profile Design 2'x2' & 2'x4'
- Non-corrosive Powder Coated Steel Body
- 120-277V and 0-10 Dimmable
- CCT Settable 3500K, 4000K, or 5000K
- Watt Settable (see below)
- Can be Installed with Backup Batteries(Sold Separately)
- Battery backup sold separately

EMERGENCY BATTERY BACKUP(EXTERNAL)

- Runs Fixtures for 90 Minutes
- Mount Externally in the Field
- For Panels, Troffers, and Ceiling Fixtures
- For Use with Fixtures Where the Driver, LED Chip, and Its Wiring is Accessible

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (LxWxD)	UPC
CL36P14-D/DL	36 Watt LED Panel Day Light	36W	5000K	4680	50,000 Hours	4 pc	47.76"x11.93"	80680215504-3
CL2X3P22-CCT	20/30/35 Watt LED Panel 3CCT	35/30/20W	3500K/4000K/5000K	4375/3900/2700	50,000 Hours	2 pc	23.74"x23.74"x1.67"	80680215646-0
CL3X5P24-CCT	30/40/50 Watt LED Panel 3CCT	50/40/30W	3500K/4000K/5000K	6250/5200/4050	50,000 Hours	2 pc	47.72"x23.74"x1.48"	80680215602-6
CL40SMP14D-CCT	40/30/20 Watt LED Panel 5CCT	40/30/20W	2700K/3000K/3500K/4000K/5000K	3600/2700/1800	50,000 Hours	2 pc	47.24"x11.81"x1.05"	74616080007-3
CL40SMP448D-CCT	40/30/20 Watt LED Panel 5CCT	40/30/20W	2700K/3000K/3500K/4000K/5000K	3600/2700/1800	50,000 Hours	2 pc	47.24"x3.94"x1.05"	74616080085-1
CL40TF22-D/CW	2X2 Foot LED Troffer Fixture	40W	4000K	4100	50,000 Hours	1 pc	23.82"x23.81"x2"	68059658282-3
CL45TF24-D/CW	2X4 Foot LED Troffer Fixture	45W	4000K	4800	50,000 Hours	1 pc	47.44"x23.8"x2"	68059658283-0
CL36IDTF22/CW	2X2 Foot LED Troffer Fixture	40W	4000K	4000	50,000 Hours	1 pc	23.78"x23.78"x3.15"	68059658325-7
CL50IDTF24/CW	2X4 Foot LED Troffer Fixture	50W	4000K	5000	50,000 Hours	1 pc	47.44"x23.78"x3.74"	68059658326-4
CL3SID22-CCT	2X2 Foot LED Troffer Fixture	40/30/20W	3500K/4000K/5000K	5000/3900/2700	50,000 Hours	1 pc	23.74"x23.74"x2.08"	80680215588-3
CL5SID24-CCT	2X4 Foot LED Troffer Fixture	50/40/30W	3500K/4000K/5000K	6250/5200/4050	50,000 Hours	1 pc	47.75"x23.74"x2.15"	80680215589-0



New Version

(*Coming soon...)

HL110S/CCT
110/90/70W
HL130S/CCT
130/110/90W
HL220S/850
220W
HL300S/850
300W
HL165S/CCT
165/150/130W
***HL300S/CCT**
300/275/255W

24" & 35" HIGH PERFORMANCE LINEAR HIGH BAY

- 110/130/165/220/300Watt LED, 15,290/18,200/23,100/29,800/40,500 Lumen Output
- Also Available with Pre-installed Occupancy Sensor Or Pre-installed Battery Backup(Sold Separately)
- 120-277V Input 0-10V Dimmable
- Add(MS) at end of Model Number for Motion Sensor (BK) for Battery Backup
- Non-corrosive Powder Coated Steel Body
- Includes Y-hangers with 3 Foot Hanging Chain
- 5 Year Warranty 50,000 Hour Life




HL-MS



For New Version

HL-UFOR-MS HL-UFOAP-MS HL-UFOR-REMOTE

Accessories Available: Motion Sensors (Not Installed), Battery Backup (in A Case Installed)



(Used for ↑)

HLUF0BK-REMOTE

HL240UFO/CCT*

HL-UFOR-MS

BK3000UFO

HL-UFOAP-MS

HL-UFOR-REMOTE

HIGH POWER LED UFO HIGH BAY

- 100/150/240W LED Replaces a 250/500/750W HID or MH Unit
- Cold Forged Aluminum Body
- 120 Degree Beam Angle
- 6Ft Power Cord, HL150UF/CCT Has a 3Ft Power Cord
- 120-277V
- 0-10 Volt Dimmable
- Wattage Adjustable and CCT Adjustable

Accessories Available: Motion Sensors and Battery Backup

UFO HIGHBAY ACCESSORIES

- Easy Screen on Motion Sensor, No Wiring Needed
- Emergency Battery Backup
- Add BK at the end of Model Number to Order
- Operates Unit for 90 Minutes
- When Battery Backup is Installed on Unit, It Remains Upright
- Remote to Test Battery Backup HLUF0BK-REMOTE

*Future Model Will Be Upgraded

PLUG IN SLIM DOB UFO HIGH BAY/LOW BAY

- 120V, 120W LED UFO High Bay
- 6Ft Power Cord with Three Prong 120V Plug
- 110 Degree Beam Angle
- DOB LED System
- Black Color
- Heavy Duty Aluminum Diecast Body



HL120UFOXS-850

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions	UPC
HL110S/CCT	24" High Bay	110/90/70W	4000K/5000K	15290/12510/9730	50,000 Hours	1 pc	23.98"x11.81"x1.57"	80680215388-9
HL130S/CCT	24" High Bay	130/110/90W	4000K/5000K	18200/15400/12500	50,000 Hours	1 pc	23.98"x11.81"x1.57"	80680215584-5
HL165S/CCT	24" High Bay 2CCT	165W/150/130W	4000K/5000K	23100/21000/18200	50,000 Hours	1 pc	23.98"x11.81"x1.57"	68059658346-2
HL220S/850	35" High Bay	220W	5000K	29800	50,000 Hours	1 pc	35-1/8"x15-1/8"x2-1/16"	80680215389-6
HL300S/850	35" High Bay	300W	5000K	40500	50,000 Hours	1 pc	35-1/8"x15-1/8"x2-1/16"	80680215564-7
(Coming soon) HL300S/CCT	24" High Bay 2CCT	300/275/255W	4000K/5000K	40000/37125/34500	50,000 Hours	1 pc	23.98"x14.17"x1.57"	80680215564-7
HL100UFO/CCT	UFO High Bay	100/80/60W	3500K/4000K/5000K	13500/10800/8100	50,000 Hours	1 pc	11.02"x5.75"	80680215593-7
HL150UF/CCT	UFO High Bay	150/120/100W	3000K/4000K/5000K	22650/18120/15100	50,000 Hours	1 pc	11.02"x5.83"	80680215594-4
HL240UFO/CCT	UFO High Bay	240/220/200W	3500K/4000K/5000K	33600/31240/29000	50,000 Hours	1 pc	13.4"x5.7"	80680215595-1
HL120UFOXS-850	UFO High Bay	120W	5000K	13200	50,000 Hours	1 pc	9.45"x4.92"	74616080042-4
HL-MS	120-277V OCCUPANCY SENSOR	N/A	N/A	N/A	N/A	1 pc	4-1/8"x1-7/8"x1/2"	80680215367-4
BK3000UFO	UFO Battery Backup	N/A	N/A	N/A	N/A	N/A	N/A	N/A
HLUF0BK-REMOTE	UFO Battery Backup Remote	N/A	N/A	N/A	N/A	N/A	N/A	N/A
HL-UFOR-MS	Motion Sensor	N/A	N/A	N/A	N/A	N/A	N/A	N/A
HL-UFOAP-MS	Motion Sensor	N/A	N/A	N/A	N/A	N/A	N/A	N/A
HL-UFOR-REMOTE	HL-UFOR-MS Remote	N/A	N/A	N/A	N/A	N/A	N/A	N/A



CCT 3 HEAD TRACK LIGHT FIXTURES

- 48" 120V 3-Wire Track Set With 3 LED Heads
- LED's have Adjustable Swivel Heads
- 25,000 Hour Life
- Dimmable
- Available in White (2250 Total Lumen Output, 31.5 Watt) & Nickel Satin (1560 Total Lumen Output, 21 Watt)

Future NS Model Will be CCT Adjustable



CCT ROUND TRACK HEAD

- Adjustable 3CCT 3000K/4000K/5000K
- 9Watt(650 Lumens)
- LED With Adjustable Swivel Heads
- Dimmable
- 25,000 Hour Life
- Available in White, Nickel Satin, and Matte Black
- For (H) Halo Compatible Track



BULLET TRACK HEAD

- 7Watt(520 Lumens)
- LED With Adjustable Swivel Heads
- Dimmable, 3000K Warm White
- 25,000 Hour Life
- Available in White, Nickel Satin, and Matte Black
- For (H) Halo Compatible Track



SQUARE TRACK HEAD

- 7Watt(520 Lumens), 8Watt(600 Lumens)*
- LED With Adjustable Swivel Heads
- Dimmable, 3000K Warm White
- 25,000 Hour Life
- Available in White, Nickel Satin, and Matte Black
- For (H) Halo Compatible Track

Future Models Will be CCT Adjustable



LONG CYLINDER TRACK HEADS

- 12 Watt (750 Lumen)*, 9 Watt (600 Lumen)
- Built in LED Module
- Dimmable
- Swivel and Rotate Heads to Point in Multi-direction
- Available in White, Nickel Satin, and Satin Black
- For (H) Halo Compatible Track

Future NS Unit Will be CCT Adjustable

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (DxLxH)	UPC Prefix 680596
TL3TH-LED/WH	Includes: 48" 120V 3-Wire Track Set 3 LED 10-3 Watt Cylinder Head 3 Floating Canopy - White Finish	31.5W	3000K/4000K /5000K	2250	25,000 Hours	6 pcs	48"x 2.34"x6.38"	79357374953-6
TL3TH-LED/NS	Includes: 48" 120V 3-Wire Track Set 3 LED 7 Watt Cylinder Head 1 Floating Canopy - Nickel Satin Finish	21W	3000K	1560	25,000 Hours	6 pcs	48"x 2.34"x6.38"	79357374949-9
TL7TH/WH	LED Track Lighting Round Head White Finish	10.5W	3000K/4000K /5000K	750	25,000 Hours	6 pcs	2.34"x 3.09"x5.91"	79357374952-9
TL7TH/NS	LED Track Lighting Round Head Nickel Satin Finish	9W	3000K/4000K /5000K	650	25,000 Hours	6 pcs	2.34"x 3.09"x5.91"	79357374948-2
TL7TH/BL	LED Track Lighting Round Head Black Finish	10.5W	3000K/4000K /5000K	750	25,000 Hours	6 pcs	2.34"x 3.09"x5.91"	58341-7
TL7BTH/WH	LED Track Lighting Bullet Head White Finish	7W	3000K	520	25,000 Hours	6 pcs	2.24"x 3.5"x5.7"	58223-6
TL7BTH/NS	LED Track Lighting Bullet Head Nickel Satin Finish	7W	3000K	520	25,000 Hours	6 pcs	2.24"x 3.5"x5.7"	58224-3
TL7BTH/BL	LED Track Lighting Bullet Head Black Finish	7W	3000K	520	25,000 Hours	6 pcs	2.24"x 3.5"x5.7"	80680215387-2
TL7STH/WH	LED Track Lighting Square Head White Finish	8W	3000K	600	25,000 Hours	6 pcs	2.28"x 2.91"x5.7"	58329-5
TL7STH/NS	LED Track Lighting Square Head Nickel Satin Finish	7W	3000K	520	25,000 Hours	6 pcs	2.28"x 2.91"x5.7"	58330-1
TL7STH/BL	LED Track Lighting Square Head Black Finish	8W	3000K	600	25,000 Hours	6 pcs	2.28"x 2.91"x5.7"	80680215386-5
TL60CTH-WH/CCT*	LED Track Lighting Cylinder Head White Finish	12W	2700K/3000K/3500K /4000K/5000K	750	25,000 Hours	6 pcs	2.17"x 3.7"x5.91"	58344-8
TL60CTH/NS	LED Track Lighting Cylinder Head Nickel Satin Finish	9W	3000K	600	25,000 Hours	6 pcs	3.5"x 5.3"x8.5"	58345-5
TL60CTH-BL/CCT*	LED Track Lighting Cylinder Head Black Finish	12W	2700K/3000K/3500K /4000K/5000K	750	25,000 Hours	6 pcs	2.17"x 3.7"x5.91"	80680215443-5


48" H-TYPE TRACK

- H Type Track-Single Circuit
- 48" Length (3 Connection)




END CONNECTOR (H-TYPE)

- Used for Direct Wiring Through the Ceiling
- Feed Track from Above with Flexible Conduit, or End Feed in Pendant Systems.




CONDUIT FEED (H-TYPE)

- Use Standard 1/2" Connector for Surface Wiring




JOINER CONNECTOR (H-TYPE)

- Connect Two Tracks Seemlessly to Elongate Your Track




FLEX CONNECTOR (H-TYPE)

- Connect Two Tracks in Different Angles. Can be Flexed to 90° Angle Left, Right, Up or Down



FLOATING CANOPY (H-TYPE)

- Allows Track to be Powered Anywhere Along the Length of the Track



CCT
LED CIRCULAR CLOUD FIXTURE

- Adjustable Color Settable 2700K Soft Warm White, 3000K Warm White, 3500K Bright Warm White, 4000K Cool White, and 5000K Day Light
- Circular LED Module for Smooth Even Light
- Powder Coated Metal Body with Acrylic Lens
- 50,000 Hours Life
- Dimmable, 15Watts 10", and 21Watts 13"
- JA8



C17CD-LED



C20CD-LED

LED DECORATIVE CEILING FIXTURE

- Circular LED Module Gives Smooth Even Light
- Dimmable, 3000K Warm White
- 15Watts 11" and 26Watts 15"
- Available in Nickel Satin and Bronze
- JA8



C15122/BZ-LED



C23322/NS-LED

CCT
5" & 7" FLUSH MOUNT ROUND

- Adjustable Color Settable-5" White is 5CCT, 5" Nickel Satin & 7" Black is 3CCT
- 5" is 10 Watts 700 Lumen Output, 7" is 15 Watt 1050 Lumen Output
- 5" Available in White and Nickel Satin Finish
- 7" Available in White and Black Finish
- 5" Diameter or 7" Diameter Available
- 35,000 Hour Life
- * Available in 3000K Only



C95RD-DISK/WH-CCT



C95RD-DISK/NS-CCT



C157RD-DISK/WH*



C157RD-DISK/BL-CCT

CCT
8" & 12" Flush Mount LED Round & Square

- 14 Watts 980 Lumen or 22Watts 1540 Lumen Output
- Die Cast Aluminum Housing
- Available in Nickel Satin White Finish and Bronze
- Indoor/Outdoor Fixture
- Quick Install, Includes Earthquake Cable
- Available in 8" or 12" Diameter & Length
- Adjustable Color Settable 3000K Warm White, 3500K Bright Warm White, and 4000K Cool White
- 35,000 Hour Life
- * Future Unit will be CCT Adjustable


 C147RD-DISK/BZ
C2211RD-DISK/BZ

 C147RD-DISK/NS
C2211RD-DISK/NS

 C147RD-DISK/WH
C2211RD-DISK/WH

 C147SQ-DISK/BZ
C2211SQ-DISK/BZ

 C147SQ-DISK/NS*
C2211SQ-DISK/NS

 C147SQ-DISK/WH
C2211SQ-DISK/WH

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (DxH)	UPC
C17CD-LED	10" White Ceiling Cloud Fixture	15W	2700K/3000K/3500K/4000K/5000K	1050	50,000 Hours	4 pcs	10.6"x3"	79357374976-5
C20CD-LED	13" White Ceiling Cloud Fixture	21W	2700K/3000K/3500K/4000K/5000K	1470	50,000 Hours	4 pcs	13"x4"	68059658205-2
C95RD-DISK/WH-CCT	5" Round Flush Mount Ceiling Fixtures White Finish	10W	2700K/3000K/3500K/4000K/5000K	700	35,000 Hours	10 pcs	5.51"x1"	80680215580-7
C95RD-DISK/NS-CCT	5" Round Flush Mount Ceiling Fixtures Nickel Satin Finish	10W	3000K/3500K/4000K/5000K	700	35,000 Hours	10 pcs	5.51"x1"	80680215581-4
C157RD-DISK/WH	7" Round Flush Mount Ceiling Fixtures White Finish	15W	3000K	1050	35,000 Hours	10 pcs	7.48"x0.62"	80680215640-8
C157RD-DISK/BL-CCT	7" Round Flush Mount Ceiling Fixtures Black Finish	15W	3000K/3500K/4000K	1050	35,000 Hours	10 pcs	7.48"x1"	80680215655-2
C15122/NS-LED	11" Nickel Satin, Frosted Lens Step Down Ceiling Fixture	15W	3000K	1100	50,000 Hours	4 pcs	11.23"x4.79"	68059658207-6
C15122/BZ-LED	11" Bronze, Frosted Lens Step Down Ceiling Fixture	15W	3000K	1100	50,000 Hours	4 pcs	11.23"x4.79"	68059658255-7
C23322/NS-LED	15" Nickel Satin, Frosted Lens Step Down Ceiling Fixture	26W	3000K	1900	50,000 Hours	2 pcs	15-1/4"x5-3/4"	68059658254-0
C23322/BZ-LED	15" Bronze, Frosted Lens Step Down Ceiling Fixture	26W	3000K	1900	50,000 Hours	2 pcs	15-1/4"x5-3/4"	68059658253-3
C147RD-DISK/BZ	8" Round Flush Mount Ceiling Fixtures Bronze Finish	14W	3000K/3500K/4000K	980	35,000 Hours	6 pcs	8"x1"	68059658368-1
C147RD-DISK/NS	8" Round Flush Mount Ceiling Fixtures Nickel Satin Finish	14W	3000K/3500K/4000K	980	35,000 Hours	6 pcs	8"x1"	68059658369-8
C147RD-DISK/WH	8" Round Flush Mount Ceiling Fixtures White Finish	14W	3000K/3500K/4000K	980	35,000 Hours	6 pcs	8"x1"	80680215396-4
C147SQ-DISK/BZ	8" Square Flush Mount Ceiling Fixtures Bronze Finish	14W	3000K/3500K/4000K	980	35,000 Hours	6 pcs	8"x1"	68059658370-4
C147SQ-DISK/NS	8" Square Flush Mount Ceiling Fixtures Nickel Satin Finish	14W	3000K	720	35,000 Hours	6 pcs	8"x1"	68059658371-1
C147SQ-DISK/WH	8" Square Flush Mount Ceiling Fixtures White Finish	14W	3000K/3500K/4000K	720	35,000 Hours	6 pcs	8"x1"	80680215397-1
C2211RD-DISK/BZ	12" Round Flush Mount Ceiling Fixtures Bronze Finish	22W	3000K/3500K/4000K	1540	35,000 Hours	6 pcs	12"x1"	80680215414-5
C2211RD-DISK/NS	12" Round Flush Mount Ceiling Fixtures Nickel Satin Finish	22W	3000K/3500K/4000K	1540	35,000 Hours	6 pcs	12"x1"	80680215372-8
C2211RD-DISK/WH	12" Round Flush Mount Ceiling Fixtures White Finish	22W	3000K/3500K/4000K	1540	35,000 Hours	6 pcs	12"x1"	80680215412-1
C2211SQ-DISK/BZ	12" Square Flush Mount Ceiling Fixtures Bronze Finish	22W	3000K/3500K/4000K	1540	35,000 Hours	6 pcs	12"x1"	80680215415-2
C2211SQ-DISK/NS	12" Square Flush Mount Ceiling Fixtures Nickel Satin Finish	22W	3000K/3500K/4000K	1540	35,000 Hours	6 pcs	12"x1"	80680215373-5
C2211SQ-DISK/WH	12" Square Flush Mount Ceiling Fixtures White Finish	22W	3000K/3500K/4000K	1540	35,000 Hours	6 pcs	12"x1"	80680215413-8



S15SAT/NS-LED



S15WSAT/NS-LED



S15QSAT/NS-LED

CCT

With Photocell

3CCT LED SATURN WALL SCONCE

- LED Module Gives Smooth Even Light
- CCT Switch 3000K Warm White, 4000K Cool White or 5000K Day Light
- 50,000 Hours Life
- Dimmable Model S15SAT/NS-LED
- Wet Location Models Available S15WSAT/NS-LED and S15QSAT/NS-LED

S15WSAT/NS-LED(BK)

[Available With Battery Backup]



C15SAT/NS-LED



C15SAT/BL-LED

CCT

12" LED CEILING FIXTURE SATURN

- Dimmable
- LED Module Gives Smooth Even Light
- 50,000 Hours Life
- CCT Switch 2700K Soft Warm White, 3000K Warm White, 3500K Bright Warm White, 4000K Cool White or 5000K Day Light
- JA8, 90 CRI Title 24 Compliant
- Acrylic Plastic Lens



C23SAT/NS-LED

CCT

16" LED CEILING FIXTURE SATURN

- Dimmable
- LED Module Gives Smooth Even Light
- 50,000 Hours Life
- CCT Switch 2700K Soft Warm White, 3000K Warm White, 3500K Bright Warm White, 4000K Cool White or 5000K Day Light
- JA8, 90 CRI
- Acrylic Plastic Lens



V24SQB-NS/LED

CCT

24" LED SATURN WALL VANITY FIXTURE

- LED Module Gives Smooth Even Light
- CCT Switch 3000K Warm White, 4000K Cool White or 5000K Day Light
- 25 Watt, 1750 Lumens
- 50,000 Hours Life
- JA8, 90 CRI
- Polycarbonate Lens




V24SAT/NS-LED

CCT

24" & 48" LED SATURN WALL VANITY FIXTURE

- LED Module Gives Smooth Even Light
- 24"3CCT Color Switch- 3000K, 3500K, 5000K, 48"5CCT Color Switch- 2700K, 3000K, 3500K, 4000K, 5000K
- 24" is 25 Watt, 1800 Lumens, 48" is 40 Watt, 3000 Lumens
- 50,000 Hours Life
- JA8, 90 CRI
- Polycarbonate Lens



V48SAT-NS-CCT

CCT

48" LED CLOUD PUFF FIXTURE

- Dimmable
- LED Module Gives Smooth Even Light
- 50,000 Hours Life
- CCT Switch 3000K Warm White, 3500K Bright Warm White or 4000K Cool White
- 35 Watt, 2800 Lumens
- JA8, 90 CRI
- Acrylic Plastic Lens



C48SAT/NS-LED

CCT

32" LED CEILING FIXTURE SATURN

- Dimmable
- LED Module Gives Smooth Even Light
- 50,000 Hours Life
- CCT Switch 2700K Soft Warm White, 3000K Warm White, 3500K Bright Warm White, 4000K Cool White or 5000K Day Light
- JA8, 90 CRI
- Acrylic Plastic Lens



C35SAT/NS-LED

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (BDxGDxH)	UPC Prefix 680596
S15SAT/NS-LED	7" Nickel Satin Saturn Wall Sconce DIMMABLE	15W	3000K/4000K/5000K	800	50,000 Hours	4 pcs	7-1/16"x3-1/2"x9-7/8"	58289-2
S15WSAT/NS-LED	7" Powder Coated Saturn Wall Sconce NOT DIMMABLE	15W	3000K/4000K/5000K	1100	50,000 Hours	4 pcs	7"x3-1/2"x10"	58331-8
S15QSAT/NS-LED	7" Powder Coated Saturn Wall Sconce NOT DIMMABLE	15W	3000K/4000K/5000K	1000	50,000 Hours	4 pcs	7.09"x3.8"x10"	80680215626-2
C15SAT/NS-LED	12" Nickel Satin Saturn Ceiling Fixture DIMMABLE	15W	2700K/3000K/3500K/4000K/5000K	1050	50,000 Hours	4 pcs	12"x12"x2.6"	58210-6
C15SAT/BL-LED	16" Black Saturn Ceiling Fixture DIMMABLE	15W	2700K/3000K/3500K/4000K/5000K	950	50,000 Hours	4 pcs	12"x12"x2.6"	80680215656-9
C23SAT/NS-LED	16" Nickel Satin Saturn Ceiling Fixture DIMMABLE	25W	2700K/3000K/3500K/4000K/5000K	1750	50,000 Hours	2 pcs	16"x16"x2.6"	58209-0
V24SQB-NS/LED	24" Nickel Satin Saturn Wall Vanity fixture DIMMABLE	25W	3000K/3500K/4000K	1750	50,000 Hours	4 pcs	24-3/8"x4-7/8"x4-1/4"	80680215625-5
V24SAT/NS-LED	24" Nickel Satin Saturn Wall Vanity fixture DIMMABLE	25W	3000K/3500K/4000K	1800	50,000 Hours	4 pcs	23-7/8"x5-3/8"x4"	58269-4
V48SAT-NS-CCT	48" Nickel Satin Saturn Wall Vanity fixture DIMMABLE	40W	2700K/3000K/3500K/4000K/5000K	3000	50,000 Hours	4 pcs	47.95"x5.58"x3.46"	74616080106-3
C48SAT/NS-LED	48" Nickel Satin Saturn Cloud Puff Fixture DIMMABLE	35W	3000K/3500K/4000K	2800	50,000 Hours	1 pc	48"x10"x4"	80680215402-2
C35SAT/NS-LED	32" Nickel Satin Saturn Ceiling Fixture DIMMABLE	50W	2700K/3000K/3500K/4000K/5000K	3700	50,000 Hours	1 pc	32"x18"x4"	58252-6



SH2417-GRO

SH4832-GRO

24" & 48" DUAL STAGE LED GROW LIGHT

- 2 Stages for Entire Growth Cycle Flip Switch from Vegetative Stage to the Flowering Stage
- 17 Watt and 32 Watt LED
- Operates on 120V, High PPF
- Targeted Spectrum For ALL Plants Types, Indoor Growing
- Linkable Up to 30 Units(4Ft), 60Units (2Ft)
- 6 Ft Cord
- Hanging Hardware Included
- 50,000 Hours Lamp Life



SH2424-GRO

24" DUAL STAGE LED GROW LIGHT

- 2 Stages for Entire Growth Cycle Flip Switch from Vegetative Stage to the Flowering Stage
- 24 Watt LED
- Operates on 120V, High PPF
- Targeted Spectrum For ALL Plants Types, Indoor Growing
- Linkable Up to 6 Units
- 5 Ft Cord
- Hanging Hardware Included
- 25,000 Hours Lamp Life



SH4840-GRO

48" MULTI-STAGE LED GROW LIGHT

- 3 Stages for Entire Growth Cycle. Flip Switch from Vegetative Stage to Budding/Flowering Stage to Full Spectrum
- 42 Watt LED
- Operates on 120V, High PPF
- Full Spectrum or Targeted Spectrum For ALL Plants Types, Indoor Growing
- Linkable Up to 6 Units
- 5 Ft Cord
- Hanging Hardware Included, 20,000 Hours Lamp Life



CP152HL-GRO

DUAL HEAD CLAMP GROW LIGHT

- 15 Watt LED, High PPF
- Switch with Multi-Settings: Budding or Flowering, Stages with Dimmer, and Timer to Operate 3/9/12 Hours
- USB Cord and Adapter Included
- Targeted Spectrum Unit, Switch from Vegetative Stage to Flowering Stage



RL10P-GRO

IN POT GROWLIGHT

- 10 Watt LED, High PPF
- Switch with Multi-Settings: Budding or Flowering, Stages with Dimmer, and Timer to Operate 3/9/12 Hours
- USB Cord and Adapter Included
- Targeted Spectrum Unit, Switch from Vegetative Stage to Flowering Stage
- Adjustable Telescoping Spike



UL24ST3-GROW

24" LED UNDER-CABINET GROW LIGHT

- 11 Watt LED
- Includes On/Off Switch with 3 Ft Power Cord
- Operates on 120V
- For ALL Plants Types, Indoor Growing
- Easy Installation with Two Screws
- 25,000 Hours Lamp Life



LB60R30-GRO

DUAL SETTING LED GROWLIGHT BULB

- Adjustable Switch for Budding or Flowering Stage
- 9 Watt LED
- Operates on 120V
- For ALL Plants Types, Indoor Growing
- PPF Output 15 Micromoles Per Second
- E26 Base
- 25,000 Hours Lamp Life
- Targeted Spectrum Unit, Switch from Vegetative Stage to Flowering Stage



Model#	Description	LED Wattage	Lamp Life	Case Pack	Dimensions (LxWxD)	UPC
SH2417-GRO	Two - Stage LED Hanging Grow Light	17W	50,000 Hours	6 pcs	25"x5.4"x2.4"	80680215587-6
SH4832-GRO	Two - Stage LED Hanging Grow Light	32W	50,000 Hours	6 pcs	47.6"x5.4"x2.4"	80680215488-6
SH2424-GRO	Two - Stage LED Hanging Grow Light	24W	25,000 Hours	10 pcs	24"x4.09"x1.65"	74616080047-9
SH4840-GRO	Multi - Stage LED Hanging Grow Light	42W	20,000 Hours	10 pcs	47.64"x4.09"x1.81"	74616080216-9
CP152HL-GRO	Two - Stage LED Clamp Dual Head Grow Light	15W	25,000 Hours	6 pcs	25"x3"x4"	74616080048-6
RL10P-GRO	Two - Stage LED Grow Ring Stake Light	10W	15,000 Hours	8 pcs	3.52"x29.84"	74616080051-6
UL24ST3-GROW	24" LED Surface Mount Grow Light	11W	25,000 Hours	12 pcs	24"x1.9"x0.75"	80680215635-4
LB60R30-GRO	BR30 LED Grow Light	9W	25,000 Hours	6 pcs	3.7"x5.2"	74616080014-1

External & Internal, Indoor & Outdoor Battery Backups Are Available For Most Fixtures (Sold Separately). Models That Are Available Are Listed Throughout This Catalog. See Each Fixture Model Description For This Information.

CTL
CYBER TECH LIGHTING INC.



LB65R30-WWBK



LED REFLECTOR & POWER FAILURE BULB

- Indoor use/not dimmable
- Used as a normal reflector & if the power goes out it switches to battery power on its own (2-in-1 function)
- Operates 3 hours during power outage
- Replaces a 65 watt incandescent, uses 8 watts
- Auto recharging when power is on



LB60A-D/CCTBK



CCT

POWER FAILURE A LAMP (A21)

- Adjustable color settable 2700K, 3000K, 3500K, 4000K, 5000K
- Indoor use/dimmable
- Used as a normal A Bulb & if the power goes out it switches to battery power on its own (2-in-1 function)
- Operates 3 hours during power outage
- Replaces a 60 watt incandescent, uses 9 watts
- Auto recharging when power is on

48" LED T8 BATTERY BACKUP LAMP

- Adjustable color settable 2700K, 3000K, 3500K, 4000K, 5000K
- Direct connect to line voltage 120-277VAC (type B)
- Emergency mode; gives 380 lumens and operates for 90 minutes
- Used as a normal lamp with emergency mode to operate on battery during power outage
- Self-Testing monthly: If emergency function is abnormal, the lamp indicator light will flash. Lamp also includes manual test switch



CCT

LB48T8-DIR/BK



LC12RT6-B-CCTBK



CCT

POWER FAILURE 6 INCH BAFFLED RECESS DOWN LIGHT

- Adjustable color settable 2700K, 3000K, 3500K, 4000K, 5000K
- Indoor use/dimmable
- Used as a normal lamp & if the power goes out it switches to battery power on its own (2-in-1 function)
- Operates 3 hours during power outage
- Fits Standard 6 Inch Recess Cans
- Comes with Standard Quick Connect Plug
- Auto recharging when power is on



E2RFL1

LED EMERGENCY FLOOD LIGHT

- 1.2Watt per head(2.4W Total), 150 Lumen
- Dual Voltage 120-277V
- Contemporary Design Complies to Local Codes
- Wall Mount Single Side to J-box
- 90 Min Emergency Operation
- Maintenance Free 3.6V Ni-Cad Battery



E1LEDX-RD



E1LEDX-GR

LED EXIT LIGHTS

- Dual Voltage 120-277V
- Contemporary Design Complies to Local Codes
- Mounting Canopy Included for Side or Ceiling Mounting
- Wall Mount Single Side to J-box
- Includes Snap in Second Side for Dual Side View
- 90 Min Emergency Operation
- Maintenance Free 1.2V Ni-Cad Battery



E2FLEDX-RD



E2FLEDX-GR

LED EXIT & EMERGENCY COMBO LIGHTS

- 2.4Watt Flood Heads
- Dual Voltage 120-277V
- Contemporary Design Complies to Local Codes
- Mounting Canopy Included for Ceiling Mounting
- Wall Mount Single Side to J-box
- Includes Snap in Second Side for Dual Side View
- 90 Min Emergency Operation
- Maintenance Free 1.2V Ni-Cad Battery



S15WSAT/NS-LED(BK)

CCT

LED SATURN WALL SCONCE WITH BATTERY BACKUP

- 3 CCT Color Adjustable 3000K, 4000K, & 5000K
- Suitable for Wet Locations
- Indoor / Outdoor Use
- 15W Wall Sconce 1100 Lumens on Regular Operation
- 4W, 295 Lumens on Back-Up Operation
- 90 Minutes Operation During Power Outage
- Acrylic Lens, Nickel Satin Finish



LWP12BZACEM-SDT/CCT

CCT

EMERGENCY BATTERY BACKUP LED WALL LIGHT

- Adjustable 3CCT 3500K/4000K/5000K
- Die-Casting Aluminum Housing
- Daily use 15W/1775 Lumen,
- Emergency Operation 5W/700Lumen
- 90 Minute Operation
- 120-277 Dual Voltages
- Polycarbonate Lens(Removable)
- Rechargeable Ni-Cad Battery
- Wet Location Listed(IP65)
- 0-10V Dimmable



SW-DM600-12-3/LED/WH



SW-DM600-12-3/LED/IV

DIMMER SWITCH WITH ON/OFF ROCKER

- For LED, CFL, Incandescent, and Halogen
- Single Pole & 3 Way
- Built in RFI Suppressor
- 18 Awg Lead Wire
- Available in White and Ivory
- White Available in a 3-Pack



SW-DMWK-023LED/WH

DIMMER SWITCH SLIDER WITH SNAP SWITCH

- For LED, CFL, Incandescent, and Halogen
- Single Pole & 3 Way
- Built in RFI Suppressor
- 18 Awg Lead Wire
- Includes Standard Cover Plate
- Smooth Sliding Action for Precise Lighting Control



SW-DM106-0-10V

0-10V DIMMER SWITCH

- Includes Standard Cover Plate
- Electro-Mechanical Type
- Smooth Sliding Action For Precise Lighting Control
- 18Awg LEAD Wire
- Single Pole & 3 Way, For LED or Dimmable Fluorescent Fixtures
- Maximum Wattage on 120V is 600Watts or 277V is 550Watts



OT2-2USB

MULTI PLUG USB OUTLET

- This receptacle and wall plate provides two 110V outlets and two USB ports
- Compatible with USB 1.1/2.0/3.0
- Delivers maximum current of 3.1A to devices
- Designed for use with phones, MP3 players, tablets, and other USB devices
- Tamper Resistant, safe for houses with young children
- Safety mechanism prevents damage when incorrect devices or cords are plugged in
- 2 Type A USB's



OT2-2CAUSB

MULTI PLUG USB OUTLET

- This receptacle and wall plate provides two 110V outlets and two USB ports
- Compatible with USB 1.1/2.0/3.0
- Delivers maximum current of 3.6A to devices
- Designed for use with phones, MP3 players, tablets, and other USB devices
- Tamper Resistant, safe for houses with young children
- Safety mechanism prevents damage when incorrect devices or cords are plugged in
- 1 Type A USB & 1Type C USB



GLS15ATR-WH



GLS15ATR-IV



GLS15ATRWR-WH



GLS15ATRWR-IV

SELF-TESTING GFCI OUTLET

- Tamper Resistant Spring Loaded Shutter
- Self-Testing Every 2-1/2 Hours (White) or Every 3 Hours (Ivory)
- Matching Wall Plate Cover Included
- 15 Amp Outlet
- Fits Standard Decor Plate
- WR Unit is Weather Resistant *
- Available in White or Ivory



GLS15ATR-WH-3PK

SELF-TESTING GFCI OUTLET

- Tamper Resistant Spring Loaded Shutter
- Self-Testing Every 3 Hours
- 15 Amp Outlet
- Fits Standard Decor Plate
- 3-Pack



GLS20ATR-WH



GLS20ATR-IV



GLS20ATRWR-WH



GLS20ATRWR-IV

SELF-TESTING GFCI OUTLET

- Tamper Resistant Spring Loaded Shutter
- Self-Testing Every 2-1/2 Hours (White) or Every 3 Hours (Ivory)
- Matching Wall Plate Cover Included
- 20 Amp Outlet
- Fits Standard Decor Plate
- WR Unit is Weather Resistant *
- Available in White or Ivory

LED Area Light Shoe Box

- 100/150/240/300W LED Replaces a 300/400/600/1000W MHL/HPS/HID Unit
- Low Profile Design
- Aluminum Rust-Proof Body
- 120-277 Volt Input
- 1-10 Volt Dimmable Driver
- Can be installed with PIR Bilevel(accessories) Motion Sensors
- DLC Listed

ACCESSORIES:

Slip Fitter

Wall Mount/Pole Mount

Yoke Mount



SF



WPM



YM

Pole to 2-3/8" Tenon Adapter (Available)



4" Round



5" Round



4" Square



5" Square



L Shape Double Tenon



180° Flat Double Tenon



100 Watt
LWP100SB/850(***)

CCT



Adj. 150, 120, 100 Watt
LWP150SB/CCT(***)

CCT



Adj. 240, 220, 200 Watt
LWP240SB/CCT(***)

CCT



Adj. 300, 240, 200 Watt
LWP300SB/CCT(***)

CCT



42 Watt
LWP35YP-BZ/CCT

CCT



Adj. 60, 40, 29 Watt
LWP60YP-BZ/CCT

CCT



Adj. 120, 96, 72 Watt
LWP100YP-BZ/CCT

LED Area Light

- Auto On/Off Dusk-to-Dawn Photocell
- Rugged Corrosion Resistant Cast Aluminum body
- Outdoor Wet Locations Rated
- CCT Models are Wattage Adjustable
- Built in Dusk to Dawn Photocell (Can be bypassed)
- 50,000 Hour Life

LED Post Top Fixture

- Adjustable Wattage 75W/50W/35W
- Adjustable Color Settable 3000K, 4000K, 5000K
- 120-277 Dual Voltage
- Aluminum Rust-Proof Body
- Fits Maximum 3" Pole or 2-3/8" Tenon
- Suitable For Wet Location (IP65)
- Powder Coated Black Finish
- 0-10 Volt Dimmable



PM75U2-BL/CCT

CCT

Model#	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions(LxWxD)	UPC	Warranty
LWP100SB/850(***)	100W	5000K	13163	50,000 Hours	1 pcs	17.68"x 12.83"x 3.23"	80680215463-3	5 Years
LWP150SB/CCT(***)	150/120/100W	3000K/4000K/5000K	21000/16800/14000	50,000 Hours	1 pcs	19.95"x 10.34"x 3.02"	80680215392-6	5 Years
LWP240SB/CCT(***)	240/220/200W	3000K/4000K/5000K	33600/30800/28000	50,000 Hours	1 pcs	24.37"x 13.10"x 3.08"	80680215433-6	5 Years
LWP300SB/CCT(***)	300/240/200W	3000K/4000K/5000K	45000/36000/30000	50,000 Hours	1 pcs	24.37"x 13.10"x 3.08"	74616080124-7	5 Years
LWP35YP-BZ/CCT	42W	3000K/4000K/5000K	5200	50,000 Hours	6 pcs	9.75"x 7"x 3.5"	68059658281-6	2 Years
LWP60YP-BZ/CCT	60/40/29W	3000K/4000K/5000K	9060/6040/4379	50,000 Hours	6 pcs	D13.5"xH4.94"	80680215441-1	2 Years
LWP100YP-BZ/CCT	120/96/72W	3000K/4000K/5000K	15600/12480/9360	50,000 Hours	6 pcs	13.48"x 9.49"x 4.48"	80680215601-9	2 Years
PM75U2-BL/CCT	75/50/35W	3000K/4000K/5000K	9225/6150/4305	50,000 Hours	1 pcs	D14.96"xH20.69"	80680215630-9	5 Years


CCT
Flat LED Wall Pack

- Adjustable Color Settable 3000K Warm White 4000K Cool White or 5000K Day Light
- Auto On/Off Dusk-to-Dawn Photocell.
- Ideal For Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots, and Recreational Areas.
- Dimensions: 5-1/4"x 2-1/4"x 8-1/2"
- Aluminum Body and Poly Carbonate Lens
- 12W LED 1100 Lumen Output
- Wet Location

LWP12FBZ/CCT/P

CCT
15W LED Wall Pack

- Adjustable Color Settable 2700K, 3000K, 3500K, 4000K, or 5000K
- Auto On/Off Dusk-to-Dawn Photocell (Can Be Switched On or Off)
- Ideal for Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots, and Recreational Areas.
- Dimensions: 5.31"x 2.36"x 8.86"
- 15W LED 1927 Lumen Output
- Durable Polycarbonate Body and Lens
- Wet Location

LWP15BZ/CCT/P

CCT
26W LED Wall Pack

- Adjustable Color Settable 3000K Warm White 4000K Cool White or 5000K Day Light
- Auto On/Off Dusk-to-Dawn Photocell.
- Ideal for Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots, and Recreational Areas.
- Dimensions: 5.79"x 8.58"x 3.07"
- 26W LED 3380 Lumen Output, Aluminium Housing & Polycarbonate Lens
- Wet Location

LWP25BZ/CCT/P

CCT
15W LED Half Dome PC Wall Pack

- Dual Color Settable 3000K Warm White or 5000K Day Light
- Easy to Shut Off Sensor Cover Included
- Auto On/Off Dusk-to-Dawn Photocell.
- 15W LED 1100 Lumen Output
- Plastic Polycarbonate Housing and Lens
- Wet Location

LWP15PCBZ-CCT/P

CCT
LED Architectural Wall Mount

- Adjustable Color Settable 3000K Warm White, 4000K Cool White, or 5000K Day Light
- 18W LED Replaces 120 Watt Unit
- Integrated Dusk to Dawn Photocell
- Architectural Design
- Die-Cast Aluminium Rust Proof Housing
- 0-10V Dimmable, 50,000 hours Life
- Wet Location

LWP17BZ/CCT/P

CCT
LED Jelly Jar Lantern

- Adjustable Color Settable 3000K Warm White 4000K Cool White or 5000K Day Light
- 12W LED Lamp 800 Lumens Replaces 60 Watt Incandescent
- Wet Location Certified
- Rugged Dark Bronze Cast Aluminum Body
- Auto On/Off: Dusk-to-Dawn Photocell
- Acrylic Opal Lens
- Instant Start Electronic Unit

LW11JJ/BL/P-LED

LW13801/BL/P-LED
LED Pocket Wall Lantern

- 12W LED 1100 Lumens, 3000K Warm White
- Auto On/Off: Dusk to Dawn Photocell
- Ideal for Entry Way, Patio, & as a Porch Light
- Acrylic Lens & Black Aluminum Housing
- LED Array, No Bulbs Required
- Soft Diffused Even Light
- Non-Dimmable
- Wet Location



Model#	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions(LxWxD)	UPC	Warranty
LWP12FBZ/CCT/P	12W	3000K/4000K/5000K	1100	50,000 Hours	6 pcs	5-1/4"x 2-1/4"x 8-1/2"	80680215374-2	2 Years
LWP15BZ/CCT/P	15W	2700K/3000K/3500K/4000K/5000K	1927	25,000 Hours	6 pcs	5.31"x 2.36"x 8.86"	68059658208-3	2 Years
LWP25BZ/CCT/P	26W	3000K/4000K/5000K	3380	50,000 Hours	10 pcs	5.79"x 8.58"x 3.07"	79357374992-5	5 Years
LWP15PCBZ-CCT/P	15W	3000K/5000K	1100	50,000 Hours	6 pcs	7.5"x 10"x 4.5"	80680215583-8	2 Years
LWP17BZ/CCT/P	18W	3000K/4000K/5000K	1900	50,000 Hours	6 pcs	9.42"x 6"x 3.58"	68059658292-2	2 Years
LW11JJ/BL/P-LED	12W	3000K/4000K/5000K	800	50,000 Hours	6 pcs	5-7/8"x 4-1/2"x 8-1/4"	68059658187-1	2 Years
LW13801/BL/P-LED	12W	3000K	1100	50,000 Hours	6 pcs	7-3/4"x 4-1/4" x 9-3/4"	79357374907-9	2 Years


LWP30FHZ-BZ/850

Small LED Wall Pack

- 29W Replace a 75/100W MH Unit
- 120-277 Dual Voltages
- Aluminum Rust-Proof Body
- Instant-Start Electronic Unit
- Suitable For Wet Location(IP65)
- DLC listed
- Includes Quick Disconnect Photocell


LWP40FHZ/CCT LWP60FHZ/CCT LWP80FHZ/CCT LWP120FHZ/CCT

CCT Large LED Wall Pack, Watt & CCT Adjustable

- 40/60/80/120W Replace a 100/150/250/350W MH Unit
- 120-277 Dual Voltages
- Aluminum Rust-Proof Body
- Instant-Start Electronic Unit
- Suitable For Wet Location(IP65)
- DLC listed
- Includes Quick Disconnect Photocell


LWP467FCO/CCT

CCT Full Cut Off Wall Pack

- Adjustable Wattage 45W/60W/75W
- Adjustable Color Settings 3000K, 4000K, and 5000K
- 120-277 Dual Voltages
- Aluminum Rust-Proof Body
- Suitable For Wet Location(IP65)
- DLC listed
- Includes Quick Disconnect Photocell


LWP30FCO/CCT

CCT 90° Pivoting Cut-Off LED Wall Light

- Replace a 100W MH Unit
- 120-277 Dual Voltages, CCT Adjustable
- Aluminum Rust-Proof Body
- Instant-Start Electronic Unit
- Suitable For Wet Location(IP65)
- Includes Quick Disconnect Photocell


**BK400OD
BK800OD**

Backup for All Wall Packs with A Knock out

Outdoor Battery Backup Module

- 4Watt & 8Watt, 320 to 480 Lumens Depending on Fixture's Lumens Per Watt
- Aluminum Diecast/Bronze Finish
- 90 Minute Emergency Operation
- For Units With Low Voltage, Accessible LED Drivers
- Not for DOB Units, Not for Non-Isolated Drivers


LWP12BZACEM-SDT/CCT

CCT Emergency Battery Backup LED Wall Light

- Adjustable 3CCT 3500K/4000K/5000K
- Die-Casting Aluminum Housing
- Daily use 15W/1775 Lumen,
- Emergency Operation 5W/700Lumen
- 90 Minute Operation
- 120-277 Dual Voltages
- Polycarbonate Lens(Removable)
- Rechargeable Ni-Cad Battery
- Suitable For Wet Location(IP65)
- 0-10V Dimmable

Model#	LED Wattage	Halogen Equivalent	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (LxWxD)	UPC
LWP30FHZ-BZ/850	29W	75/100W	5000K	3625	50,000 Hours	1 pc	8.26"x7.24"x5.86"	80680215462-6
LWP40FHZ/CCT	40/30/20W	100W	3000K/4000K/5000K	5400/4050/2700	50,000 Hours	1 pc	9.92"x9.05"x5.04"	79357374998-7
LWP60FHZ/CCT	60/50/40W	150W	3000K/4000K/5000K	7920/6600/5280	50,000 Hours	1 pc	9.92"x9.05"x5.04"	79357374999-4
LWP80FHZ/CCT	80/60/40W	275W	3000K/4000K/5000K	11680/9240/6440	50,000 Hours	1 pc	14.37"x9.33"x7.44"	80680215548-7
LWP120FHZ/CCT	120/100/80W	350W	3000K/4000K/5000K	16680/13900/11120	50,000 Hours	1 pc	14.17"x8.60"x6.40"	68059658293-9
LWP467FCO/CCT	45/60/75W	100/150/200W	3000K/4000K/5000K	6770/8710/10580	50,000 Hours	1 pc	12.61"x6.86"x5.1"	80680215384-1
LWP30FCO/CCT	30W	100W	3000K/4000K/5000K	4050	50,000 Hours	1 pc	7.16"x4.56"x7.4"	80680215480-0
LWP12BZACEM-SDT/CCT	15W	N/A	3500K/4000K/5000K	1775	50,000 Hours	1 pc	10.47"x6.54"x3.78"	80680215629-3

CCT


LF30PBL/DL

LED Flood Light

- Adjustable CCT 2700K, 3000K, 4000K, 5000K, 6500K
- 30 Watt, 3000 Lumens
- Comes with Standard Mounting Canopy
- Rugged Polycarbonate Plastic Housing
- Mounting Hardware Included
- Flood Head Rotates Up/Down and Left to Right
- Suitable for Wet Locations

CCT


LF15BZ/DL



LF30BZ/CCT

CCT


LF50BZ/CCT

LED Slim Flood Light(Knuckle Mount)

- Available in 15 Watt(5000K), 30 Watt & 50Watt (CCT & Wattage Adjustable)
- 120-277 Dual Voltages
- Aluminum Rust-Proof Body
- Wall or Ground Mounting Standard 1/2" Thread
- Suitable For Wet Location

CCT


LF100BZ/CCT

CCT


LF150BZ/CCT

LED Flood Light (Trunion Mount)

- Adjustable CCT 3000K, 4000K, 5000K
- Adjustable Watt 100/80/60W & 150/120/100W
- Aluminum Rust-Proof Body
- Wall or Surface Mounting
- Suitable For Wet Location
- 100-277Volt

CCT

 LWP40CPF-D/CCT
 LWP60CPF-D/CCT

LED Square Canopy Light

- 40 Watt & 60Watt(CCT & Wattage Adjustable)
- 120-277 Dual Voltages
- Aluminum Rust-Proof Body
- 0-10 Volt Dimmable Driver
- Suitable For Wet Location(IP65)
- Microwave Motion Sensor Internally Installed(Sold Separately)
- External Battery Backup Available BK400OD & BK800OD (Sold Separately)

CCT
8" & 12" Flush Mount LED Round & Square

- 14 Watts 980 Lumen or 22Watts 1540 Lumen Output
- Available in Nickel Satin ,White and BronzeFinishes
- Indoor/outdoor Fixture, Only 1 Inch Thick
- Quick Install, Includes Earthquake Cable
- Available in 8" or 12" Diameter & Length
- Adjustable Color Settable 3000K Warm White, 3500K Bright Warm White and 4000K Cool White
- 35,000 Hour Life

*Future Unit will be CCT Adjustable



INDOOR/OUTDOOR


 C147RD-DISK/BZ
 C2211RD-DISK/BZ

 C147RD-DISK/NS
 C2211RD-DISK/NS

 C147RD-DISK/WH
 C2211RD-DISK/WH

 C147SQ-DISK/BZ
 C2211SQ-DISK/BZ

 C147SQ-DISK/NS *
 C2211SQ-DISK/NS

 C147SQ-DISK/WH
 C2211SQ-DISK/WH

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (DxH)	UPC
LF30PBL/CCT	30W LED Flood Light Black Finish	30W	2700K/3000K/4000K/5000K/6500K	3000	50,000 Hours	6 pcs	10.5"x5.88"x4.38"	74616080108-7
LF15BZ/DL	15W LED Flood Light Bronze Finish	15W	5000K	1620	50,000 Hours	10 pcs	5.35"x4.33"x1.5"	80680215582-1
LF30BZ/CCT	30W LED Flood Light Bronze Finish	30/20W	3000K/4000K/5000K	4050/2900	50,000 Hours	8 pcs	7.17"x8.58"x1.89"	80680215445-9
LF50BZ/CCT	50W LED Flood Light Bronze Finish	50/35W	3000K/4000K/5000K	6850/4795	50,000 Hours	8 pcs	8.49"x9.93"x1.93"	79357374915-4
LF100BZ/CCT	100W LED Flood Light Bronze Finish	100/80/60W	3000K/4000K/5000K	14000/11200/8400	50,000 Hours	1 pc	10.28"x2.72"x12.28"	80680215496-1
LF150BZ/CCT	150W LED Flood Light Bronze Finish	150/120/100W	3000K/4000K/5000K	21750/17400/14500	50,000 Hours	1 pc	11.45"x2.87"x13.11"	80680215497-8
LWP40CPF-D/CCT	40W LED Canopy Bronze Finish	40/30/20W	3000K/4000K/5000K	5000/3750/2500	50,000 Hours	4 pcs	8.03"x8.03"x3.66"	80680215363-6
LWP60CPF-D/CCT	60W LED Canopy Bronze Finish	60/40/25W	3000K/4000K/5000K	7500/5000/3125	50,000 Hours	4 pcs	10"x10"x4.17"	80680215364-3
C147RD-DISK/YY*	8" Round Flush Mount Ceiling Fixtures Bronze Finish	14W	3000K/3500K/5000K	980	35,000 Hours	6 pcs	8"x1"	80680215368-1
C147SQ-DISK/YY*	8" Square Flush Mount Ceiling Fixtures Bronze Finish	14W	3000K/3500K/5000K	980	35,000 Hours	6 pcs	8"x8"x1"	80680215370-4
C2211RD-DISK/YY*	12" Round Flush Mount Ceiling Fixtures Bronze Finish	22W	3000K/3500K/5000K	1540	35,000 Hours	6 pcs	11"x1"	80680215414-5
C2211SQ-DISK/YY*	12" Square Flush Mount Ceiling Fixtures Bronze Finish	22W	3000K/3500K/5000K	1540	35,000 Hours	6 pcs	12"x12"x1"	80680215415-2

YY(Stands for BZ=Bronze, NS=Nickel Satin or WH=White)**



CCT

S15WSAT/NS-LED

LED Saturn Wall Sconce

- LED Module Gives Smooth Even Light
- 15W 3000K Warm White, 4000K Cool White, 5000K Day Light
- 50,000 Hour Life
- Wet Locations
- Dimensions: 7" x 3-1/2" x 10"
- S15WSAT/NS-LED(BK) (Battery Backup) Unit Available


 LWP24SQ-UPDN-BZ/830
 LWP24SQ-UPDN-BZ/850

Up And Down LED Square Wall Sconce

- Integrated 24Watt LED, 2100Lumen Output, 5000K Day Light or 3000K Warm White
- Rugged Corrosion Resistant Cast Aluminum Housing and Tempered Glass Lens
- Fixture Shoots Light Up and Down
- Outdoor Wet Locations Rated



CCT



LWP24TUPDN-BZ/CCT LWP12TDN-BLK/CCT

Up And Down LED Cylinder Wall Sconce

- Adjustable Color Settable 3000K, 4000K, 5000K
- Integrated 12/24Watt LED, 1200/1900Lumen Output
- Rugged Corrosion Resistant Cast Aluminum Housing and Tempered Glass Lens
- 12W Fixture Shoots Light Down, 24W Up and Down
- Outdoor Wet Locations Rated
- Model BZ=Bronze, BLK=Black



LW2ADS-LED

Low Voltage LED Address Light

- Use 85% Less Energy than Incandescent Unit
- Long Lasting 25,000 Hours Lamp (2 Included) Visible 115 Feet away
- Easy Hook-Up to Existing Door Bell Power
- Display up to 5 numbers


 SL-4818
 SL-2409
 SL-24RGB
 SL48-15RGB


48 Ft & 24 Ft Regular and RGB LED String Light

- Wet Location Approved, Outdoor Weatherproof
- 48ft Includes 18 Bulbs (Spaced 2.5ft Apart), 24ft Includes 9 Bulbs (Spaced 2.5ft Apart)
- 48ft RGB Includes 15 Bulbs (Spaced 3.2ft Apart), 24ft RGB Includes 12 Bulbs (Spaced 2ft Apart)
- Link up to 26 Sets (24ft AC), 20 Sets (48ft AC), 3 Sets (24ft & 48ft RGB, DC)
- RGB Unit Comes With a Remote Control



SP1VZ/WH-BZ/830




SP1HZ/WH-BZ/830

LED Step Light 120V

- Integrated 2.5 Watt LED, 40 Lumen Output,
- 3000K Warm White
- White and Bronze Cover Plates Included in Each Package
- Glare Free Projects Light Downward
- Outdoor Wet Locations Rated

Model#	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions(LxWxD)	UPC	Warranty
S15WSAT/NS-LED	15W	3000K/4000K/5000K	1100	50,000 Hours	4 pcs	7" x 3-1/2" x 10"	680596583318	2 Years
LWP24SQ-UPDN-8XX/BZ	24W	3000K, 5000K	2100	50,000 Hours	6 pcs	6.18" x 3.54" x 11.83"	806802155623	5 Years
LWP24TUPDN-BZ/CCT	24W	3000K/4000K/5000K	1900	50,000 Hours	6 pcs	6-7/8" x 4-1/4" x 11-7/8"	806802154046	2 Years
LWP12TDN-BZ/CCT	12W	3000K/4000K/5000K	1200	50,000 Hours	6 pcs	6-7/8" x 4-1/4" x 7-7/8"	806802156224	2 Years
LWP12TDN-BLK/CCT	12W	3000K/4000K/5000K	1200	50,000 Hours	6 pcs	6-7/8" x 4-1/4" x 7-7/8"	746160800431	2 Years
SL-4818	1W/Per Bulb	2200K	60/Per Bulb	15,000 Hours	4 pc	48"	746160800394	2 Years
SL-2409	1W/Per Bulb	2200K	60/Per Bulb	15,000 Hours	4 pc	24"	806802155517	2 Years
SL-24RGB	0.6W/Per Bulb	RGB	-	15,000 Hours	4 pc	24"	806802156477	2 Years
SL48-15RGB	0.5W/Per Bulb	RGB	-	15,000 Hours	8 pc	48"	746160800059	2 Years
LW2ADS-LED	1.5W	4000K	40	25,000 Hours	10 pcs	10-1/8" x 5-1/16" x 2"	793573450197	3 Years
SP1VZ/WH-BZ/830	2.5W	3000K	40	25,000 Hours	10 pcs	2-3/4" x 4-1/2" x 1-1/2"	806802155005	2 Years
SP1HZ/WH-BZ/830	2.5W	3000K	40	25,000 Hours	10 pcs	4-1/2" x 2-3/4" x 1-1/2"	806802154992	2 Years



LED Wired Landscape Lights 12V

- Rugged PC Plastic Housing
- Includes a 2 Watt LED Wedge Base Lamp(Replaceable)*
- For Outdoor Wet Location Use
- Works with Most All 12 Volt Outdoor Landscape Transformers
- 3 Designs: Straw Umbrella, Brim Top, and Step Down With Easy Snap Cable Connector



LS3FL1-12V-BL
LS3FL1-12V-BL3PK

LED Wired Landscape Spot Light 12V

- Adjustable Head
- Aluminum Housing
- Includes a 3 Watt LED MR11 Lamp(Replaceable)*
- For Outdoor Wet Location Use
- Works with Most All 12 Volt Outdoor Landscape Transformers
- Available in 1-Pack or 3-Pack



LS3PSP-12V-BL
LS3PSP-12V-BL4PK

LED Wired Landscape Light 12V

- Rugged PC Plastic Housing
- Includes a 3 Watt LED G4 2-Pin Lamp(Replaceable)*
- For Outdoor Wet Location Use
- Works with Most All 12 Volt Outdoor Landscape Transformers
- Two Step Pagoda Design
- Available in 1-pack or 4-pack

LANDSCAPE LIGHTING ACCESSORIES

REPLACEABLE LAMPS



LB1T5WB/WW

LB25MR11/WW

LB4JC/WW

LB1JC/WW

QUICK CONNECT CABLE CONNECTOR



LSCTR1-1PK

Model#	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions(LxWxD)	UPC
LS2PUB-12V-BL	2W	3000K	150	15,000 Hours	6 pcs	4.9"x20.2"	746160800653
LS2PCP-12V-BL	2W	3000K	150	15,000 Hours	6 pcs	4.9"x19.5"	746160800660
LS2PSD-12V-BL	2W	3000K	150	15,000 Hours	6 pcs	4.9"x19.6"	746160800646
LS3FL1-12V-BL	3W	3000K	300	15,000 Hours	6 pcs	4.4"x2.8"x10.3"	746160800844
LS3FL1-12V-BL3PK	3W	3000K	300	15,000 Hours	6/3 packs	4.4"x2.8"x10.3"	746160801117
LS3PSP-12V-BL	3W	3000K	120	15,000 Hours	6 pcs	5.2"x9.35"	746160800899
LS3PSP-12V-BL4PK	3W	3000K	120	15,000 Hours	4/4 packs	5.2"x9.35"	746160800882



20 Watt Dual Color Motion Security LED Light

- Ideal for Driveways, Garages, Patios, Warehouse, Walkways, Parking Lots, and Recreational Areas
- Motion Activated Auto ON/OFF.
- Install Optical Lens to Convert 5000K to 3000K.
- Adjustable ON Time.
- Wall Mount with Standard Canopy, Aluminum Body.
- Integrated Dusk to Dawn Photocell.
- Motion Detection up to 70 feet out.



10 Watt Single Head Motion Security LED Light

- Ideal for Driveways, Garages, Patios, Warehouse, Walkways, Parking Lots, and Recreational Areas
- Motion Activated Auto ON/OFF.
- Adjustable ON Time.
- Wall Mount with Standard Canopy, Aluminum Body.
- Integrated Dusk to Dawn Photocell.
- Motion Detection up to 70 feet out.
- Install Optical Lens to Convert 5000K to 3000K.

(Accessories)




Replacement Motion Sensor Unit

- For Use with Outdoor Lighting. This Includes Flood Lights, Security Lights, Area Lights, and More.
- Integrated Dusk to Dawn Photocell.
- For Use with any Incandescent, CFL or LED Lamp.
- Plastic Poly-Carbonate Unit.



20 Watt LED Dual Head Security Flood Light

- Ideal for Driveways, Garages, Patios, Warehouse, Walkways, Parking Lots, and Recreational Areas
- Wall Mount with Standard Canopy, Aluminum Body.
- Can be Used to Replace Existing Halogen Security Light
- Dawn and Dusk Photocell Kit Sold Separately
- White and Bronze Available
- Install Optical Lens to Convert 5000K to 3000K
- Also Available As A 3000K Unit



20 Watt Dual Head Security LED Light

- Ideal for Driveways, Garages, Patios, Warehouse, Walkways, Parking Lots, and Recreational Areas
- Wall Mount with Standard Canopy, Plastic Body.
- Can be Used to Replace Existing Halogen Security Light
- Dawn and Dusk Included (Can be Shut Off)
- Adjustable Color Settable 2700K, 3000K, 3500K, 4000K, 5000K



20 Watt Dual Head Motion Security LED Light

- Ideal for Driveways, Garages, Patios, Warehouse, Walkways, Parking Lots, and Recreational Areas
- Motion Activated Auto ON/OFF.
- Adjustable Color Settable 2700K, 3000K, 3500K, 4000K, 5000K
- Adjustable ON Time.
- Wall Mount with Standard Canopy, Plastic Poly-Carbonate Body.
- Integrated Dusk to Dawn Photocell.
- Motion Detection up to 70 feet out.

Model#	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	UPC Prefix 680596
LF10MH1-*/XX	10W	3000K/5000K	820	50,000 Hours	6 pcs	58286-1 White 58287-8 Bronze
LF20MH2-*/XX	20W	3000K/5000K	1640	50,000 Hours	6 pcs	58264-9 White 58263-2 Bronze
LF20H2-*/XX	20W	3000K/5000K	1640	50,000 Hours	6 pcs	58262-5 White 58261-8 Bronze
LF20PH2-*/PCCT	20W	2700K/3000K/3500K/4000K/5000K	2000	50,000 Hours	8 pcs	74616880054-7 White 74616880053-0 Bronze
LF20PMH2-*/CCT	20W	2700K/3000K/3500K/4000K/5000K	2000	50,000 Hours	4 pcs	74616880045-5 White 74616880044-8 Bronze
Model#	LED Indicator	Manual Override	Detection Zone	Adjustable Timer	Case Pack	UPC Prefix 680596
LFMS-WH	Yes	Yes	180° & 70Ft	1-5-10 Minutes	6 pcs	58270-0
LFMS-BZ	Yes	Yes	180° & 70Ft	1-5-10 Minutes	6 pcs	58271-7

Note: ** unit color, XX lamp color.



10 Watt Single Head Motion Security LED Light

- Ideal For Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots, and Recreational areas.
- 10 Watt LED Square Head 270° Motion Security Light
- Install Optical Lens to Convert 5000K to 3000K.
- Motion Activated On/Off
- Wall Mount with Standard Canopy, Aluminum Body.
- Integrated Dusk to Dawn Photocell.
- Motion Detection up to 70 Feet Out.



20 Watt Triple Head Motion Security LED Light

- Ideal For Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots, and Recreational areas.
- 20 Watt LED Square Head 180° Motion Security Light.
- Motion Activated On/Off, PC Plastic Unit.
- Wall or Ceiling Mount with Standard Canopy
- Integrated Dusk to Dawn Photocell.
- Motion Detection up to 70 Feet Out.
- Adjustable Color Settable 2700K, 3000K, 3500K, 4000K, 5000K.



Watt Adjustable Dual Head Motion Security LED Light

- Ideal For Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots, and Recreational areas.
- 25/16 Watt LED Square Head 120° Motion Security Light.
- Motion Activated On/Off (Motion Detection Can Be Turned Off)
- Adjustable ON Time
- Wall Mount with Standard Canopy, Plastic Poly-Carbonate Body
- Integrated Dusk to Dawn Photocell.
- Motion Detection up to 33 Feet Out.
- Adjustable Color Settable 3000K, 3500K, 4000K, 4500K, 5000K.



110° Screw In Motion Security Fixture

- Dual Head 110° Screw In Motion Security Fixture
- Operates LED, CFL, Halogen, and Incandescent Lamps
- Poly Carbamate Body
- Ideal For Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots and Recreational areas.
- Adjustable ON Time.
- Wall Mount with Standard Canopy.
- Integrated Dusk to Dawn Photocell.
- Motion detection up to 70Ft Out.

***Lamps Not Included**

180° Screw In Motion Security Fixture

- Dual Head 180° Motion Security Fixture
- Operates LED, CFL, Halogen, and Incandescent Lamps
- Aluminum Body
- Ideal for Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots, and Recreational Areas
- Adjustable ON Time
- Wall Mount with Standard Canopy
- Integrated Dusk to Dawn Photocell
- Motion Detection up to 70 Feet Out

***Lamps Not Included**

270° Screw In Motion Security Fixture

- Dual Head 270° Motion Security Fixture
- Operates LED, CFL, Halogen, and Incandescent Lamps
- Aluminum Body with Shade
- Ideal for Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots and Recreational Areas
- Adjustable ON Time
- Wall Mount with Standard Canopy
- Integrated Dusk to Dawn Photocell
- Motion Detection up to 70 feet out

***Lamps Not Included**

Model#	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions(LxWxH)	UPC
LF10MF1-BZ/DL	10W	3000K & 5000K	820	50,000 Hours	6 pcs	4-9/16" x 6-3/16" x 7-1/16"	68059658279-3
LF20MH3-BL/CCT	20W	2700K/3000K/3500K/4000K/5000K	2000	50,000 Hours	6 pcs	15" x 8-1/8" x 4-1/8"	74616080077-6
LF2516PMH2-WH-CCT	25/16W	3000K/3500K/4000K/4500K/5000K	2250/1440	25,000 Hours	6 pcs	10.08" x 4.96" x 4.41"	74616080119-3
LF2516PMH2-BZ-CCT	25/16W	3000K/3500K/4000K/4500K/5000K	2250/1440	25,000 Hours	6 pcs	10.08" x 4.96" x 4.41"	74616080118-6
FM110PH2-WH *	-	-	-	-	6 pcs	9-1/2" x 4" x 6"	68059658319-6
FM110PH2-BZ *	-	-	-	-	6 pcs	9-1/2" x 4" x 6"	68059658320-2
FM180AH2-WH *	-	-	-	-	6 pcs	9-1/2" x 4" x 6-3/4"	68059658321-9
FM180AH2-BZ *	-	-	-	-	6 pcs	9-1/2" x 4" x 6-3/4"	68059658322-6
FM270AH2-WH *	-	-	-	-	6 pcs	13-1/2" x 7-1/4" x 10"	80680215407-7
FM270AH2-BZ *	-	-	-	-	6 pcs	13-1/2" x 7-1/4" x 10"	80680215406-0

* Bulbs not included. We recommend installing CTL PAR Lamps.



LF6MH2-SLR-WH/DL



LF6MH2-SLR-BL/DL

Solar LED Motion Security Light

- Motion Activated Auto ON/OFF.
- Ideal For Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots, and Recreational areas.
- Adjustable ON Time.
- Integrated Dusk to Dawn Photocell.
- 140° Motion Detection up to 26 feet out.
- Adjustable 3S or 7Mins On-Time When Motion is Detected



LF15MSB-SLR-CCT

CCT

Solar Powered Motion Sensing Area Light

- Adjustable Color Settable 3000K Warm White, 4000K Cool White & 6000K Day Light
- 12V Solar Powered, 15 Watt
- No Power Required, Zero Cost to Operate
- 120° Motion Sensing Up to 27 Feet out
- High Efficiency Monocrystalline Solar Panel
- 1700 Lumens at Maximum Output
- Night Mode Operates from Dusk to Dawn
- Multiple Mounting Methods, Parts Included
- IP65 for Outdoor Use
- Long Lasting Lithium Battery



LFCAM-SLRPN1-1PK

Solar Powered Security Camera

- 5MP Camera Pans Right to Left, Up/Down
- App Driven, WiFi Connectivity
- Weatherproof, Outdoor Use
- Solar Powered, No Wiring Needed
- High Absorbing Monocrystalline Solar Panel Remotely Connected.
- Motion Activates 200 Lumen LED Light & Starts Recording*
- Includes: Two-Way Radio, Day & Night Vision
- Mini SD Card Slot for Recording, Up to 128G, or Cloud Service (SD Card & Cloud Service Sold Separately)*



CM2MPAN-WH

Indoor Home Security Camera

- 2MP(1080p) Camera Pans Right to Left, Up/Down
- App Driven, WiFi Connectivity
- Low Voltage USB-C Cable and Adapter Included
- Table Top, Wall Mount, or Ceiling Mount
- Includes: Two-Way Radio, Day & Night Vision, and Motion Detection
- Mini SD Card Slot for Recording, Up to 128G, or Cloud Service (SD Card & Cloud Service Sold Separately)

Model#	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions(LxWxH)	UPC
LF6MH2-SLR-WH/DL	9W	6500K	700	40,000 Hours	6 pcs	7.4"x 4.68"x 9.49"	68059658357-8
LF6MH2-SLR-BL/DL	9W	6500K	700	40,000 Hours	6 pcs	7.4"x 4.68"x 9.49"	68059658356-1
LF15MSB-SLR-CCT	15W	3000K/4000K/6000K	1700	25,000 Hours	6 pcs	18.7"x 8.23"x 2.01"	74616080079-0
LFCAM-SLRPN1-1PK	-	-	200	-	4 pcs	5.55"x 4.13"x 7.28"	74616080116-2
CM2MPAN-WH	-	-	-	-	8 pcs	3.15"x 3.15"x 4.65"	74616080120-9



SMOOTH LED RECESSED LAMP

- 3 inch, 4 inch, 6 inch kits Available in White & Matte Black Finish
- Dimmable, 90CRI, Title 24, JA8
- Adjustable Color Settable 2700K, 3000K, 3500K Warm White, 4000K Cool White, and 5000K Day Light.
- 4 Inch and 6 Inch White Model is 3CCT.
- Comes with Standard Quick Connect Plug and E26 Screw in Base
- Available in Multi Packs



BAFFLED LED RECESSED LAMP

- 3 inch, 4 inch, 6 inch kits Available
- Dimmable, 90CRI, Title 24, JA8
- Adjustable Color Settable 3000K Warm White, 4000K Cool White, and 5000K Day Light, 3" Model is 5CCT
- Comes with Standard Quick Connect and E26 Screw in Base

4&6 INCH CHANGING COLOR LED RECESSED CAN TRIM KITS

- 50,000 Hour Life, 2 Year Warranty
- Suitable for Indoor & Wet Locations
- 120V Input
- 3 CCT 3000K, 4000K, 5000K Controlled by the flip of the wall Switch
- 10W 700 Lumen Output



Easy to Change Color
With Just a Flip of the Switch



CCT



POWER FAILURE 6 INCH BAFFLED LED RECESSED DOWN LIGHT

- Adjustable color settable 2700K, 3000K, 3500K, 4000K, 5000K
- Indoor use/dimmable
- Used as a normal lamp & if the power goes out it switches to battery power on its own (2-in-1 function)
- Operates 3 hours during power outage
- Fits Standard 6 Inch Recess Cans
- Comes with Standard Quick Connect Plug
- Auto recharging when power is on

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (DxH)	UPC
LC8RT3-ECO/CCT	3 Inch Dimmable, Smooth Retrofit Can Kit, CCT	8W	2700K/3000K/3500K/4000K/5000K	500	50,000	6 pcs	4.19"x1.54"	793573-749185
LC8RT3-S-CCT-BLK	3 Inch Dimmable, Smooth Retrofit Can Kit, CCT	8W	2700K/3000K/3500K/4000K/5000K	500	50,000	6 pcs	4.19"x1.54"	746160-800868
LC8RT3-ECO-B/CCT	3 Inch Dimmable, Baffled Retrofit Can Kit, CCT	8W	2700K/3000K/3500K/4000K/5000K	500	35,000	6 pcs	4.19"x1.54"	746160-800103
LC10RT4-S/CCT/**	4 Inch Dimmable, Smooth Retrofit Can Kit, CCT	10W	2700K/4000K/5000K	800	50,000	4 pcs	5.12"x1.85"	80680215611-8
LC10RT4-S3/CCT/6PK	4 Inch Dimmable, Smooth Retrofit Can Kit, CCT	8.7W	2700K/3000K/3500K/4000K/5000K	750	50,000	4 pcs	5.12"x1.85"	80680215615-6
LC10RT4-S-CCT-BLK	4 Inch Dimmable, Smooth Retrofit Can Kit, CCT	10W	2700K/3000K/3500K/4000K/5000K	800	50,000	4 pcs	5.12"x1.85"	80680215636-1
LC10RT4-B/CCT	4 Inch Dimmable, Baffled Retrofit Can Kit, CCT	10W	3000K/4000K/5000K	800	50,000	4 pcs	5.12"x1.85"	80680215609-5
LC12RT6-S/CCT/**	6 Inch Dimmable, Smooth Retrofit Can Kit, CCT	12.5W	2700K/4000K/5000K	1000	50,000	4 pcs	7.36"x1.97"	80680215612-5
LC10RT6-S3/CCT/6PK	6 Inch Dimmable, Smooth Retrofit Can Kit, CCT	12.5W	2700K/3000K/3500K/4000K/5000K	1000	50,000	4 pcs	7.36"x1.97"	80680215616-3
LC12RT6-S-CCT-BLK	6 Inch Dimmable, Smooth Retrofit Can Kit, CCT	12W	2700K/3000K/3500K/4000K/5000K	1000	50,000	4 pcs	7.36"x1.97"	80680215637-8
LC12RT6-B/CCT	6 Inch Dimmable, Baffled Retrofit Can Kit, CCT	12.5W	3000K/4000K/5000K	1000	50,000	4 pcs	7.36"x1.97"	80680215610-1
LC10RT4-345K	4 Inch Dimmable, Baffled Retrofit Can Kit Warm White, Cool White, Day Light	10W	3000K	700	50,000	6 pcs	5-1/2"x2-3/4"	80680215465-7
LC10RT6-345K	6 Inch Dimmable, Baffled Retrofit Can Kit Warm White, Cool White, Day Light	10W	4000K	700	50,000	6 pcs	7-1/2"x3"	80680215466-4
LC12RT6-B-CCTBK	6 Inch Dimmable, Battery Backup Baffled Retrofit Can Kit, CCT	12W	2700K/3000K/3500K/4000K/5000K	1000	50,000	6 pcs	7.32"x3.39"	746160-800745

**=Available in 1PK & 4PK



SQUARE LED RECESSED LAMP

- 4 Inch, 6 Inch Kits Available
- Dimmable, 90CRI
- Adjustable Settable 2700K/3000K/3500K/4000K/5000K
- 6 Inch Adjustable 14/12/9 Watt LED 1200/1000/750 Lumen Output
- Comes with Standard Quick Connect Plug and E26 Screw in Base
- Indoor and Wet Locations Use



PIVOTING LED RECESSED LAMP

- 4 inch, 5&6 inch kits Available
- Dimmable, 90CRI
- Adjustable Settable 2700K/3000K/3500K/4000K/5000K
- Comes with Standard Quick Connect Plug and E26 Screw in Base



PIVOTING LED DROP DOWN TRIM KIT

- Replace Halogen PAR16(50Watts) Lamp
- Dimmable, 90CRI
- 4 Inch LED Pivoting Drop Down Lamp
- For 3 & 4 Inch Trims
- 6Watts, 500 Lumen Output, 3000K Warm White



HIGH PERFORMANCE LED PAR16 REFLECTOR LAMP

- Replace Halogen PAR16(50Watts) Lamp
- Dimmable, 90CRI
- 4 Inch LED Pivoting Drop Down Lamp
- For 3 & 4 Inch Trims
- 7Watts, 500 Lumen Output, 3000K Warm White & 5000K Day Light



6" ARCHITECTURAL LED TRIM KIT & CAN

- Adjustable Color Settable 3000K Soft Warm White, 3500K Bright Warm White and 4000K Cool White
- 250 Watt Equivalent
- Dimmable, 90CRI
- 30/23/15 Watt LED 2550/1955/1275 Lumen Output
- 120-277V, 50,000 Hour Life
- Installs Directly to Ceiling Drywall, No Frame Needed



8" ARCHITECTURAL LED TRIM KIT & CAN

- Adjustable Color Settable 3000K Soft Warm White, 3500K Bright Warm White and 4000K Cool White
- 400 Watt Equivalent
- Dimmable, 90CRI
- 40 Watt LED 4000 Lumen Output
- 120-277V, 50,000 Hour Life
- Installs Directly to Ceiling Drywall, No Frame Needed

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (DxH)	UPC
LC12RT4-SQW/CCT	4 Inch Dimmable Square, Retrofit Can Kit SCCT	10W	2700K/3000K/3500K/4000K/5000K	700	50,000	6 pcs	5-1/8"x3"	680596-581697
LC19RT6-SQW/CCT	6 Inch Dimmable Square, Retrofit Can Kit SCCT	14/12/9W	2700K/3000K/3500K/4000K/5000K	1200/1000/750	50,000	6 pcs	6.73"x2.95"	680596-581703
LC9RT4-PIVOT/CCT	4 Inch Dimmable, Pivoting Retrofit Can Kit, SCCT	9W	2700K/3000K/3500K/4000K/5000K	650	50,000	6 pcs	5.51"x5.52"	793573-747990
LC17RT6-PIVOT/CCT	6 Inch Dimmable, Pivoting Retrofit Can Kit, SCCT	14W	2700K/3000K/3500K/4000K/5000K	1100	50,000	6 pcs	7.32"x2.64"	793573-749307
LC7RT4-DDWH/WW	6W 4 Inch Pivoting Drop Down Trim Kit	6W	3000K	500	25,000	6 pcs	5.12"x3"	680596-582588
LC7PAR16-ECO/WW	7W 3&4 Inch Recess Trim PAR16 Retrofit Lamp Kit	7W	3000K	500	25,000	6 pcs	1-31/32"x2-7/32"	793573-749840
LC7PAR16-ECO/DL	7W 3&4 Inch Recess Trim PAR16 Retrofit Lamp Kit	7W	5000K	500	25,000	6 pcs	1-31/32"x2-7/32"	680596-582359
LC27RT6-AR/CCT	6 Inch, Retrofit Can Kit, Aluminum Reflector, 3CCT	30/23/15W	3000K/3500K/4000K	2500/1955/1275	50,000	8 pcs	7.67"x5.9"	680596-581826
LC40RT8-AR/CCT	8 Inch, Retrofit Can Kit, Aluminum Reflector, 3CCT	40W	3000K/3500K/4000K	4000	50,000	4 pcs	9.25"x7.12"	793573-749789



CCT

4" Slim Recessed LED Down Light with J-BOX

- Adjustable Color Settable 2700K Soft Warm, 3000K Warm White, 3500K Bright Warm White, 4000K Cool White and 5000K Day Light
- Dimmable, 90CRI, Title 24
- 50,000 Hour Life
- Easy Installation, J-BOX can be Installed Prior to Trim

Available in a 4-pack



CCT

6" Slim Recessed LED Down Light with J-BOX

- Adjustable Color Settable 2700K Soft Warm, 3000K Warm White, 3500K Bright Warm White, 4000K Cool White and 5000K Day Light
- Dimmable, 90CRI, Title 24
- 50,000 Hour Life
- Easy Installation, J-BOX can be Installed Prior to Trim

Available in a 4-pack



CCT

8" Slim Recessed LED Down Light with J-BOX

- Adjustable Color Settable 3000K Warm White, 4000K Cool White and 5000K Day Light
- Dimmable, 90CRI, Title 24
- 50,000 Hour Life
- Easy Installation, J-BOX can be Installed Prior to Trim



CCT

4" LED Pivoting Down Light with J-BOX

- Adjustable Color Settable 2700K Soft Warm, 3000K Warm White, 3500K Bright Warm White, 4000K Cool White and 5000K Day Light
- Dimmable, 90CRI, Title 24
- 50,000 Hour Life
- Easy Installation, J-BOX can be Installed Prior to Trim



CCT

6" LED Pivoting Down Light with J-BOX

- Adjustable Color Settable 2700K Soft Warm, 3000K Warm White, 3500K Bright Warm White, 4000K Cool White and 5000K Day Light
- Dimmable, 90CRI, Title 24
- 50,000 Hour Life
- Easy Installation, J-BOX can be Installed Prior to Trim



CCT

CCT

CCT

Baffled Recessed LED Down Light with J-BOX

- 3 inch, 4 inch & 6 inch Kits Available
- Adjustable Color Settable 2700K Soft Warm, 3000K Warm White, 3500K Bright Warm White, 4000K Cool White and 5000K Day Light
- Dimmable, 90CRI, Title 24
- 50,000 Hour Life
- Easy Installation, J-BOX can be Installed Prior to Trim




Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (DxH)	UPC
LC10RT4-NCBX/CCT	4 inch Dimmable, Slim Recessed Down Light With J-BOX, CCT	9W	2700K/3000K/3500K/4000K/5000K	700	50,000	4 pcs	4.8"x2.08"	806802-156064
LC12RT6-NCBX/CCT	6 inch Dimmable, Slim Recessed Down Light With J-BOX, CCT	12W	2700K/3000K/3500K/4000K/5000K	950	50,000	4 pcs	6.81"x1.73"	806802-156071
LC24RT8-NCBX/CCT	8 inch Dimmable, Slim Recessed Down Light With J-BOX, CCT	24W	3000K/4000K/5000K	1800	50,000	4 pcs	8.58"x1.18"	806802-156088
LC9RT4-NCBXPVT/CCT	4 inch Dimmable, Pivoting Down Light With J-BOX, CCT	9.5W	2700K/3000K/3500K/4000K/5000K	700	50,000	6 pcs	4.92"x0.93"	806802-156248
LC12RT6-NCBXPVT/CCT	6 inch Dimmable, Pivoting Down Light With J-BOX, CCT	15W	2700K/3000K/3500K/4000K/5000K	900	50,000	6 pcs	7.18"x2"	806802-156316
LC8RT3-BNBXCCT	3 inch Dimmable, Baffled Retrofit Can Kit, CCT	8W	2700K/3000K/3500K/4000K/5000K	500	50,000	6 pcs	4.17"x1.63"	746160-800998
LC10RT4-BNBXCCT	4 inch Dimmable, Baffled Retrofit Can Kit, CCT	10W	2700K/3000K/3500K/4000K/5000K	800	50,000	6 pcs	5.51"x2.03"	746160-800080
LC15RT6-BNBXCCT	6 inch Dimmable, Baffled Retrofit Can Kit, CCT	15W	2700K/3000K/3500K/4000K/5000K	1250	50,000	6 pcs	7.36"x2.03"	746160-800097


CCT

4&6 INCH DIRECT MOUNT DOWNLIGHT

- Wet Locations
- Suitable for Indoor & Wet Locations
- 50,000 Hour Life Time
- Standard Knockout for Romex or Conduit Connection
- 3000K & 5000K Adjustable


CCT

**EASY INSTALLATION
NO CAN OR J-BOX NEEDED!**


CCT

6" LED MOTION SENSING DOWN LIGHT DISK

- Mounts Directly onto a 4" Octagon J-box
- Indoor and Outdoor Wet Locations Use
- 11W 850 Lumen Output, 90CRI, 5.9"D
- 2700K, 3000K, 3500K, 4000K, 5000K CCT Adjustable
- Auto On When Motion Sensed/Off After 1/2/5 Minutes if No Motion Sensed
- Meets NFPA70, NEC Section 410.16C(1) Requirements


CCT

7" LED MOTION SENSING DOWN LIGHT DISK

- Mounts Directly onto a 3.5" - 4" Octagon J-box
- Indoor and Outdoor Wet Locations Use
- 15W 900 Lumen Output, 90CRI, 7-7/8"D
- 3000K, 4000K, 5000K CCT Adjustable
- Auto On When Motion Sensed/Off After 2 Minutes if No Motion Sensed
- Meets NFPA70, NEC Section 410.16C(1) Requirements


CCT

5 INCH LED TRIM DISK

- Mounts Directly Onto a J-box or Use it in a 4" Recess Can
- Dimmable, 90CRI, Title24, 5-7/8"D
- 3000K, 4000K, 5000K CCT Available
- Indoor and Wet Locations Use
- 10W 650 Lumen Output



LC13RT6-DISK-930


CCT

LC20RT6-DISK/CCT

7 INCH LED TRIM DISK

- 13W Mounts Directly Onto a J-box, 14W Mounts Directly Onto a J-Box or Use It in a 6" Recessed Can
- Dimmable, 90CRI, Title24
- Available in 3000K Warm White (13W), or Adjustable 2700K, 3000K, 3500K, 4000K, 5000K (14W)
- Indoor and Wet Locations Use
- 13W 900 Lumen, 7-3/8"D & 14W 1100 Lumen, 7-1/4"D



LC-BAT-BACKUP

DOWNLIGHT BATTERY BACKUP

- Runs Fixtures for 90 Minutes
- External Battery Backup
- Connects To Downlight Driver
- Operates Downlights that are 15W and Below
- Can Also be used to Backup T8 Tubes
- Installs Remotely from Fixtures

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (DxH)	UPC
LC10RT4-JBX/2CCT	4 Inch Remodel J-Box Can Warm White	10W	3000K/5000K	700	50,000	4	5"x2.36"	80680215557-9
LC14RT6-JBX/2CCT	6 Inch Remodel J-Box Can Warm White	14W	3000K/5000K	1000	50,000	4	6.89"x2.36"	80680215558-6
LC60RT4-DISK-MS/CCT	3.5"-4" J-Box Downlight Disk With PIR Motion Sensor 5CCT	11W	2700K/3000K/3500K/4000K/5000K	850	25,000	12	6-3/4"x1.1"	80680215545-6
LC90RT6-DISK-MS/CCT	3.5"-4" J-Box Downlight Disk With PIR Motion Sensor 3CCT	15W	3000K/4000K/5000K	900	50,000	12	7-7/8"x1-1/8"	80680215565-4
LC11RT4-DISK/CCT	2.75"-3.5" J-Box Dimmable Surface Mount Ceiling Disk 3CCT	10W	3000K/4000K/5000K	650	50,000	6	5-7/8"x2-3/8"	680596-58225-0
LC13RT6-DISK-930	3.5"-4" J-Box Dimmable Surface Mount Ceiling Disk Warm White	13W	3000K	900	50,000	6	7-3/8"x1-3/16"	80680215605-7
LC20RT6-DISK/CCT	3.5"-4" J-Box Dimmable Surface Mount Ceiling Disk 5CCT	14W	2700K/3000K/3500K/4000K/5000K	1100	50,000	6	7-1/4"x2-7/16"	80680215560-9



R3RMLED

R3NCLED

3" Dedicated LED Recess Cans

- New Construction and Remodel Housing
- Brackets Come with Pre Installed Nails(NC)
- Adjustable Brackets & Standard LED Plug
- Aluminum Material for Better Heat Dissipation of LED Fixtures
- IC Rated




R4RMLED-IC

R4NCLED-IC

4" Dedicated LED Recess Cans

- New Construction and Remodel Housing
- Brackets Come with Pre Installed Nails(NC)
- Adjustable Brackets & Standard LED Plug
- Aluminum Material for Better Heat Dissipation of LED Fixtures
- IC Rated



R6RMLED-IC

R6NCLED-IC

6" Dedicated LED Recess Cans

- New Construction and Remodel Housing
- Brackets Come with Pre Installed Nails(NC)
- Adjustable Brackets & Standard LED Plug
- Aluminum Material for Better Heat Dissipation of LED Fixtures
- IC Rated



R6RMSLED-IC

R6NCSLED-IC

6" Shallow LED Can

- New Construction and Remodel Housing
- Brackets Come with Pre-Installed Nails(NC)
- Adjustable Brackets & Standard LED Plug
- Aluminum Material for Better Heat Dissipation of LED Fixtures
- IC Rated



Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (DxH)	UPC
R3RMLED	3 Inch Remodel Can	N/A	N/A	N/A	N/A	6	3"	793573-74924-6
R3NCLED	3 Inch New Construction Can	N/A	N/A	N/A	N/A	6	3"	793573-74923-9
R4RMLED-IC	4 Inch Remodel Can	N/A	N/A	N/A	N/A	6	4"	793573-74844-7
R4NCLED-IC	4 Inch New Construction Can	N/A	N/A	N/A	N/A	6	4"	793573-74842-3
R6RMLED-IC	6 Inch Remodel Can	N/A	N/A	N/A	N/A	6	6"	793573-74845-4
R6NCLED-IC	6 Inch New Construction Can	N/A	N/A	N/A	N/A	6	6"	793573-74843-0
R6RMSLED-IC	Remodel Short Can	N/A	N/A	N/A	N/A	6	6"	680596-58266-3
R6NCSLED-IC	New Construction Short Can	N/A	N/A	N/A	N/A	6	6"	680596-58265-6

CCT & Watt Adjustable



LB11PL-H/CCT


 LB7PL-M/WW
LB7PL-M/CW

CCT



LB16R30PL-V/CCT



LB11PL-H/CW



LB8PL-MX23-2/CW

CCT



LB60A-D/CCT2PK

CCT



LB60A-D/CCTBK

CCT



LB65R30-D/CCT

CCT



LB90PAR38BM-D/CCT

LED PL Replacement 2 Pin & 4 Pin Lamps

- Type A Works With Existing Ballast
- Type B Works With Direct AC Power
- Type A+B Works Both Ways
- CCT Units are Adjustable Color Settable
- WW Unit is 2700K Lamp Color
- CW Units Are 4000K Lamp Color
- LB7PL-M and LB8PL-MX23-2 Unit is 2-Pin & Operates On Magnetic Ballasts. All Other Models On Electric Ballasts.
- All Lamps Work On Multiple Plug-In Socket Configurations and Have Different Watt Replacements (See Detailed Spec Sheets On Our Website).

LED Color Adjustable Bulbs

- A 60Watt Replacement 800Lumen, Dimmable, BK Unit Operates As A Normal Lamp During Power Outage Will Run On Battery Power For 90 Minutes Minimum
- BR30 Reflector Lamp 3-3/4" Diameter 65W Replacement 650 Lumen, Dimmable
- PAR38 Parabolic Reflector 4-3/4" Diameter 90W Replacement 1200 Lumen, Dimmable, Adjustable Beam Angle 20° or 40°
- All Unit 5CCT Adjustable 2700K, 3000K, 3500K, 4000K, 5000K

LED PAR Lamps

- Three Size Options: Par20, Par30, Par38
- 50 Watt, 75 Watt, and 120 Watt Replacement Lamps Available
- Two Color Temperature Options: 3000K Warm White, 5000K Day Light
- Suitable for Wet Locations
- Dimmable
- Short Neck Available (LB75PAR30SS)

LED R Lamps

- Three Size Options: R20, R30, R40
- 50 Watt, 65Watt, 75 Watt, 90 Watt Replaceable Lamps Available
- Two Color Temperature Options: 3000K Warm White & 5000K Day Light
- Power Failure Battery Backup Bulb Available
- Dimmable, Except Battery Backup Bulb

G25 LED Globe Lamps

- Dimmable
- 15,000 Hour Lamp Life
- Available in 2700K Warm White
- 60 Watt Replacement
- Clear & Frosted
- Multi-Pack



LB60G25-D/WW/2PK



LB60FG25-D/WW/2PK

T10 LED Tubular Lamps

- Dimmable
- 15,000 Hour Lamp Life
- Available in 2700K Warm White
- 60 Watt Replacement
- Clear & Frosted



LB60T10C-D/WW



LB60T10F-D/WW



LB40A-D/WW



LB60A-D/WW



LB75A-D/WW



LB100A-D/WW

LED Standard A Lamps

- 40 Watt, 60 Watt, 75 Watt, and 100 Watt Replacement Available
- Available in Dimmable or Non-Dimmable Versions
- Two Color Temperature Options: 5000K Day Light and 2700K Warm White
- Saves 90% Energy Compared to Halogen
- Multipack Options Available As Well



LB125A21-D/WW
LB125A21-D/DL



LB150A21-D/WW
LB150A21-D/DL



LB200A23-D/WW
LB200A23-D/DL

LED High Lumen A Lamp

- 125Watt Replacement Available, 2000 Lumens(A21)
- 150Watt Replacement Available, 2550-2600 Lumens(A21)
- 200Watt Replacement Available, 3005-3200 Lumens(A23)
- Dimmable
- 2700K Warm White & 5000K Day Light
- Saves 90% Energy Compared to Halogen



LB100A-3WAY/WW
LB100A-3WAY/DL



LB150A-3WAY/WW
LB150A-3WAY/DL

LED 3Way Lamp

- 40/60/100Watt Replacement Available, 500/800/1600Lumens(A19)
- 50/100/150Watt Replacement Available, 620/1600/2150Lumens(A21)
- 3000K Warm White & 5000K Day Light
- Saves 90% Energy Compared to Halogen



LB250GB/CW

LED Ultra-Bright Garage Light

- Replaces 250-300 Watt Incandescent Lamps
- 42 Watt, 4200 Lumen Brightness
- Instant On, High Power LED Bulb
- Multi-Use: Use it with Flaps Up, Down, or Angled
- Not Dimmable



LB18CB/**



*LB36CB/**



*LB54CB/**



LB120CB/850

LED Heavy Duty Corn Bulbs

- Instant on High Power LED Bulb
- 18W, 36W, 54W(Both E26, E39 Base)
- 120W E39 Base, 5000K Day Light
- 3000K Warm White, and Adjustable 3CCT Available for 18W, 36W,&54W**
- 75 Watt, 150 Watt, 200 Watt, 400 Watt HID Replacement

*LB36CB & LB54CB are Watt Adjustable



LB45TB/DL



LB90TB/DL

LED High Power Bulb Boss T- Bulbs

- Instant on High Power LED Bulb
- 45Watt 5400 Lumen, 90Watt 10800 Lumen
- 45Watt E26 Base, 90Watt E39 Base
- 350,500 Watt Incandescent Lamp Replacement
- 5000K Day Light
- Wet Location Rated



LB54HCB/850

180° LED Retrofit Lamp for Shoe Box & Wall Packs

- Adjustable 75/63/54 Watt LED, 8600/7200/6200 Lumen Output, 5000K Day Light
- Comparable to 250 Watt MH or HPS Lamp
- 90% More Efficient Than Halogen
- Magnesium Alloy Heat Sink. Second Generation Optics on Chips
- Direct Power 120/277V
- Ratcheting E39 Base
- Dimmable 0-10 Volt



LB5A/**

LED Party Bulbs

- Yellow Color Lamp Acts As a Bug Lamp
- Available In 3 Watt-Yellow & Red, 5 Watt-Green & Blue, 6 Watt-Orange
- 15,000 Hour Lamp Life

(Black Light Lamp Also Available)



LB14-VINT/22K

LB4FCN-VINT/22K

LB60G25-VINT/21K

LB4T10-VINT/21K

LB4A-VINT/21K

Vintage LED Lamps

- Available in 4 Different Shapes
- Instant on, Instant Bright, Last Up to 15,000 Hours
- No Uv or Infrared Radiation
- 2100K Warm White
- Filament LED Chip Gives Incandescent Glow
- Bulb is Tinted Amber for Vintage Look



LB60G16-D/WW/2PK

LB40G16-D/WW/2PK

LB40CA-D/WW/2PK

LB10S14-WW/2PK

LB60CAST21-WW/3PK
LB60CAST21-DL/3PK**

Clear LED Lamps

- 2700K Warm White
- Filament LED Chip Gives Incandescent Glow
- Available in Standard, Globes, and Candle Lamp Shapes
- 15,000 Hour Lamp Life

(5000K Day Light) **



LB25FCNC-D/WW
LB40FCNC-D/WW
LB60FCNC-D/WW

LB40FCNC-D/WW-4PK



LB40TCC-DE12WW2PK
LB60TCC-DE12WW2PK
LB100TCC-DE12WW2PK



LB25TCNC-D/WW/2PK
LB40TCNC-D/WW/2PK
LB60TCNC-D/WW/2PK

LED Candle Lamps

- Replaces 25Watt, 40 Watt & 60 Watt Incandescent
- Save 80% of Existing Energy
- 2 Year Warranty
- 15,000 Hour Lamp Life
- 2700K Warm White
- Dimmable
- Available in two shapes, Torpedo & Flame Tip
- Multi Pack Options



LB40TCNF-D/WW-2PK



LB40FCNF-D/WW-2PK

LED Frosted Candles

- Replaces 40 Watt Incandescent
- Save 80% of Existing Energy
- 2 Year Warranty
- 15,000 Hour Lamp Life
- 2700K Warm White
- Dimmable
- Available in two shapes, Torpedo & Flame Tip
- Available in 2-Pack



LB25MR16/WW*



LB35MR16-D/WW



LB45MR16-D/WW
LB50MR16-D/WW

MR16 LED Lamps

- 15,000 Hour Lamp Life
- 25 Watt, 35 Watt, 45 Watt, 50 Watt Replacement Available
- Two Color Temperature Options: 3000K Warm White & 5000K Day Light

*Colored MR16's Available



LB35GU10-D/WW



LB50GU10-D/WW*

GU10 LED Lamps

- Dimmable
- 25,000 Hour Lamp Life
- 35 Watt, 50 Watt Replacement Available
- (LB35GU10-D/WW)5.5 Watt, 350 Lumens
- (LB50GU10-D/WW)7 Watt, 500 Lumens
- Available in 3000K Warm White and 5000K Day Light*





LB60A-GU24/WW
LB60A-GU24/DL



LB100A-GU24/WW
LB100A-GU24/DL

LED GU24 Pin Base A Lamp

- 15,000 Hour Lamp Life
- 60Watt, 100Watt Replacement
- 9.5Watt (800 Lumens), 15Watt (1600 Lumens)
- Available in 3000K Warm White and 5000K Day Light



LB35T7-E17-WW

LED Appliance Lamp(120V)

- Dimmable
- 15,000 Hour Lamp Life
- 3 Watt Replaces 35 W Halogen
- 3000K Warm White, 550 Lumens
- 360 Degree Beam Angle
- E17 Base
- For Use in Appliances, Refrigerator, and More



LB50MCAN-WW



LB75MCAN-WW

LED Mini Can Bulb(120V)

- Dimmable
- 15,000 Hour Lamp Life
- 5 Watt(600 Lumens) Replaces 50 W Halogen
- 7 Watt(770 Lumens) Replaces 75 W Halogen
- 3000K Warm White
- 360 Degree Beam Angle
- E11 Base
- For Use in Hanging Lamps, Ceiling Fans, Pendants, and More



LB40G8-WW
LB40G8-DL

LED G8 Lamp(120V)

- Dimmable
- 15,000 Hour Lamp Life
- 4 Watt Replaces 40 W Halogen
- 3000K Warm White & 5000K Day Light, 480 Lumens
- 360 Degree Beam Angle
- GY8.6 Base
- For Use in Under-Cabinets, Outdoor Security, Pendants, and More



LB50GY635-WW
LB50GY635-DL

LED JCD Lamp(120V)

- Dimmable
- 15,000 Hour Lamp Life
- 5 Watt Replaces 50 W Halogen
- 3000K Warm White & 5000K Day Light, 500 Lumens
- 360 Degree Beam Angle
- GY6.35 Base
- For Use in Wall Sconces, Hanging Lights, Pendants, and More



LB75GY635-WW
LB75GY635-DL

LED JCD Lamp(120V)

- Dimmable
- 15,000 Hour Lamp Life
- 6 Watt Replaces 75 W Halogen
- 3000K Warm White & 5000K Day Light, 700 Lumens
- 360 Degree Beam Angle
- GY6.35 Base
- For Use in Wall Sconces, Hanging Lights, Pendants, and More



LB35G9/WW



LB50G9/WW

G9 LED Lamp(120V)

- 15,000 Hour Lamp Life
- 35 & 50Watt Halogen Replacement
- 350 Lumens, 600 Lumens
- 3000K Warm White
- For Use in Wall Sconces, Hanging Lights, Pendants, and More



LB60J78/WW

Halogen J78 Replacement Lamp(120V)

- 15,000 Hour Lamp Life
- 5 Watt Replaces 60 W Halogen
- 3000K Warm White, 550 Lumens
- 360 Degree Beam Angle
- RS7 Base



FLOOD LIGHT



LB150J118/WW

Halogen J118 Replacement Lamp(120V)

- 15,000 Hour Lamp Life
- 10 Watt Replaces 150 W Halogen
- 3000K Warm White, 1000 Lumens
- Dimmable



LANDSCAPE
LIGHT



NUMBER
SIGNS



LB1T5-WB/WW

Auto/RV Wedge Base LED Lamp(12V)

- 12,000 Hour Lamp Life
- 2 Watt Replaces 30 Watt Halogen
- 3000K Warm White, 200 Lumens



LB1JC/WW
LB1JC/CW*



LB4JC/WW



STEP
LIGHT



PENDANT

G4 LED JC Lamps(12V)

- Lamps Fit in Task Lights, Puck Light, Stairways, and Pendants
- 15,000 Hour Lamp Life
- 3000K & 4000K*
- 10 Watt, 30 Watt Replaceable
- 115 Lumens, 300 Lumens



LB2PK/WW

G4 LED Puck Lamp(12V)

- 12,000 Hour Lamp Life
- 2 Watt Replaces 25 Watt Halogen
- 3000K Warm White, 260 Lumens
- 120° Beam Angle
- For Use in Hockey Pucks & Under-Cabinet Lighting



BA15D
BASE



LB3GBK/WW



LB21383/WW



BA15S
BASE

LED Elevator Lamps(12V)

- 25,000 Hour Lamp Life
- Replace 25 Watt GBK and 25 Watt 1383 Incandescent Lamps
- 3000K Warm White



BA15S
BASE



LB4BAYN/WW

LED Auto/RV Lamp(12V)

- 25,000 Hour Lamp Life
- 12Volts AC/DC
- 3000K Warm White, 300 Lumens
- 300° Beam Angle
- For Use in Landscape Light, Autos, RV, & Boats



LB1S8-1156/WW



120°
BEAM ANGLE
BA15S Base

S8 LED Lamp(12V)


- 15,000 Hour Lamp Life
- 12Volts AC/DC
- 3000K Warm White, 150 Lumens
- 120° Beam Angle
- For Use in Autos, RV, & Boats



LB12T5-APNP/840

Plug-N-Play LED T-5 Tubes

- Operates on Most Fluorescent Ballast, Program Start
- 12" Length, Type A
- 4000K Cool White
- Cannot be Direct-Wired
- Replace F8T5 Fluorescent



LB21T5-APNP/840

Plug-N-Play LED T-5 Tubes

- Operates on Most Fluorescent Ballast, Program Start
- 21" Length, Type A
- 4000K Cool White
- Cannot be Direct-Wired
- Replace F13T5 Fluorescent



LB46T5-PNP/8**

Plug-N-Play LED T-5 Tubes

- Operates on Most Fluorescent Ballast, Program Start
- 46" Length, Type A
- Two Color Temperature Options: 5000K Daylight, 4000K Cool White
- Cannot be Direct-Wired
- Replace 28-54 Watt Fluorescent



LB24T8-U/840

Future Model: (LB24T8-U/CCT)

Plug-N-Play or Direct Wire LED T-8 U6 Tubes

- Plug-N-Play Units Run on Instant Start Ballast
- Can Also be Direct Wired 120-277V
- 2 Foot Length, Type A+B
- 4000K Cool White
- This Lamp Has A Safety Fuse to Protect Against Over Heating



LBFC8LED-CCT



LBFC12LED-CCT

Plug-N-Play or Direct Wire LED T-9 Circular Lamp

- Plug-N-Play Units Run on Instant Start Ballast
- Can Also be Direct Wired 120-277V (Type A+B Wiring Option)
- 8 Inch & 12 Inch Adjustable Color Settable 3000K Warm White, 4000K Cool White, and 5000K Day Light
- Use it with a Standard Circleline Plug
- Type A+B



LB18T8-XPNP-CCT

Plug-N-Play or Direct Wire LED T-8 Tubes

- Plug-N-Play Units Run on Instant Start & Electronic Ballast
- Can Also be Direct Wired 120-277V
- 18 Inch Length, Type A+B
- Adjustable Color Settable 3000K Warm White, 4100K Cool White, and 5000K Day Light
- Replace F15T8 Fluorescent



LB48T12-XPNP-CCT

Plug-N-Play or Direct Wire LED T-12 Tubes

- Plug-N-Play Units Run on Instant Start & Magnetic/Electronic Ballast
- Can Also be Direct Wired 120-277V
- 48 Inch Length, Type A+B
- Adjustable Color Settable 3000K Warm White, 4000K Cool White, 5000K Day Light, and 6500K Bright Day Light
- Replace F40T12 Fluorescent





LB24T8-PNP/8**

Plug-N-Play or Direct Wire LED T-8 Tubes 2Ft

- Plug-N-Play Units Run on Rapid Start, Instant Start, Program Start & Magnetic Ballasts
- Can Also be Direct Wired 120-277V
- 2 Foot Length, Type A+B
- Two Color Temperature Options: 5000K Daylight, 3000K Warm White.



LB24T8-PNP+B/CCT

Plug-N-Play or Direct Wire LED T-8 Tubes 2Ft

- Plug-N-Play Units Run on Rapid Start, Instant Start, Program Start & Electronic Ballasts
- Can Also be Direct Wired 120-277V
- 2 Foot Length, Type A+B
- Five Color Temperature Options: 3000K, 3500K, 4000K, 5000K, 6500K



LB48T8-APNP/840-2PK

Plug-N-Play LED T-8 Tubes

- Operates on Most Fluorescent Ballast, Program Start
- 48" Length
- 4000K Cool White
- Cannot be Direct-Wired
- Type A



LB48T8-XPNP/8**

Available in 2-Pack

Plug-N-Play or Direct Wire LED T-8 Tubes 4Ft


- Plug-N-Play Units Run on Instant Start & Magnetic Ballasts
- Can Also be Direct Wired 120-277V
- 4 Foot Length, Type A+B
- Three Color Temperature Options: 5000K Daylight, 4000K Cool White, 3000K Warm White.
- This Lamp Has A Safety Fuse to Protect Against Over Heating



LB48T8-DIR/840

Direct Wire 120-277V LED T-8 Tubes 4Ft

- 4 Foot Length, Type B
- 4000K Cool White
- 15W and 2100 Lumens
- This Lamp Has A Safety Fuse to Protect Against Over Heating



LB48T8-DIR/BK



CCT

48" LED T8 BATTERY BACKUP LAMP

- Adjustable color settable 2700K, 3000K, 3500K, 4000K, 5000K
- Direct connect to line voltage 120-277VAC (type B)
- Emergency mode; gives 380 lumens and operates for 90 minutes
- Used as a normal lamp with emergency mode to operate on battery during power outage
- Self-Testing monthly: If emergency function is abnormal, the lamp indicator light will flash. Lamp also includes manual test switch



↑
Splits

LB96T8-PNP/840

Comes in 4ft Package

Plug-N-Play or Direct Wire LED T-8 Tubes 8Ft

- Plug-N-Play Units Run on Instant Start Ballast
- Can Also be Direct Wired 120-277V
- 8 Foot Length, Type A+B
- 4000K Cool White
- This Lamp Has A Safety Fuse to Protect Against Over Heating
- 2-Pin Conversion Kit Available

SOCKETS



FP-T812LH



FP-2612CS



FP-1226CS



FP-GUCS



IB40AC-APL
IB40AC-APL2PK

INCANDESCENT APPLIANCE LAMP

- 40Watt A15 Appliance Bulb
- Ideal For Conventional Oven, Refrigerator, High and Low Temperature Use
- Indoor Use Only
- E26 Base
- 5,000 Hour Lamp Life
- Available in 1-pack Or 2-Pack



IB250R40RDHL
IB250R40RDHL/2PK

INCANDESCENT HEAT LAMP(RED)

- 250 Watt R40 Infrared Red Reflector
- Ideal For Heating: Bathrooms, Animal Habitats, Use As Food Warmers, & More
- Indoor Use Only
- E26 Brass Base
- 5,000 Hour Lamp Life
- 180 Degree Beam Angle
- Available in 1-pack Or 2-Pack



IB250R40CLHL
IB250R40CLHL/2PK

INCANDESCENT HEAT LAMP(CLEAR)

- 250 Watt R40 Infrared Clear Reflector
- Ideal For Heating: Bathrooms, Animal Habitats, Use As Food Warmers, & More
- Indoor Use Only
- E26 Brass Base
- 5,000 Hour Lamp Life
- 180 Degree Beam Angle
- Available in 1-pack Or 2-Pack



CP10CS-12NPK

10.5" REFLECTOR BROODER LAMP WITH CLAMP

- Corrosion-resistant aluminum shade
- Built-in hanger allows lamp to be hung
- Heat resistant ceramic socket
- Double wire bulb guard
- 6 foot electrical cord with polarized male prongs
- Scratch resistant clamp
- Ball joint for easy positioning
- 300W bulb maximum, sold separately



DL4RF1-WH



DL4RF1-BL

LED Reflector Desk Lamps

- Long Life Integrated LED Lamp
- Easy Snap Rocker Switch
- 5ft Cord Included
- Adjustable Head
- 3000K Warm White Light Color
- Available in White or Black



DL81HLU-WH-CCT



DL81HLU-BL-CCT

CCT

LED Linear Desk Lamps

- Adjustable Lamp Head
- Integrated LED Lamp
- 5ft. Cord with USB Adapter
- Multi Function Touch Switch: On/Off, Color Adjustment, and Dimming Function.
- USB Phone Charging Outlet(Adapter Included)
- Adjustable 3CCT Light Color- 3000K Warm White, 4000K Cool White, & 5000K Daylight
- Available in White or Black



CP81HL-WH-CCT



CP81HL-BL-CCT

CCT

LED Linear Clip-On Desk Lamps

- Easy Clip-On Base, Universal use Lamp
- Smooth Dimming Function
- 5ft USB Cord Included
- USB Adapter Included
- Flexible Adjustable Head
- Adjustable 3CCT Light Color- 3000K Warm White, 4000K Cool White, & 5000K Daylight
- Available in White or Black



TB3SB-WH-CCT

Touch Switch




TB3SB-BL-CCT

CCT

LED Rechargeable Portable Table Lamps

- Battery Operated
- Touch Switch: ON/OFF
- Touch Dimming and Lamp Color Changing
- Lamp Can Last Up to 30 Days* on One Charge
- Integrated LED Lamp
- Included USB Charging Cable
- Adjustable 3CCT Light Color- 3000K Warm White, 4000K Cool White, & 6500K Daylight
- Available in White or Black

Model#	Description	Wattage	Incandescent Equivalent	Case Pack	Lumens	Dimensions (LxWxH)
DL4RF1-WH	4.5Watt LED Desk Lamp, White, W/Cord & Switch, 3000K	4.5Watt	30Watt	8	280	5.2"x5.2"x14.96"
DL4RF1-BL	4.5Watt LED Desk Lamp, Black, W/Cord & Switch, 3000K	4.5Watt	30Watt	8	280	5.2"x5.2"x14.96"
DL81HLU-WH-CCT	8Watt LED Linear Desk Lamp, White, USB Charger, Dimmable, 3CCT	8Watt	30Watt	8	350	5.12"x5.12"x24.61"
DL81HLU-BL-CCT	8Watt LED Linear Desk Lamp, Black, USB Charger, Dimmable, 3CCT	8Watt	30Watt	8	350	5.12"x5.12"x24.61"
CP81HL-WH-CCT	8Watt LED Linear Clip On Lamp, White, Dimmable, 3CCT	8Watt	30Watt	8	400	4.17"x2.93"x27.17"
CP81HL-BL-CCT	8Watt LED Linear Clip On Lamp, Black, Dimmable, 3CCT	8Watt	30Watt	8	400	4.17"x2.93"x27.17"
TB3SB-WH-CCT	3Watt LED Table Lamp, White, Dimmable, 3CCT	3Watt	30Watt	6	300	4.33"x4.33"x15"
TB3SB-BL-CCT	3Watt LED Table Lamp, Black, Dimmable, 3CCT	3Watt	30Watt	6	300	4.33"x4.33"x15"



ULZZ4-DCT***

CCT

Dimmable

Linking Switch Box
Sold Separately



UL4-HWS

Adjustable Color Under-Cabinet Fixture

- 1" Thin LED Dimmable Under - Cabinet and 4" Wide
- 25,000 Hour Lamp Life
- Powder Coated White Finish
- Plug in or Hard Wire and Linking Connector Included
- 9 Inch 3Watts, 12 Inch 5Watts, 18 Inch 8Watts, 24 Inch 12Watts, 32 Inch 16Watts, 40 Inch 20Watts
- Adjustable Color Temperature Under-Cabinet Fixture 3000K & 4000K & 5000K in One Unit
- 90 CRI



ULYY5/WH**

CCT

Dimmable


Linking Switch Box
Sold Separately



UL5-HWS

Dual Color LED Under-Cabinet Task

- 1" Thin LED Dimmable Under - Cabinet and 5" Wide
- 25,000 Hour Lamp Life
- Powder Coated White Finish
- Plug in or Hard Wire and Linking Connector Included
- 9 Inch 5Watts, 12 Inch 6Watts, 18 Inch 9Watts, 24 Inch 11Watts, 33 Inch 13Watts, 42 Inch 16Watts Available
- Warm White 3000K, 4000K Cool White Adjustable
- 90 CRI



ULRR3-DCT****

CCT

Dimmable

Hard Wire Dual Color Under-Cabinet Fixture

- 1" Thin and 3.5" Wide
- 50,000 Hour Lamp Life
- Powder Coated White Finish
- Dual Color 3000K & 4000K Adjustable
- 90 CRI



UL4-HWS
UL5-HWS



UL4-12LINK



UL5-12LINK

Switch Boxes

- Available for 4 Inch Tri-Color Under-cabinet & 5 Inch Dual-Color Under-cabinet Fixtures

12" Linking Cords (2 Per Pack)

- For 4" Tri-Color Under-cabinet Fixtures
- For 5" Dual-Color Under-cabinet Fixtures

Model#	Description	Wattage	Replace Halogen	Case Pack	Lumens	Dimensions (LxWxH)
UL094-DCT	9" 3 Watt LED Lamp With Switch White Finish, Dimmable	3Watt	25Watt	6	170	9"x3-5/8"x1"
UL124-DCT	12" 5 Watt LED Lamp With Switch White Finish, Dimmable	5Watt	35Watt		270	12"x3-5/8"x1"
UL184-DCT	18" 8 Watt LED Lamp With Switch White Finish, Dimmable	8Watt	75Watt		450	18"x3-5/8"x1"
UL244-DCT	24" 12Watt LED Lamp With Switch White Finish, Dimmable	12Watt	100Watt		650	24"x3-5/8"x1"
UL324-DCT	32" 16Watt LED Lamp With Switch White Finish, Dimmable	16Watt	125Watt		880	32"x3-5/8"x1"
UL404-DCT	40" 20Watt LED Lamp With Switch White Finish, Dimmable	20Watt	150Watt		1100	40"x3-5/8"x1"
UL095-D/WH	9" 5 Watt LED Lamp With Switch Dimmable	5Watt	25Watt		250	9"x5"x1-1/8"
UL125-D/WH	12" 6 Watt LED Lamp With Switch Dimmable	6Watt	50Watt		310	12"x5"x1-1/8"
UL185-D/WH	18" 9 Watt LED Lamp With Switch Dimmable	9Watt	75Watt		540	18"x5"x1-1/8"
UL245-D/WH	24" 11 Watt LED Lamp With Switch Dimmable	11Watt	100Watt		650	24"x5"x1-1/8"
UL335-D/WH	33" 13 Watt LED Lamp With Switch Dimmable	13Watt	125Watt		750	33"x5"x1-1/8"
UL425-D/WH	42" 16 Watt LED Lamp With Switch Dimmable	16Watt	150Watt		880	42"x5"x1-1/8"
UL093-DCT	9" 4 Watt LED Lamp With Switch Dimmable	4Watt	25Watt		310	9"x3-1/2"x1"
UL123-DCT	12" 5 Watt LED Lamp With Switch Dimmable	5Watt	50Watt		380	12"x3-1/2"x1"
UL183-DCT	18" 8 Watt LED Lamp With Switch Dimmable	8Watt	75Watt		620	18"x3-1/2"x1"
UL243-DCT	24" 10 Watt LED Lamp With Switch Dimmable	10Watt	100Watt		820	24"x3-1/2"x1"
UL343-DCT	34" 15 Watt LED Lamp With Switch Dimmable	15Watt	125Watt		1200	34"x3-1/2"x1"
UL423-DCT	42" 20 Watt LED Lamp With Switch Dimmable	20Watt	150Watt		1550	42"x3-1/2"x1"

**YY= Available in 09, 12, 18, 24, 33, 42


***ZZ= Available in 09, 12, 18, 24, 32, 40

****RR= Available in 09, 12, 18, 24, 34, 42



LED Slim Under-Cabinet Light

- 18" 9 Watt and 24" 11 Watt LED Strip Available, 24" Grow Light*
- Cool to the Touch
- Super-Bright LEDs Last up to 25,000 Hours
- Easy Installation, Slim Design
- Cool White 4000K (Except Grow Light)
- Includes Cord & Switch



LED Linkable Task Stick Light

- Low, 3/4" Wide T5 Profile. Ideal for Tight Space Application
- Includes On/Off Switch
- Linkable up to 20 Units
- Includes 6 Ft Power Cord, Linking Connector
- 12 Inch, 5 Watt Lamp and 24 Inch 10 Watt Sizes Available
- ULST1-HWS is a Hard Wire Connection Box with Switch & 3 Inch Link. (Sold Separately)



LED Linkable Task Strip Light

- 12" 4.3 Watt, 16" 6 Watt and 24" 10Watt LED Strip Available
- Cool to the Touch
- Super-Bright LEDs Last up to 30,000 Hours
- Easy Installation Slim Design, Linkable up to 30 Units (4.3W), 13 Units (6W) and 10 Units (10W)
- Warm White 3000K, 90 CRI
- Includes Cord & Switch




24" & 48" LED Light Strip

- 24" 10 Watt, 48" 18 Watt LED
- LEDs Last up to 20,000 Hours
- Cool White 4000K
- 24" 5Ft Cord & Switch on Units end Cap
- 48" 8Ft Cord with Inline Cord Switch

Model#	Description	Wattage	Replace Halogen	Case Pack	Lumens	Dimensions (LxWxH)
UL18ST3/CW	18" 9Watt LED Under-Cabinet Complete Cord & Switch	9Watt	N/A	6	585	18"x1.9"x3/8"
UL24ST3/CW	24" 11Watt LED Under-Cabinet Complete Cord & Switch	11Watt	N/A		780	24"x1.9"x0.75"
UL24ST3/GROW	24" 11Watt LED Grow Light Unit Complete Cord & Switch	11Watt	N/A		N/A	24"x1.9"x0.75"
UL12ST1/WW	12" 5 Watt LED Lamp With Switch, White Finish	5Watt	25Watt		350	12"x3/4"x1-1/4"
UL24ST1/WW	24" 10 Watt LED Lamp With Switch, White Finish	10Watt	75Watt	50	700	24"x3/4"x1-1/4"
ULST1-HWS	Hardwire Connection Box With Switch & 3" Link	N/A	N/A		N/A	4"x2-3/8"x1"
UL12ST2/WW	12" 4Watt LED Stick Light Unit Complete Cord & Switch	4.3Watt	N/A		200	12"x1.26"x0.7"
UL16ST2/WW	16" 6Watt LED Stick Light Unit Complete Cord & Switch	6Watt	N/A		300	16"x1.26"x0.7"
UL24ST2/WW	24" 10Watt LED Stick Light Unit Complete Cord & Switch	10Watt	N/A	6	650	24"x1.26"x0.7"
UL-2400	24" 10W LED Light String 5' Cord	10Watt	N/A	12	1000	23.62"x1.67"x1.85"
UL-4800	48" 18W LED Light String 5' Cord	18Watt	N/A	12	2000	47.27"x1.67"x1.85"



UL3PK/WH
(White)



UL3PK/NS
(Nickel Satin)

3 PACK LED PUCK LIGHT KIT

- Three 1.8W LED Pucks Included
- 15,000 LED Life
- Low Voltage System
- 80% Energy Saving Over Halogen
- Snap Off Base Ring For Recess Mount With in 3/4" Cabinet Wall
- Surface or Recess Mount
- Instant on Kit Included
- White and Nickel Satin Colors Available

COMES WITH

Power Supply	3 Jumpers 1Pcs 6 Inch 2Pcs 12 Inch
In Line Switch	48" Or 96" Strip



48" & 96" Tape Light Kit

Flexible LED Tape Light Kit

- Low Voltage Safe to the Touch
- Pull Off Tape Backing and Stick Any Where
- Flexible Strip can be Curved 90°
- Cut and Jump Sections
- 25,000 Lamp Life
- Warm White



120" Tape Light Kit



RGB TAPE LIGHT KIT

- Low Voltage Safe to The Touch
- Pull Off Tape Backing And Stick Anywhere
- Flexible Strip can be Curved 90°
- Can be Cut to Shorter Length
- 25,000 Lamp Life
- 10 Foot RGB Strip
- RGB Controller Included



Model#	Description	Wattage	Incandescent Equivalent	Lumens	CRI	Lamp Life	Case Pack	Dimensions (LxWxD)	Kelvin Color	UPC Prefix 793573
UL3PK/WH	3x2W LED Hockey Puck Light	2W	20W	150	≥80	15,000	6	2-3/4"x9/16"	3000K	52542-0
UL3PK/NS	3x2W LED Hockey Puck Light	2W	20W	150	≥80	15,000	6	2-3/4"x9/16"	3000K	52541-3
UL487TP/WW	48" LED Tape Light Kit Warm White	7W	N/A	400	70	25,000	10	48"x5/16"	3000K	52555-0
UL9610TP/WW	96" LED Tape Light Kit Warm White	10W	N/A	600	70	25,000	10	96"x5/16"	3000K	74941-3
UL120TP/RGB	10 Foot LED RGB Strip	15W	N/A	600	N/A	50,000	10	118.11"x0.39"	N/A	58328-8


LF5PHH/DL

LF10PHH/DL
Cordless 6&10 Watt LED Handheld Work Light

- 6Watt is Battery Powered(4AA Not Included)
- 10Watt Has A Rechargeable Lithium Battery
- 12 V and 120 Volt USB charger Wire included
- Bright White Day Light
- Indoor/Outdoor Use


LF10HH/DL
INCLUDED

Cordless 10 Watt LED Handheld Work Light

- Rechargeable Lithium Battery
- 120V Charger and 12V Car Charger Included
- Magnetic Base
- Bright White Daylight
- Indoor/Outdoor Use
- Will Operate on Charger If Battery Power is Out


LF10CLMP/DL

16 Watt LED Hanging Clamp Light

- 2-in-1 Functionality: Portable Worklight, Clamp Light, Hanging Light
- 5 Ft Outdoor Rated Grounded Power Cord
- On/Off Power Switch


LF20HH/CRD

LF50HH/CRD
20&52Watt LED Handheld Work Light

- Cool to the Touch
- Rugged High Impact Housing
- 5' Cord with Grounded Plug
- Long Life 30,000 Hours
- Multi Directional Adjustable Head
- Indoor and Outdoor Use


LF20TWL/DL



DETACH FROM TRIPOD TO USE AS A HAND HELD

20 Watt Single LED Tripod

- Cool to the Touch
- 9' Cord with Grounded Plug
- Tripod Telescopes to 5.75' Height
- Multi Directional Adjustable Flood Head
- LED Integrated Bulb
- Detachable Head Allows Unit to be Used as a Handheld Unit
- On/Off Switch Included
- Indoor and Outdoor Use


40W LF40TWL/DL


DETACH FROM TRIPOD TO USE AS A HAND HELD


104W LF104TWL/DL


DETACH FROM TRIPOD TO USE AS A HAND HELD

40&104 Watt LED Dual Head Tripod

- Cool to the Touch
- 5' Cord with Grounded Plug
- Tripod Telescopes to 5.6' Height
- Multi Directional Adjustable Flood Heads
- LED Integrated Bulb
- Detachable Head Allows Unit to be Used as a Handheld Unit
- On/Off Switch Included
- Indoor and Outdoor Use


LF8WL/CRD
8 Watt LED Trouble Light

- Rugged High Impact Housing
- Three Prong 6 Ft Cord & Convenience Outlet
- Long Life 50,000 Hours
- Adjustable Mounting Hooks and Magnet
- Indoor and Outdoor Use


SL-5H50/850
50 Ft LED JOB Site Work Light String

- Weatherproof Indoor & Outdoor ETL Wet Location Approved
- Includes 5x8Watt LED Lamps
- Lamps Spaced 10 Ft Apart
- Link up to 250ft
- Flexible Heavy-Duty Cord

Model#	Description	LED Wattage	Halogen Equivalent	Kelvin Color	Lumens	Lamp Life	Case Pack	UPC Prefix 680596
LF5PHH/DL	Portable LED Hand Held Light	6W	-	6000K	500	50,000 Hours	12 pcs	80680215574-6
LF10PHH/DL	Portable LED Hand Held Light	10W	-	6000K	700	10,000 Hours	10 pcs	80680215567-8
LF10HH/DL	Portable LED Hand Held Light	10W	50W	6000K	800	50,000 Hours	12 pcs	58167-3
LF10CLMP/DL	16W Hanging Clamp Light, 5' Cord	16W	50W	5000K	1800	30,000 Hours	10 pcs	58323-3
LF20HH/CRD	20W Red Color Hand Held Unit	20W	100W	5000K	2000	30,000 Hours	6 pcs	58196-3
LF50HH/CRD	52W Red Color Hand Held Unit	52W	250W	5000K	5000	30,000 Hours	6 pcs	80680215653-8
LF20TWL/DL	20W Single Red Color Head Tripod Unit 5.75' Cord, Magnetic Base	20W	100W	5000K	2200	50,000 Hours	2 pcs	58184-0
LF40TWL/DL	40W Dual Red Color Head Tripod Unit 5' Cord	40W	200W	5000K	4000	30,000 Hours	2 pcs	58323-3
LF104TWL/DL	104W Dual Red Color Head Tripod Unit 5' Cord	104W	500W	5000K	10000	30,000 Hours	2 pcs	80680215638-5
LF8WL/CRD	8' Cord 8W LED Trouble Light	8W	-	5000K	800	50,000 Hours	6 pcs	80680215590-6
SL-5H50/850	50' Cord 5x10W LED JOB Site Work Light String 50 Feet	50W	200W	5000K	6000	50,000 Hours	4 pcs	80680215547-0

