

JULY 2026

CTL

CYBER TECH LIGHTING INC.

331 S. HALE AVE. FULLERTON ,
CA 92831 USA.

TEL:714-870-0794, 1-877-60CYBER
FAX:714-870-0795

WWW.CYBERTECHLIGHTING.COM



01-10

LED INDOOR FIXTURES

11

LED INDOOR GROW FIXTURES

12

LED EMERGENCY LAMPS & EXIT SIGNS

13

WIRING DEVICES

14-18

LED OUTDOOR FIXTURES

19-20

LED 12V OUTDOOR LANDSCAPE FIXTURES

21-22

LED SECURITY LIGHTS

23

LED SECURITY LIGHTS & CAMERAS

24-29

LED CAN KITS AND TRIMS

30-36

LED LAMPS & BULBS

37

INCANDESCENT SPECIALTY HEAT LAMPS

38

LED DESK LIGHTS

39-41

LED UNDERCABINET & TASK LIGHTS

42-43

LED WORK LIGHTS

NOT ALL CTL PRODUCTS ARE FEATURED IN THIS CATALOG.
PLEASE GO TO OUR WEBSITE TO SEE ALL AVAILABLE PRODUCTS.



SH3630P-LED

36" LED SHOP LIGHT FIXTURE

- Single Lamp Shop Light or Utility Light
- 30W 3000 Lumens
- Includes On/Off Pull Chain Switch and a 5 Foot Power Cord
- No Lamps to Purchase or Replace
- Hanging Hardware Included
- Can also be Surface Mounted or Hung
- Instant On Full Brightness
- 20,000 Hours Rated Life
- 4000K Cool White Color



SH4840SOP

45" TWO LAMP SHOP LIGHT

- 42W 4200 Lumens
- Includes On/Off Pull Chain Switch and a 5 Foot Power Cord
- No Lamps to Purchase or Replace
- Hanging Hardware Included
- Can also be Surface Mounted
- Instant On Full Brightness
- 50,000 Hours Rated Life
- 4000K Cool White Color
- Convenience Outlet for Easy Linking



SH4740XOP-LED

47" TWO LAMP EXTRA SLIM SHOP LIGHT

- 40W 4200 Lumens
- Includes On/Off Pull Chain Switch and a 5 Foot Power Cord
- No Lamps to Purchase or Replace
- Hanging Hardware Included
- Can also be Surface Mounted
- Instant On Full Brightness
- 25,000 Hours Rated Life
- 4000K Cool White Color
- Convenience Outlet for Easy Linking



SH477250-HO

47" TWO LAMP DUAL WATTAGE ADJUSTABLE SHOP LIGHT

- Adjustable 60W 8000 Lumens or 40W 5400 Lumens
- Includes On/Off Pull Chain Switch and a 5 Foot Power Cord
- No Lamps to Purchase or Replace
- Hanging Hardware Included
- Can also be Surface Mounted
- Instant On Full Brightness
- 25,000 Hours Rated Life
- 5000K Day Light Color
- Convenience Outlet for Easy Linking



SH4850DP-LED

48" PLATED DIAMOND TEXTURED SHOP LIGHT

- 50W 5500 Lumens
- Includes On/Off Pull Chain Switch and a 5 Foot Power Cord
- No Lamps to Purchase or Replace
- Hanging Hardware Included
- Can also be Surface Mounted
- Instant On Full Brightness
- 25,000 Hours Rated Life
- 4000K Cool White Color
- Convenience Outlet for Easy Linking



SH4848HO-LED

48" TWO LAMP HIGH LUMEN SHOP LIGHT

- 48W 5500 Lumens, High Lumen Per Watt Unit
- Includes On/Off Pull Chain Switch and a 5 Foot Power Cord
- No Lamps to Purchase or Replace
- Hanging Hardware Included
- Can also be Surface Mounted
- Instant On Full Brightness
- 25,000 Hours Rated Life
- 5000K Day Light Color
- Convenience Outlet for Easy Linking



SH4880PO-HO

48" EXTRA HIGH LUMEN SHOP LIGHT

- 84W 10000 Lumens, High Lumen Per Watt Unit
- Includes On/Off Pull Chain Switch and a 5 Foot Power Cord
- No Lamps to Purchase or Replace
- Hanging Hardware Included
- Can also be Surface Mounted
- Instant On Full Brightness
- 25,000 Hours Rated Life
- 5000K Day Light Color
- Convenience Outlet for Easy Linking

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (LxWxD)	UPC
SH3630P-LED	36" LED One Lamp Shop Light White Color	30W	4000K	3000	20,000 Hours	12 pcs	35.75"x2.6"x1.3"	80680215643-9
SH4840SOP	45" LED Two Lamps Shop Light White Color	42W	4000K	4200	50,000 Hours	10 pcs	45"x4.09"x1.65"	74616080015-8
SH4740XOP-LED	47" LED Two Lamps Shop Light White Color	40W	4000K	4200	25,000 Hours	10 pcs	47.24"x3.35"x1.33"	74616080041-7
SH477250-HO	47" LED Two Lamps Dual Wattage Adjustable Shop Light White Color	60W/40W	5000K	8000/5400	25,000 Hours	10 pcs	47.24"x5.63"x1.81"	74616080136-0
SH4850DP-LED	48" LED Diamond Plated Shop Light Cool White	50W	4000K	5500	25,000 Hours	6 pcs	47.24"x 5.82"x 2.56"	80680215628-6
SH4848HO-LED	48" LED Two Lamps Shop Light Day Light	48W	5000K	5500	25,000 Hours	10 pcs	47.24"x5.63"x1.81"	80680215627-9
SH4880PO-HO	48" LED Extra High Lumen Shop Light Day Light	84W	5000K	10000	25,000 Hours	10 pcs	47.24"x3"x1.94"	80680215641-5



4 FT LED SINGLE & DOUBLE TUBE STRIP

- Two 15 Watt LED T8 Lamp, 3600 Combined Lumens*
- Operates on 120-277V
- Ceiling Mount or Suspended
- 4000K Cool White
- Application: Garages, Restrooms, Carports, Walkways
- Standard 4" Strip Housing
- Tradition Housing with Lamp



4 & 8 FT LED ULTRA SLIM SQUARE COVERED STRIP LIGHT

- Adjustable Watt 40W, 30W, and 20W (4ft)
- Adjustable Watt 80W, 70W, and 60W (8ft)
- Adjustable Color 3000K Warm White, 3500K Bright Warm White, 4000K Cool White or 5000K Day Light
- Operates on 120-277V, 0-10V Dimmable
- Steel Body & Polycarbonate Square Lens
- 50,000 Hour Life, 2-1/2" Wide Body
- Motion Sensors and Battery Backup's Can be Added on to Unit (Sold Separately) NOTE: Motion Sensor for 4Ft Only



4 & 8 FT LED SLIM COVERED STRIP LIGHT

- Adjustable Watt 40W, 30W, and 20W(4ft)
- Adjustable Watt 80W, 70W, and 60W(8ft)
- Operates on 120-277V, 0-10V Dimmable
- Steel Body & Easy Fit Polycarbonate Round Lens
- Adjustable 5CCT Light Color
- 50,000 Hour Life, 3-1/4" Wide Body
- Motion Sensors and Battery Backup's Can be Added on to Unit (Sold Separately)



4 FT LED WIDE COVERED STRIP LIGHT

- 40 Watt LED 5200 Lumen Output
- Operates on 120-277V, 0-10V Dimmable
- Steel Body & Easy Fit Polycarbonate Round Lens
- Available in 4000K Cool White & 5000K Day Light
- 50,000 Hour Life, 3-3/4" Wide Body
- Motion Sensors and Battery Backup's Can be Added on to Unit (Sold Separately)



8 FT LED WIDE COVERED STRIP LIGHT

- 63 Watt (8190LM) & 85 Watt (11050LM) Option
- Operates on 120-277V, 0-10V Dimmable
- Steel Body & Easy Fit Polycarbonate Round Lens
- Available in 4000K Cool White & 5000K Day Light
- 50,000 Hour Life, 3-3/4" Wide Body
- Motion Sensors and Battery Backup's Can be Added on to Unit (Sold Separately)

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (LxWxD)	UPC
ST48132-LED	4' LED One Lamps Strip Fixture Cool White	15W	4000K	1800	50,000 Hours	1 pc	48.4"x2.1"x2.5"	79357374846-1
ST48232-LED	4' LED Two Lamps Strip Fixture Cool White	30W	4000K	3600	50,000 Hours	1 pc	48"x4"x2.5"	79357374847-8
ST4840XS-LED/CCT	4' LED Slim Square Strip 4CCT	40/30/20W	3000K/3500K/4000K/5000K	5200/3900/2600	50,000 Hours	1 pc	48.03"x2.24"x2.64"	80680215579-1
ST9660XS-LED/CCT	8' LED Slim Square Strip 4CCT	80/70/60W	3000K/3500K/4000K/5000K	10560/9240/7920	50,000 Hours	1 pc	96"x2.36"x2.56"	80680215604-0
ST48234S-LED/CCT	4' LED Strip Fixture 5CCT	40W/30W/20W	3000K/4000K/5000K/5700K/6500K	5600/4200/2800	50,000 Hours	1 pc	48.03"x2.93"x3.25"	74616080011-0
ST96567S-LED/CCT	8' LED Strip Fixture 5CCT	80W/70W/60W	3000K/4000K/5000K/5700K/6500K	11200/9800/8400	50,000 Hours	1 pc	96"x2.93"x3.25"	74616080036-3
ST4840L-LED/840	4' LED Covered Strip Light Fixture Cool White	40W	4000K	5200	50,000 Hours	1 pc	47.5"x4.4"x3.6"	80680215379-7
ST4840L-LED/850	4' LED Covered Strip Light Fixture Day Light	40W	5000K	5200	50,000 Hours	1 pc	47.5"x4.4"x3.6"	80680215380-3
ST9660L-LED/840	8' LED Covered Strip Light Fixture Cool White	63W	4000K	8190	50,000 Hours	1 pc	96"x4.4"x3.6"	80680215395-7
ST9660L-LED/850	8' LED Covered Strip Light Fixture Day Light	63W	5000K	8190	50,000 Hours	1 pc	96"x4.4"x3.6"	80680215394-0
ST9685L-LED/840	8' LED Covered Strip Light Fixture Cool White	85W	4000K	11050	50,000 Hours	1 pc	96"x4.4"x3.6"	80680215382-7
ST9685L-LED/850	8' LED Covered Strip Light Fixture Day Light	85W	5000K	11050	50,000 Hours	1 pc	96"x4.4"x3.6"	80680215381-0



C4804-LED

CCT

4 FT LED STAIRWELL WRAP FIXTURE

- Adjustable 3CCT 3000K/4000K/5000K
- 40W LED 4000 Lumen Output
- Non-Corrosive Powder Coated Steel Body
- Full Wrap Acrylic Lens
- 4 Inch Width Body
- 120~277 Volt, 0-10V Dimmable
- 50,000 Hour Life
- Damp or Dry Location

Motion Sensor & Battery Backup Available



C4805-LED

CCT

4 FT LED WRAP FIXTURE

- Adjustable 3CCT 3000K/4000K/5000K
- 40W LED 4000 Lumen Output
- Non-Corrosive Powder Coated Steel Body
- Full Wrap Acrylic Lens
- 5 Inch Width Body
- 120~277 Volt, 0-10V Dimmable
- 25,000 Hour Life
- Damp or Dry Location
- JA8, 90 CRI



C4809-LED

CCT

4 FT x 9IN ECONOMY LED WRAP FIXTURE

- Adjustable 3CCT 3000K/4000K/5000K
- 40W LED 4600 Lumen Output
- Non-Corrosive Powder Coated Steel Body
- Acrylic Lens
- 9 Inch Width Body
- 120~277 Volt
- 50,000 Hour Life
- Damp or Dry Location

Motion Sensor & Battery Backup Available

Model#	Description	LED Watt	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (LxWxD)	UPC
C4804-LED	4" LED Wrap Fixture	40W	3000K /4000K /5000K	4000	50,000 Hours	1 pc	46.25"x4.05" x3.79"	80680215383-4
C4805-LED	5" LED Wrap Fixture	40W	3000K /4000K /5000K	4000	25,000 Hours	4 pc	48.74"x5" x2.25"	68059658284-7
C4809-LED	9" LED Wrap Fixture	40W	3000K /4000K /5000K	4600	50,000 Hours	1 pc	48.03"x8.66" x2.63"	68059658285-4



C2405W-LED

CCT 2 FT LED CONTEMPORARY WRAP FIXTURE

- Adjustable 3CCT 3000K/4000K/5000K
- 2 Foot length
- 20W LED 2000 Lumen Output
- Non-Corrosive Powder Coated Steel Body
- Easy Fit Polycarbonate Lens
- 5 Inch Width Body
- 120~277 Volt, 0-10V Dimmable
- 25,000 Hour Life
- Damp or Dry Location

JA8 90-CRI


C4805W-LED

CCT 4 FT LED CONTEMPORARY WRAP FIXTURE

- Adjustable 3CCT 3000K/4000K/5000K
- 4 Foot length
- 40W LED 4000 Lumen Output
- Non-Corrosive Powder Coated Steel Body
- Easy Fit Polycarbonate Lens
- 5 Inch Width Body
- 120~277 Volt, 0-10V Dimmable
- 25,000 Hour Life
- Damp or Dry Location

JA8 90-CRI


C4840SVP-LED/CCT

CCT 4 FT LED VAPOR LIGHT

- 40 Watt LED 4600 Lumen Output
- Operates on 120-277V 0-10V Dimmable
- Polycarbonate construction
- Adjustable Color 3000K Warm White, 4000K Cool White or 5000K Day Light
- Application: Carports, Walkways, Airplane Hangers, Laundry Rooms, Freezers, Retail Stores, Warehouses
- 50,000 Hour Life 5 Year Limited Warranty
- Motion Sensors and Battery Backup's Can be Added on to Unit



C9665SVP-LED/CCT

CCT 8 FT LED VAPOR LIGHT

- 65 Watt LED 8450 Lumen Output
- Operates on 120-277V 0-10V Dimmable
- Polycarbonate construction
- Adjustable Color 3000K Warm White, 4000K Cool White or 5000K Day Light
- Application: Carports, Walkways, Airplane Hangers, Laundry Rooms, Freezers, Retail Stores, Warehouses
- 50,000 Hour Life 5 Year Limited Warranty
- Motion Sensors and Battery Backup's Can be Added on to Unit



VP-MS

MOTION SENSOR

- Microwave Motion Sensor
- Can be Set for Dual Bright Operation
- Installed into Fixtures in House or Can be Purchased Separately
- Compatible with ST4840L-LED, ST4824S-LED, ST9660L-LED, ST9685L-LED, C4840SVP-LED, C9665SVP-LED


BATTERY BACKUP

- Operates Unit for 90 Minute
- Has A Test Button and Indicator Light
- Installed into Fixtures in House or Can be Purchased Separately
- BK802 Compatible with ST4840L-LED, C4809-LED, C4804-LED, C4840SVP-LED, and Outdoor Wallpacks
- BK-1602 Compatible with ST9660L-LED, ST9685L-LED, C9665SVP-LED/CCT

Model#	Description	LED Wattage	Halogen Equivalent	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (LxWxD)	UPC Prefix 680596
C2405W-LED	2' LED Wrap Fixture	20W	N/A	3000/4000K /5000K	2000	25,000 Hours	4 pc	24.5" x 5.31" x 2.08"	80680215549-4
C4805W-LED	4' LED Wrap Fixture	40W	N/A	3000/4000K /5000K	4000	25,000 Hours	4 pc	47.4" x 5.31" x 2.08"	80680215550-0
C4840SVP-LED/CCT	4' LED Vapor Light Fixture 3CCT	40W	N/A	3000/4000K /5000K	4600	50,000 Hours	4 pc	47.24" x 3.84" x 3.2"	80680215509-8
C9665SVP-LED/CCT	8' LED Vapor Light Fixture 3CCT	65W	N/A	3000/4000K /5000K	8450	50,000 Hours	1 pc	94.49" x 3.86" x 3.35"	80680215510-4

New: Back lit adjustable CCT panel also available



CL36P14-D/DL

CL2X3P22-CCT*

CL3X5P24-CCT*

CCT



CL40SMP14D-CCT



CL40SMP448D-CCT



CL40TF22-D/CW

CL45TF24-D/CW




CL36IDTF22/CW

CL50IDTF24/CW

LED PANEL LIGHT 1'x4', 2'x2' & 2'x4'

- 50,000 Hour Life, Instant on LED
- Adjustable CCT 3500K/4000K/5000K*
- 10% 0-10V Dimming
- Surface Mounting Kits Available
- Includes Earth Quake Clips



Accessories

Surface Mount Kit Available

LED SLIM SURFACE MOUNT PANEL LIGHT

- 1"x4" & 4"x4" Panel, Triac Dimmable
- 50,000 Hour Life, Instant on LED
- Adjustable 40/30/20Watt
- Adjustable CCT 2700K/3000K/3500K/4000K/5000K
- White Framed Edge
- Surface Mount (No extender frame needed) or T-Bar Drop Ceiling Mount

LED TRADITIONAL TROFFER FIXTURE

- Low Profile Design 2'x2' & 2'x4'
- Non-corrosive Powder Coated Steel Body
- Can be Installed with Backup Batteries(Sold Separately)
- 120-277V and 0-10 Dimmable
- Includes Earth Quake Clips
- Height Dimensions 2.75"

LED INDIRECT DEEP REFLECTOR TROFFER

- Low Profile Design 2'x2' & 2'x4'
- Non-corrosive Powder Coated Steel Body
- Can be Installed with Backup Batteries(Sold Separately)
- 120-277V and 0-10 Dimmable
- High End Rounded Reflectors to Properly Reflect Light
- Includes Earth Quake Clips

LED SLIM DIRECT/INDIRECT TROFFER

- Low Profile Design 2'x2' & 2'x4'
- Non-corrosive Powder Coated Steel Body
- 120-277V and 0-10 Dimmable
- CCT Settable 3500K, 4000K, or 5000K
- Watt Settable (see below)
- Can be Installed with Backup Batteries(Sold Separately)
- Battery backup sold separately

EMERGENCY BATTERY BACKUP(EXTERNAL)

- Runs Fixtures for 90 Minutes
- Mount Externally in the Field
- For Panels, Troffers, and Ceiling Fixtures
- For Use with Fixtures Where the Driver, LED Chip, and Its Wiring is Accessible



CL-BAT-BACKUP

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (LxWxD)	UPC
CL36P14-D/DL	36 Watt LED Panel Day Light	36W	5000K	4680	50,000 Hours	4 pc	47.76"x11.93"	80680215504-3
CL2X3P22-CCT	20/30/35 Watt LED Panel 3CCT	35/30/20W	3500K/4000K/5000K	4375/3900/2700	50,000 Hours	2 pc	23.74"x23.74"x1.67"	80680215646-0
CL3X5P24-CCT	30/40/50 Watt LED Panel 3CCT	50/40/30W	3500K/4000K/5000K	6250/5200/4050	50,000 Hours	2 pc	47.72"x23.74"x1.48"	80680215602-6
CL40SMP14D-CCT	40/30/20 Watt LED Panel 5CCT	40/30/20W	2700K/3000K/3500K/4000K/5000K	3600/2700/1800	50,000 Hours	2 pc	47.24"x11.81"x1.05"	74616080007-3
CL40SMP448D-CCT	40/30/20 Watt LED Panel 5CCT	40/30/20W	2700K/3000K/3500K/4000K/5000K	3600/2700/1800	50,000 Hours	2 pc	47.24"x3.94"x1.05"	74616080085-1
CL40TF22-D/CW	2X2 Foot LED Troffer Fixture	40W	4000K	4100	50,000 Hours	1 pc	23.82"x23.81"x2"	68059658282-3
CL45TF24-D/CW	2X4 Foot LED Troffer Fixture	45W	4000K	4800	50,000 Hours	1 pc	47.44"x23.8"x2"	68059658283-0
CL36IDTF22/CW	2X2 Foot LED Troffer Fixture	40W	4000K	4000	50,000 Hours	1 pc	23.78"x23.78"x3.15"	68059658325-7
CL50IDTF24/CW	2X4 Foot LED Troffer Fixture	50W	4000K	5000	50,000 Hours	1 pc	47.44"x23.78"x3.74"	68059658326-4
CL3SID22-CCT	2X2 Foot LED Troffer Fixture	40/30/20W	3500K/4000K/5000K	5000/3900/2700	50,000 Hours	1 pc	23.74"x23.74"x2.08"	80680215588-3
CL5SID24-CCT	2X4 Foot LED Troffer Fixture	50/40/30W	3500K/4000K/5000K	6250/5200/4050	50,000 Hours	1 pc	47.75"x23.74"x2.15"	80680215589-0



24" & 35" HIGH PERFORMANCE LINEAR HIGH BAY

- 110/130/165/220/300Watt LED, 15,290/18,200/23,100/30,800/40,500 Lumen Output
- Also Available with Pre-installed Occupancy Sensor Or Pre-installed Battery Backup (Sold Separately)
- 120-277V Input 0-10V Dimmable
- Add (MS) at end of Model Number for Motion Sensor (BK) for Battery Backup
- Non-corrosive Powder Coated Steel Body
- Includes Y-hangers with 3 Foot Hanging Chain
- 5 Year Warranty 50,000 Hour Life



For New Version



HL-MS

HL-UFOR-MS

HL-UFOAP-MS

HL-UFOR-REMOTE

Accessories Available: Motion Sensors (Not Installed), Battery Backup (in A Case Installed)



HIGH POWER LED UFO HIGH BAY

- 100/150/240W LED Replaces a 250/500/750W HID or MH Unit
- Cold Forged Aluminum Body
- 120 Degree Beam Angle
- 6Ft Power Cord
- 120-277V
- 0-10 Volt Dimmable
- Wattage Adjustable and CCT Adjustable

Accessories Available: Motion Sensors and Battery Backup

UFO HIGHBAY ACCESSORIES

- Easy Screen on Motion Sensor, No Wiring Needed
- Emergency Battery Backup
- Add BK at the end of Model Number to Order
- Operates Unit for 90 Minutes
- When Battery Backup is Installed on Unit, It Remains Upright
- Remote to Test Battery Backup HLUFOBK-REMOTE



HL120UFOX-850

PLUG IN SLIM DOB UFO HIGH BAY/LOW BAY

- 120V, 120W LED UFO High Bay
- 6Ft Power Cord with Three Prong 120V Plug
- 110 Degree Beam Angle
- DOB LED System
- Black Color
- Heavy Duty Aluminum Diecast Body

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions	UPC
HL110S/CCT	24" High Bay	110/90/70W	4000K/5000K	15290/12510/9730	50,000 Hours	1 pc	23.98"x11.81"x1.57"	80680215388-9
HL130S/CCT	24" High Bay	130/110/90W	4000K/5000K	18200/15400/12600	50,000 Hours	1 pc	23.98"x11.81"x1.57"	80680215584-5
HL165S/CCT	24" High Bay 2CCT	165W/150/130W	4000K/5000K	23100/21000/18200	50,000 Hours	1 pc	23.98"x11.81"x1.57"	68059658346-2
HL220S/CCT	24" High Bay	220/200/180W	4000K/5000K	30800/28000/25200	50,000 Hours	1 pc	23.98"x14.17"x1.57"	80680215389-6
HL300S/850	35" High Bay	300W	5000K	40500	50,000 Hours	1 pc	35-1/8"x15-1/8"x2-1/16"	80680215564-7
(Coming soon) HL300S/CCT	24" High Bay 2CCT	300/275/255W	4000K/37125/34500	40000/37125/34500	50,000 Hours	1 pc	23.98"x14.17"x1.57"	80680215564-7
HL100UFO/CCT	UFO High Bay	100/80/60W	3500K/4000K/5000K	13500/10800/8100	50,000 Hours	1 pc	11.02"x5.75"	80680215593-7
HL150UF/CCT	UFO High Bay	150/120/100W	3000K/4000K/5000K	22650/18120/15100	50,000 Hours	1 pc	11.02"x5.83"	80680215594-4
HL240UF/CCT	UFO High Bay	240/200/160W	3000K/4000K/5000K	35040/29200/23360	50,000 Hours	1 pc	13"x5.98"	80680215595-1
HL120UFOX-850	UFO High Bay	120W	5000K	13200	50,000 Hours	1 pc	9.45"x4.92"	74616080042-4
HL-MS	120-277V OCCUPANCY SENSOR	N/A	N/A	N/A	N/A	1 pc	4-1/8"x1-7/8"x1/2"	80680215367-4
BK3000UFO	UFO Battery Backup	N/A	N/A	N/A	N/A	N/A	N/A	N/A
HLUFOBK-REMOTE	UFO Battery Backup Remote	N/A	N/A	N/A	N/A	N/A	N/A	N/A
HL-UFOR-MS	Motion Sensor	N/A	N/A	N/A	N/A	N/A	N/A	N/A
HL-UFOAP-MS	Motion Sensor	N/A	N/A	N/A	N/A	N/A	N/A	N/A
HL-UFOR-REMOTE	HL-UFOR-MS Remote	N/A	N/A	N/A	N/A	N/A	N/A	N/A



CCT 3 HEAD TRACK LIGHT FIXTURES

- 48" 120V 3-Wire Track Set With 3 LED Heads
- LED's have Adjustable Swivel Heads
- 25,000 Hour Life
- Dimmable
- Available in White (2250 Total Lumen Output, 31.5 Watt) & Nickel Satin (1560 Total Lumen Output, 21 Watt)

Future NS Model Will be CCT Adjustable



CCT ROUND TRACK HEAD

- Adjustable 3CCT 3000K/4000K/5000K
- 9Watt(650 Lumens)
- LED With Adjustable Swivel Heads
- Dimmable
- 25,000 Hour Life
- Available in White, Nickel Satin, and Matte Black
- For (H) Halo Compatible Track



BULLET TRACK HEAD

- 7Watt(520 Lumens)
- LED With Adjustable Swivel Heads
- Dimmable, 3000K Warm White
- 25,000 Hour Life
- Available in White, Nickel Satin, and Matte Black
- For (H) Halo Compatible Track



SQUARE TRACK HEAD

- 7Watt(520 Lumens), 8Watt(600 Lumens)*
- LED With Adjustable Swivel Heads
- Dimmable, 3000K Warm White
- 25,000 Hour Life
- Available in White, Nickel Satin, and Matte Black
- For (H) Halo Compatible Track

Future Models Will be CCT Adjustable



LONG CYLINDER TRACK HEADS

- 12 Watt (750 Lumen)*, 9 Watt (600 Lumen)
- Built in LED Module
- Dimmable
- Swivel and Rotate Heads to Point in Multi-direction
- Available in White, Nickel Satin, and Satin Black
- For (H) Halo Compatible Track

Future NS Unit Will be CCT Adjustable

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (DxLxH)	UPC Prefix 680596
TL3TH-LED/WH	Includes: 48" 120V 3-Wire Track Set 3 LED 10.5 Watt Cylinder Head 1 Floating Canopy White Finish	31.5W	3000K/4000K/5000K	2250	25,000 Hours	6 pcs	48"x 2.34"x6.38"	79357374953-6
TL3TH-LED/NS	Includes: 48" 120V 3-Wire Track Set 3 LED 7 Watt Cylinder Head 1 Floating Canopy Nickel Satin Finish	21W	3000K	1560	25,000 Hours	6 pcs	48"x 2.34"x6.38"	79357374949-9
TL7TH/WH	LED Track Lighting Round Head White Finish	10.5W	3000K/4000K/5000K	750	25,000 Hours	6 pcs	2.34"x 3.09"x5.91"	79357374952-9
TL7TH/NS	LED Track Lighting Round Head Nickel Satin Finish	9W	3000K/4000K/5000K	650	25,000 Hours	6 pcs	2.34"x 3.09"x5.91"	79357374948-2
TL7TH/BL	LED Track Lighting Round Head Black Finish	10.5W	3000K/4000K/5000K	750	25,000 Hours	6 pcs	2.34"x 3.09"x5.91"	58341-7
TL7BTH/WH	LED Track Lighting Bullet Head White Finish	7W	3000K	520	25,000 Hours	6 pcs	2.24"x 3.5"x5.7"	58223-6
TL7BTH/NS	LED Track Lighting Bullet Head Nickel Satin Finish	7W	3000K	520	25,000 Hours	6 pcs	2.24"x 3.5"x5.7"	58224-3
TL7BTH/BL	LED Track Lighting Bullet Head Black Finish	7W	3000K	520	25,000 Hours	6 pcs	2.24"x 3.5"x5.7"	80680215387-2
TL7STH/WH	LED Track Lighting Square Head White Finish	8W	3000K	600	25,000 Hours	6 pcs	2.28"x 2.91"x5.7"	58329-5
TL7STH/NS	LED Track Lighting Square Head Nickel Satin Finish	7W	3000K	520	25,000 Hours	6 pcs	2.28"x 2.91"x5.7"	58330-1
TL7STH/BL	LED Track Lighting Square Head Black Finish	8W	3000K	600	25,000 Hours	6 pcs	2.28"x 2.91"x5.7"	80680215386-5
TL60CTH-WH/CCT	LED Track Lighting Cylinder Head White Finish	12W	2700K/3000K/3500K/4000K/5000K	750	25,000 Hours	6 pcs	2.17"x 3.7"x5.91"	58344-8
TL60CTH/NS	LED Track Lighting Cylinder Head Nickel Satin Finish	9W	3000K	600	25,000 Hours	6 pcs	3.5"x 5.3"x8.5"	58345-5
TL60CTH-BL/CCT	LED Track Lighting Cylinder Head Black Finish	12W	2700K/3000K/3500K/4000K/5000K	750	25,000 Hours	6 pcs	2.17"x 3.7"x5.91"	80680215443-5


48" H-TYPE TRACK

- H Type Track-Single Circuit
- 48" Length (3 Connection)




END CONNECTOR (H-TYPE)

- Used for Direct Wiring Through the Ceiling
- Feed Track from Above with Flexible Conduit, or End Feed in Pendant Systems.




CONDUIT FEED (H-TYPE)

- Use Standard 1/2" Connector for Surface Wiring




JOINER CONNECTOR (H-TYPE)

- Connect Two Tracks Seamlessly to Elongate Your Track




FLEX CONNECTOR (H-TYPE)

- Connect Two Tracks in Different Angles. Can be Flexed to 90° Angle Left, Right, Up or Down



FLOATING CANOPY (H-TYPE)

- Allows Track to be Powered Anywhere Along the Length of the Track



CCT
LED CIRCULAR CLOUD FIXTURE

- Adjustable Color Settable 2700K Soft Warm White, 3000K Warm White, 3500K Bright Warm White, 4000K Cool White, and 5000K Day Light
- Circular LED Module for Smooth Even Light
- Powder Coated Metal Body with Acrylic Lens
- 50,000 Hours Life
- Dimmable, 15Watts 10" , and 21Watts 13"
- JA8



C17CD-LED



C20CD-LED

LED DECORATIVE CEILING FIXTURE

- Circular LED Module Gives Smooth Even Light
- Dimmable, 3000K Warm White
- 15Watts 11" and 26Watts 15"
- Available in Nickel Satin and Bronze
- JA8



C15122/BZ-LED



C23322/NS-LED

CCT
5" & 7" FLUSH MOUNT ROUND

- Adjustable Color Settable-5" White is 5CCT, 5" Nickel Satin & 7" Black is 3CCT
- 5" is 10 Watts 700 Lumen Output, 7" is 15 Watt 1050 Lumen Output
- 5" Available in White and Nickel Satin Finish
- 7" Available in White and Black Finish
- 5" Diameter or 7" Diameter Available
- 35,000 Hour Life
- * Available in 3000K Only



C95RD-DISK/WH-CCT



C95RD-DISK/NS-CCT



C157RD-DISK/WH*



C157RD-DISK/BL-CCT

CCT
8", 9", & 12" Flush Mount LED Round & Square

- 14 Watts 980 Lumen, 18 Watts 1260 Lumen, or 22 Watts 1540 Lumen Output
- Available in Nickel Satin, White Finish, and Bronze Finishes
- Indoor* and Outdoor Use
- Available in 8", 9" (White, Round), or 12" Diameter & Length
- Adjustable Color Settable
- 35,000 Hour Life


 C147RD-DISK/BZ
C2211RD-DISK/BZ

 C147RD-DISK/NS
C2211RD-DISK/NS

 C147RD-DISK/WH*
(Indoor Use Only)
C2211RD-DISK/WH

 C147SQ-DISK/BZ
C2211SQ-DISK/BZ

 C147SQ-DISK/NS*
C2211SQ-DISK/NS

 C147SQ-DISK/WH
C2211SQ-DISK/WH

* Future Unit will be CCT Adjustable

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (DxH)	UPC
C17CD-LED	10" White Ceiling Cloud Fixture	15W	2700K/3000K/3500K/4000K/5000K	1050	50,000 Hours	4 pcs	10.6"x3"	79357374976-5
C20CD-LED	13" White Ceiling Cloud Fixture	21W	2700K/3000K/3500K/4000K/5000K	1470	50,000 Hours	4 pcs	13"x4"	68059658205-2
C95RD-DISK/WH-CCT	5" Round Flush Mount Ceiling Fixtures White Finish	10W	2700K/3000K/3500K/4000K/5000K	700	35,000 Hours	10 pcs	5.51"x1"	80680215580-7
C95RD-DISK/NS-CCT	5" Round Flush Mount Ceiling Fixtures Nickel Satin Finish	10W	3000K/3500K/4000K/5000K	700	35,000 Hours	10 pcs	5.51"x1"	80680215581-4
C157RD-DISK/WH	7" Round Flush Mount Ceiling Fixtures White Finish	15W	3000K	1050	35,000 Hours	10 pcs	7.48"x0.62"	80680215640-8
C157RD-DISK/BL-CCT	7" Round Flush Mount Ceiling Fixtures Black Finish	15W	3000K/3500K/4000K/5000K	1050	35,000 Hours	10 pcs	7.48"x1"	80680215655-2
C15122/NS-LED	11" Nickel Satin, Frosted Lens Step Down Ceiling Fixture	15W	3000K	1100	50,000 Hours	4 pcs	11.23"x4.79"	68059658207-6
C15122/BZ-LED	11" Bronze, Frosted Lens Step Down Ceiling Fixture	15W	3000K	1100	50,000 Hours	4 pcs	11.23"x4.79"	68059658255-7
C23322/NS-LED	15" Nickel Satin, Frosted Lens Step Down Ceiling Fixture	26W	3000K	1900	50,000 Hours	2 pcs	15-1/4"x5-3/4"	68059658254-0
C23322/BZ-LED	15" Bronze, Frosted Lens Step Down Ceiling Fixture	26W	3000K	1900	50,000 Hours	2 pcs	15-1/4"x5-3/4"	68059658253-3
C147RD-DISK/BZ	8" Round Flush Mount Ceiling Fixtures Bronze Finish	14W	3000K/3500K/4000K	980	35,000 Hours	6 pcs	8"x1"	68059658368-1
C147RD-DISK/NS	8" Round Flush Mount Ceiling Fixtures Nickel Satin Finish	14W	3000K/3500K/4000K	980	35,000 Hours	6 pcs	8"x1"	68059658369-8
C147RD-DISK/WH	9" Round Flush Mount Ceiling Fixtures White Finish	18W	2700K/3000K/3500K/4000K/5000K	1260	35,000 Hours	6 pcs	8.86"x0.71"	80680215396-4
C147SQ-DISK/BZ	8" Square Flush Mount Ceiling Fixtures Bronze Finish	14W	3000K/3500K/4000K	980	35,000 Hours	6 pcs	8"x1"	68059658370-4
C147SQ-DISK/NS	8" Square Flush Mount Ceiling Fixtures Nickel Satin Finish	14W	3000K	720	35,000 Hours	6 pcs	8"x1"	68059658371-1
C147SQ-DISK/WH	8" Square Flush Mount Ceiling Fixtures White Finish	14W	3000K/3500K/4000K	720	35,000 Hours	6 pcs	8"x1"	80680215397-1
C2211RD-DISK/BZ	12" Round Flush Mount Ceiling Fixtures Bronze Finish	22W	3000K/3500K/4000K	1540	35,000 Hours	6 pcs	12"x1"	80680215414-5
C2211RD-DISK/NS	12" Round Flush Mount Ceiling Fixtures Nickel Satin Finish	22W	3000K/3500K/4000K	1540	35,000 Hours	6 pcs	12"x1"	80680215372-8
C2211RD-DISK/WH	12" Round Flush Mount Ceiling Fixtures White Finish	22W	3000K/3500K/4000K	1540	35,000 Hours	6 pcs	12"x1"	80680215412-1
C2211SQ-DISK/BZ	12" Square Flush Mount Ceiling Fixtures Bronze Finish	22W	3000K/3500K/4000K	1540	35,000 Hours	6 pcs	12"x1"	80680215415-2
C2211SQ-DISK/NS	12" Square Flush Mount Ceiling Fixtures Nickel Satin Finish	22W	3000K/3500K/4000K	1540	35,000 Hours	6 pcs	12"x1"	80680215373-5
C2211SQ-DISK/WH	12" Square Flush Mount Ceiling Fixtures White Finish	22W	3000K/3500K/4000K	1540	35,000 Hours	6 pcs	12"x1"	80680215413-8



S15SAT/NS-LED



S15WSAT/NS-LED



S15QSAT/NS-LED

CCT

With Photocell

3CCT LED SATURN WALL SCONCE

- LED Module Gives Smooth Even Light
- CCT Switch 3000K Warm White, 4000K Cool White or 5000K Day Light
- 50,000 Hours Life
- Dimmable Model S15SAT/NS-LED
- Wet Location Models Available S15WSAT/NS-LED and S15QSAT/NS-LED

S15WSAT/NS-LED(BK)
Available With Battery Backup



C15SAT/NS-LED



C15SAT/BL-LED

CCT

12" LED CEILING FIXTURE SATURN

- Dimmable
- LED Module Gives Smooth Even Light
- 50,000 Hours Life
- CCT Switch 2700K Soft Warm White, 3000K Warm White, 3500K Bright Warm White, 4000K Cool White or 5000K Day Light
- JA8, 90 CRI Title 24 Compliant
- Acrylic Plastic Lens



C23SAT/NS-LED



C23SAT/BL-LED

CCT

16" LED CEILING FIXTURE SATURN

- Dimmable
- LED Module Gives Smooth Even Light
- 50,000 Hours Life
- CCT Switch 2700K Soft Warm White, 3000K Warm White, 3500K Bright Warm White, 4000K Cool White or 5000K Day Light
- JA8, 90 CRI
- Acrylic Plastic Lens



V24SQB-NS/LED

CCT

24" LED SATURN WALL VANITY FIXTURE

- LED Module Gives Smooth Even Light
- CCT Switch 3000K Warm White, 4000K Cool White or 5000K Day Light
- 25 Watt, 1750 Lumens
- 50,000 Hours Life
- JA8, 90 CRI
- Polycarbonate Lens




V24SAT/NS-LED

CCT

24" & 48" LED SATURN WALL VANITY FIXTURE

- LED Module Gives Smooth Even Light
- 24" CCT Color Switch- 3000K, 3500K, 5000K, 48" CCT Color Switch- 2700K, 3000K, 3500K, 4000K, 5000K
- 24" is 25 Watt, 1800 Lumens, 48" is 40 Watt, 3000 Lumens
- 50,000 Hours Life
- JA8, 90 CRI
- Polycarbonate Lens



V48SAT-NS-CCT

CCT

48" LED CLOUD PUFF FIXTURE

- Dimmable
- LED Module Gives Smooth Even Light
- 50,000 Hours Life
- CCT Switch 3000K Warm White, 3500K Bright Warm White or 4000K Cool White
- 35 Watt, 2800 Lumens
- JA8, 90 CRI
- Acrylic Plastic Lens



C48SAT/NS-LED

CCT

32" LED CEILING FIXTURE SATURN

- Dimmable
- LED Module Gives Smooth Even Light
- 50,000 Hours Life
- CCT Switch 2700K Soft Warm White, 3000K Warm White, 3500K Bright Warm White, 4000K Cool White or 5000K Day Light
- JA8, 90 CRI
- Acrylic Plastic Lens



C35SAT/NS-LED

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (BDxGDxH)	UPC Prefix 689596
S15SAT/NS-LED	7" Nickel Satin Saturn Wall Sconce DIMMABLE	15W	3000K/4000K/5000K	800	50,000 Hours	4 pcs	7-1/16"x3-1/2"x9-7/8"	58289-2
S15WSAT/NS-LED	7" Powder Coated Saturn Wall Sconce NOT DIMMABLE	15W	3000K/4000K/5000K	1100	50,000 Hours	4 pcs	7"x3-1/2"x10"	58331-8
S15QSAT/NS-LED	7" Powder Coated Saturn Wall Sconce NOT DIMMABLE	15W	3000K/4000K/5000K	1000	50,000 Hours	4 pcs	7.09"x3.8"x10"	80680215626-2
C15SAT/NS-LED	12" Nickel Satin Saturn Ceiling Fixture DIMMABLE	15W	2700K/3000K/3500K/4000K/5000K	1050	50,000 Hours	4 pcs	12"x12"x3.46"	58210-6
C15SAT/BL-LED	12" Black Saturn Ceiling Fixture DIMMABLE	15W	2700K/3000K/3500K/4000K/5000K	1050	50,000 Hours	4 pcs	12"x12"x3.46"	80680215656-9
C23SAT/NS-LED	16" Nickel Satin Saturn Ceiling Fixture DIMMABLE	25W	2700K/3000K/3500K/4000K/5000K	1750	50,000 Hours	4 pcs	15.94"x15.94"x3.54"	58209-0
C23SAT/BL-LED	16" Black Saturn Ceiling Fixture DIMMABLE	25W	2700K/3000K/3500K/4000K/5000K	1750	50,000 Hours	4 pcs	15.94"x15.94"x3.54"	74616080125-4
V24SQB-NS/LED	24" Nickel Satin Saturn Wall Vanity fixture DIMMABLE	25W	3000K/3500K/4000K	1750	50,000 Hours	4 pcs	24-3/8"x4-7/8"x4-1/4"	80680215625-5
V24SAT/NS-LED	24" Nickel Satin Saturn Wall Vanity fixture DIMMABLE	25W	3000K/3500K/4000K	1800	50,000 Hours	4 pcs	23-7/8"x5-3/8"x4"	58269-4
V48SAT-NS-CCT	48" Nickel Satin Saturn Wall Vanity fixture DIMMABLE	40W	2700K/3000K/3500K/4000K/5000K	3000	50,000 Hours	4 pcs	47.95"x5.58"x3.46"	74616080106-3
C48SAT/NS-LED	48" Nickel Satin Saturn Cloud Puff Fixture DIMMABLE	35W	3000K/3500K/4000K	2800	50,000 Hours	1 pc	48"x10"x4"	80680215402-2
C35SAT/NS-LED	32" Nickel Satin Saturn Ceiling Fixture DIMMABLE	50W	2700K/3000K/3500K/4000K/5000K	3700	50,000 Hours	1 pc	32"x18"x4"	58252-6





SH2417-GRO

SH4832-GRO

24" & 48" DUAL STAGE LED GROW LIGHT

- 2 Stages for Entire Growth Cycle Flip Switch from Vegetative Stage to the Flowering Stage
- 17 Watt and 32 Watt LED
- Operates on 120V, High PPF
- Targeted Spectrum For ALL Plants Types, Indoor Growing
- Linkable Up to 30 Units (4Ft), 60Units (2Ft)
- 6 Ft Cord
- Hanging Hardware Included
- 50,000 Hours Lamp Life



SH2424-GRO

24" DUAL STAGE LED GROW LIGHT

- 2 Stages for Entire Growth Cycle Flip Switch from Vegetative Stage to the Flowering Stage
- 24 Watt LED
- Operates on 120V, High PPF
- Targeted Spectrum For ALL Plants Types, Indoor Growing
- Linkable Up to 6 Units
- 5 Ft Cord
- Hanging Hardware Included
- 25,000 Hours Lamp Life



SH4840-GRO

48" MULTI-STAGE LED GROW LIGHT

- 3 Stages for Entire Growth Cycle. Flip Switch from Vegetative Stage to Budding/Flowering Stage to Full Spectrum
- 42 Watt LED
- Operates on 120V, High PPF
- Full Spectrum or Targeted Spectrum For ALL Plants Types, Indoor Growing
- Linkable Up to 6 Units
- 5 Ft Cord
- Hanging Hardware Included, 20,000 Hours Lamp Life



CP152HL-GRO

DUAL HEAD CLAMP GROW LIGHT

- 15 Watt LED, High PPF
- Switch with Multi-Settings: Budding or Flowering, Stages with Dimmer, and Timer to Operate 3/9/12 Hours
- USB Cord and Adapter Included
- Targeted Spectrum Unit, Switch from Vegetative Stage to Flowering Stage



RL10P-GRO

IN POT GROW LIGHT

- 10 Watt LED, High PPF
- Switch with Multi-Settings: Budding or Flowering, Stages with Dimmer, and Timer to Operate 3/9/12 Hours
- USB Cord and Adapter Included
- Targeted Spectrum Unit, Switch from Vegetative Stage to Flowering Stage
- Adjustable Telescoping Spike



UL24ST3-GROW

24" LED UNDER-CABINET GROW LIGHT

- 11 Watt LED
- Includes On/Off Switch with 3 Ft Power Cord
- Operates on 120V
- For ALL Plants Types, Indoor Growing
- Easy Installation with Two Screws
- 25,000 Hours Lamp Life



LB60R30-GRO

DUAL SETTING LED GROWLIGHT BULB

- Adjustable Switch for Budding or Flowering Stage
- 9 Watt LED
- Operates on 120V
- For ALL Plants Types, Indoor Growing
- PPF Output 15 Micromoles Per Second
- E26 Base
- 25,000 Hours Lamp Life
- Targeted Spectrum Unit, Switch from Vegetative Stage to Flowering Stage



Model#	Description	LED Wattage	Lamp Life	Case Pack	Dimensions (LxWxD)	UPC
SH2417-GRO	Two - Stage LED Hanging Grow Light	17W	50,000 Hours	6 pcs	25"x5.4"x2.4"	80680215587-6
SH4832-GRO	Two - Stage LED Hanging Grow Light	32W	50,000 Hours	6 pcs	47.6"x5.4"x2.4"	80680215488-6
SH2424-GRO	Two - Stage LED Hanging Grow Light	24W	25,000 Hours	10 pcs	24"x4.09"x1.65"	74616080047-9
SH4840-GRO	Multi - Stage LED Hanging Grow Light	42W	20,000 Hours	10 pcs	47.64"x4.09"x1.81"	74616080216-9
CP152HL-GRO	Two - Stage LED Clamp Dual Head Grow Light	15W	25,000 Hours	6 pcs	25"x3"x4"	74616080048-6
RL10P-GRO	Two - Stage LED Grow Ring Stake Light	10W	15,000 Hours	8 pcs	3.52"x29.84"	74616080051-6
UL24ST3-GROW	24" LED Surface Mount Grow Light	11W	25,000 Hours	12 pcs	24"x1.9"x0.75"	80680215635-4
LB60R30-GRO	BR30 LED Grow Light	9W	25,000 Hours	6 pcs	3.7"x5.2"	74616080014-1

External & Internal, Indoor & Outdoor Battery Backups Are Available For Most Fixtures (Sold Separately). Models That Are Available Are Listed Throughout This Catalog. See Each Fixture Model Description For This Information.



LB65R30-WWBK



LED REFLECTOR & POWER FAILURE BULB

- Indoor use/not dimmable
- Used as a normal reflector & if the power goes out it switches to battery power on its own (2-in-1 function)
- Operates 3 hours during power outage
- Replaces a 65 watt incandescent, uses 8 watts
- Auto recharging when power is on



LB60A-D/CCTBK



CCT

POWER FAILURE A LAMP (A21)

- Adjustable color settable 2700K, 3000K, 3500K, 4000K, 5000K
- Indoor use/dimmable
- Used as a normal A Bulb & if the power goes out it switches to battery power on its own (2-in-1 function)
- Operates 3 hours during power outage
- Replaces a 60 watt incandescent, uses 9 watts
- Auto recharging when power is on

48" LED T8 BATTERY BACKUP LAMP

- Adjustable color settable 2700K, 3000K, 3500K, 4000K, 5000K
- Direct connect to line voltage 120-277VAC (type B)
- Emergency mode; gives 380 lumens and operates for 90 minutes on battery during power outage
- Used as a normal lamp with emergency mode to operate on battery during power outage
- Self-Testing monthly: If emergency function is abnormal, the lamp indicator light will flash. Lamp also includes manual test switch



LB48T8-DIR/BK



CCT



LC12RT6-B-CCTBK



CCT

POWER FAILURE 6 INCH BAFFLED RECESS DOWN LIGHT

- Adjustable color settable 2700K, 3000K, 3500K, 4000K, 5000K
- Indoor use/dimmable
- Used as a normal lamp & if the power goes out it switches to battery power on its own (2-in-1 function)
- Operates 3 hours during power outage
- Fits Standard 6 Inch Recess Cans
- Comes with Standard Quick Connect Plug
- Auto recharging when power is on



E2RFL1

LED EMERGENCY FLOOD LIGHT

- 1.2Watt per head(2.4W Total), 150 Lumen
- Dual Voltage 120-277V
- Contemporary Design Complies to Local Codes
- Wall Mount Single Side to J-box
- 90 Min Emergency Operation
- Maintenance Free 3.6V Ni-Cad Battery



E1LEDX-RD



E1LEDX-GR

LED EXIT LIGHTS

- Dual Voltage 120-277V
- Contemporary Design Complies to Local Codes
- Mounting Canopy Included for Side or Ceiling Mounting
- Wall Mount Single Side to J-box
- Includes Snap in Second Side for Dual Side View
- 90 Min Emergency Operation
- Maintenance Free 1.2V Ni-Cad Battery



E2FLEDX-RD



E2FLEDX-GR

LED EXIT & EMERGENCY COMBO LIGHTS

- 2.4Watt Flood Heads
- Dual Voltage 120-277V
- Contemporary Design Complies to Local Codes
- Mounting Canopy Included for Ceiling Mounting
- Wall Mount Single Side to J-box
- Includes Snap in Second Side for Dual Side View
- 90 Min Emergency Operation
- Maintenance Free 1.2V Ni-Cad Battery



S15WSAT/NS-LED(BK)

CCT

LED SATURN WALL SCONCE WITH BATTERY BACKUP

- 3 CCT Color Adjustable 3000K, 4000K, & 5000K
- Suitable for Wet Locations
- Indoor / Outdoor Use
- 15W Wall Sconce 1100 Lumens on Regular Operation
- 4W, 295 Lumens on Back-Up Operation
- 90 Minutes Operation During Power Outage
- Acrylic Lens, Nickel Satin Finish



LWP12BZACEM-SDT/CCT

CCT

EMERGENCY BATTERY BACKUP LED WALL LIGHT

- Adjustable 3CCT 3500K/4000K/5000K
- Die-Casting Aluminum Housing
- Daily use 15W/1775 Lumen,
- Emergency Operation 5W/700Lumen
- 90 Minute Operation
- 120-277 Dual Voltages
- Polycarbonate Lens(Removable)
- Rechargeable Ni-Cad Battery
- Wet Location Listed(IP65)
- 0-10V Dimmable



SW-DM600-12-3/LED/WH



SW-DM600-12-3/LED/IV

DIMMER SWITCH WITH ON/OFF ROCKER

- For LED, CFL, Incandescent, and Halogen
- Single Pole & 3 Way
- Built in RFI Suppressor
- 18 Awg Lead Wire
- Available in White and Ivory
- White Available in a 3-Pack



SW-DMWK-023LED/WH

DIMMER SWITCH SLIDER WITH SNAP SWITCH

- For LED, CFL, Incandescent, and Halogen
- Single Pole & 3 Way
- Built in RFI Suppressor
- 18 Awg Lead Wire
- Includes Standard Cover Plate
- Smooth Sliding Action for Precise Lighting Control



SW-DM106-0-10V

0-10V DIMMER SWITCH

- Includes Standard Cover Plate
- Electro-Mechanical Type
- Smooth Sliding Action For Precise Lighting Control
- 18Awg LEAD Wire
- Single Pole & 3 Way, For LED or Dimmable Fluorescent Fixtures
- Maximum Wattage on 120V is 600Watts or 277V is 550Watts



SWMS-OCV3W-WH

180° PIR Wall-Mount Vacancy & Occupancy Sensor

- For LED, CFL, and Incandescent
- Single Pole & 3 Way Wiring
- 2 In 1 Setting Modes: Occupancy or Vacancy
- Built-In OCC/VAC Push-In Buttons Offers Manual ON or Auto ON & Auto OFF
- Adjustable Time Delay Dial, Adjustable Sensitivity Dial, and Light Sensing Level Dial
- 180° Field of View, 12 Ft Wide, and 30 Ft Out
- Screwless Wall Plate Included



OT2-2USB



OT2-CA2USB

MULTI PLUG USB OUTLET

- OT2-2USB Provides two 110V outlets and 2 Type A USB Ports
- OT2-2CAUSB Provides two 125V outlets and 1 Type A USB & 1 Type C USB Ports
- Compatible with USB 1.1/2.0/3.0
- OT2-2USB Delivers maximum current of 3.1A to devices
- OT2-2CAUSB Delivers maximum current of 4.8A to devices
- Designed for use with phones, MP3 players, tablets, and other USB devices
- Tamper Resistant, safe for houses with young children
- Safety mechanism prevents damage when incorrect devices or cords are plugged in
- Wall Plate Included



GLS15ATR-WH



GLS15ATR-IV



GLS15ATRWR-WH



GLS15ATRWR-IV

SELF-TESTING GFCI OUTLET

- Tamper Resistant Spring Loaded Shutter
- Self-Testing Every 3 Hours
- Matching Wall Plate Cover Included
- 15 Amp Outlet
- Fits Standard Decor Plate
- WR Unit is Weather Resistant *
- Available in White or Ivory



GLS15ATR-WH-3PK

SELF-TESTING GFCI OUTLET

- Tamper Resistant Spring Loaded Shutter
- Self-Testing Every 3 Hours
- 15 Amp Outlet
- Fits Standard Decor Plate
- 3-Pack



GLS20ATR-WH



GLS20ATR-IV



GLS20ATRWR-WH



GLS20ATRWR-IV

SELF-TESTING GFCI OUTLET

- Tamper Resistant Spring Loaded Shutter
- Self-Testing Every 3 Hours
- Matching Wall Plate Cover Included
- 20 Amp Outlet
- Fits Standard Decor Plate
- WR Unit is Weather Resistant *
- Available in White or Ivory

LED Area Light Shoe Box

- 100/150/240/300W LED Replaces a 300/400/600/1000W MHL/HPS/HID Unit
- Low Profile Design
- Aluminum Rust-Proof Body
- 120-277 Volt Input
- 1-10 Volt Dimmable Driver
- Can be installed with PIR Bilevel(accessories) Motion Sensors
- DLC Listed

Wall Mount/Pole Mount Yoke Mount



CCT



CCT



CCT



CCT

ACCESSORIES:

Slip Fitter



SF



WPM



YM

Pole to 2-3/8" Tenon Adapter (Available)



4" Round



5" Round



4" Square



5" Square



L Shape Double Tenon



180° Flat Double Tenon

LED Area Light

- Auto On/Off Dusk-to-Dawn Photocell
- Rugged Corrosion Resistant Cast Aluminum body
- Outdoor Wet Locations Rated
- CCT Models are Wattage Adjustable
- Built in Dusk to Dawn Photocell (Can be bypassed)
- 50,000 Hour Life



42 Watt
LWP35YP-BZ/CCT



Adj. 60, 40, 29 Watt
LWP60YP-BZ/CCT



Adj. 120, 96, 72 Watt
LWP100YP-BZ/CCT



PM75U2-BL/CCT

CCT

LED Post Top Fixture

- Adjustable Wattage 75W/50W/35W
- Adjustable Color Settable 3000K, 4000K, 5000K
- 120-277 Dual Voltage
- Aluminum Rust-Proof Body
- Fits Maximum 3" Pole or 2-3/8" Tenon
- Suitable For Wet Location (IP65)
- Powder Coated Black Finish
- 0-10 Volt Dimmable

Model#	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions(LxWxD)	UPC	Warranty
LWP100SB/CCT(***)	100/80/60W	3000K/4000K/5000K	15000/12000/9000	50,000 Hours	1 pcs	16.1"x 10.31"x 2.83"	80680215463-3	5 Years
LWP150SB/CCT(***)	150/120/100W	3000K/4000K/5000K	21000/16800/14000	50,000 Hours	1 pcs	19.95"x 10.34"x 3.02"	80680215392-6	5 Years
LWP240SB/CCT(***)	240/220/200W	3000K/4000K/5000K	33600/30800/28000	50,000 Hours	1 pcs	24.37"x 13.10"x 3.08"	80680215433-6	5 Years
LWP300SB/CCT(***)	300/240/200W	3000K/4000K/5000K	45000/36000/30000	50,000 Hours	1 pcs	24.37"x 13.10"x 3.08"	74616080124-7	5 Years
LWP35YP-BZ/CCT	42W	3000K/4000K/5000K	5200	50,000 Hours	6 pcs	9.75"x 7"x 3.5"	68059658281-6	2 Years
LWP60YP-BZ/CCT	60/40/29W	3000K/4000K/5000K	9060/6040/4379	50,000 Hours	6 pcs	D13.5"xH4.94"	80680215441-1	2 Years
LWP100YP-BZ/CCT	120/96/72W	3000K/4000K/5000K	15600/12480/9360	50,000 Hours	6 pcs	13.48"x 9.49"x 4.48"	80680215601-9	2 Years
PM75U2-BL/CCT	75/50/35W	3000K/4000K/5000K	9225/6150/4305	50,000 Hours	1 pcs	D14.96"xH20.69"	80680215630-9	5 Years

	CCT	Flat LED Wall Pack - Adjustable Color Settable 3000K Warm White 4000K Cool White or 5000K Day Light - Auto On/Off Dusk-to-Dawn Photocell. - Ideal For Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots, and Recreational Areas. - Dimensions: 5-1/4"x 2-1/4"x 8-1/2" - Aluminum Body and Poly Carbonate Lens 12W LED 1100 Lumen Output - Wet Location
	LWP12FBZ/CCT/P	
	CCT	15W LED Wall Pack - Adjustable Color Settable 2700K, 3000K, 3500K, 4000K, or 5000K - Auto On/Off Dusk-to-Dawn Photocell (Can Be Switched On or Off) - Ideal for Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots, and Recreational Areas. - Dimensions: 5.31"x 2.36"x 8.86" 15W LED 1927 Lumen Output - Durable Polycarbonate Body and Lens - Wet Location
	LWP15BZ/CCT/P	
	CCT	26W LED Wall Pack - Adjustable Color Settable 3000K Warm White 4000K Cool White or 5000K Day Light - Auto On/Off Dusk-to-Dawn Photocell. - Ideal for Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots, and Recreational Areas. - Dimensions: 5.79"x 8.58"x 3.07" 26W LED 3380 Lumen Output, Aluminium Housing & Polycarbonate Lens - Wet Location
	LWP25BZ/CCT/P	
	CCT	15W LED Half Dome PC Wall Pack - Dual Color Settable 3000K Warm White or 5000K Day Light - Easy to Shut Off Sensor Cover Included - Auto On/Off Dusk-to-Dawn Photocell. 15W LED 1100 Lumen Output - Plastic Polycarbonate Housing and Lens - Wet Location
	LWP15PCBZ-CCT/P	
	CCT	LED Architectural Wall Mount - Adjustable Color Settable 3000K Warm White, 4000K Cool White, or 5000K Day Light 18W LED Replaces 120 Watt Unit - Integrated Dusk to Dawn Photocell - Architectural Design - Die-Cast Aluminium Rust Proof Housing 0-10V Dimmable, 50,000 hours Life - Wet Location
	LWP17BZ/CCT/P	
	CCT	LED Jelly Jar Lantern - Adjustable Color Settable 3000K Warm White 4000K Cool White or 5000K Day Light 12W LED Lamp 800 Lumens Replaces 60 Watt Incandescent - Wet Location Certified - Rugged Dark Bronze Cast Aluminum Body - Auto On/Off: Dusk-to-Dawn Photocell - Acrylic Opal Lens - Instant Start Electronic Unit
	LW11JJ/BL/P-LED	
		LED Pocket Wall Lantern 12W LED 1100 Lumens, 3000K Warm White - Auto On/Off: Dusk to Dawn Photocell - Ideal for Entry Way, Patio, & as a Porch Light - Acrylic Lens & Black Aluminum Housing - LED Array, No Bulbs Required - Soft Diffused Even Light - Non-Dimmable - Wet Location
	LW13801/BL/P-LED	

Model#	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions(LxWxD)	UPC	Warranty
LWP12FBZ/CCT/P	12W	3000K/4000K/5000K	1100	50,000 Hours	6 pcs	5-1/4"x 2-1/4"x 8-1/2"	80680215374-2	2 Years
LWP15BZ/CCT/P	15W	2700K/3000K/3500K/4000K/5000K	1927	25,000 Hours	6 pcs	5.31"x 2.36"x 8.86"	68059658208-3	2 Years
LWP25BZ/CCT/P	26W	3000K/4000K/5000K	3380	50,000 Hours	10 pcs	5.79"x 8.58"x 3.07"	79357374992-5	5 Years
LWP15PCBZ-CCT/P	15W	3000K/5000K	1100	50,000 Hours	6 pcs	7.5"x 10"x 4.5"	80680215583-8	2 Years
LWP17BZ/CCT/P	18W	3000K/4000K/5000K	1900	50,000 Hours	6 pcs	9.42"x 6"x 3.58"	68059658292-2	2 Years
LW11JJ/BL/P-LED	12W	3000K/4000K/5000K	800	50,000 Hours	6 pcs	5-7/8"x 4-1/2"x 8-1/4"	68059658187-1	2 Years
LW13801/BL/P-LED	12W	3000K	1100	50,000 Hours	6 pcs	7-3/4"x 4-1/4" x 9-3/4"	79357374907-9	2 Years



LWP40FHZ/CCT LWP60FHZ/CCT LWP80FHZ/CCT LWP120FHZ/CCT

CCT Large LED Wall Pack, Watt & CCT Adjustable

- 40/60/80/120W Replace a 100/150/250/350W MH Unit
- 120-277 Dual Voltages
- Aluminum Rust-Proof Body
- Instant-Start Electronic Unit
- Suitable For Wet Location(IP65)
- DLC listed
- Includes Quick Disconnect Photocell



LWP467FCO/CCT

CCT Full Cut Off Wall Pack

- Adjustable Wattage 45W/60W /75W
- Adjustable Color Settings 3000K, 4000K, and 5000K
- 120-277 Dual Voltages
- Aluminum Rust-Proof Body
- Suitable For Wet Location(IP65)
- DLC listed
- Includes Quick Disconnect Photocell



LWP30FCO/CCT


CCT 90° Pivoting Cut-Off LED Wall Light

- Replace a 100W MH Unit
- 120-277 Dual Voltages, CCT Adjustable
- Aluminum Rust-Proof Body
- Instant-Start Electronic Unit
- Suitable For Wet Location(IP65)
- Includes Quick Disconnect Photocell


 BK400OD
BK800OD

Backup for All Wall Packs with A Knock out

Outdoor Battery Backup Module

- 4Watt & 8Watt, 320 to 480 Lumens Depending on Fixture's Lumens Per Watt
- Aluminum Diecast/Bronze Finish
- 90 Minute Emergency Operation
- For Units With Low Voltage, Accessible LED Drivers
- Not for DOB Units, Not for Non-Isolated Drivers



LWP12BZACEM-SDT/CCT

CCT Emergency Battery Backup LED Wall Light

- Adjustable 3CCT 3500K/4000K/5000K
- Die-Casting Aluminum Housing
- Daily use 15W/1775 Lumen,
- Emergency Operation 5W/700Lumen
- 90 Minute Operation
- 120-277 Dual Voltages
- Polycarbonate Lens(Removable)
- Rechargeable Ni-Cad Battery
- Suitable For Wet Location(IP65)
- 0-10V Dimmable

Model#	LED Wattage	Halogen Equivalent	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (LxWxD)	UPC
LWP40FHZ/CCT	40/30/20W	100W	3000K/4000K/5000K	5400/4050/2700	50,000 Hours	1 pc	9.92"x9.05"x5.04"	79357374998-7
LWP60FHZ/CCT	60/50/40W	150W	3000K/4000K/5000K	7920/6600/5280	50,000 Hours	1 pc	9.92"x9.05"x5.04"	79357374999-4
LWP80FHZ/CCT	80/60/40W	275W	3000K/4000K/5000K	11680/9240/6440	50,000 Hours	1 pc	14.37"x9.33"x7.44"	80680215548-7
LWP120FHZ/CCT	120/100/80W	350W	3000K/4000K/5000K	16680/13900/11120	50,000 Hours	1 pc	14.17"x8.60"x6.48"	68059658293-9
LWP467FCO/CCT	45/60/75W	100/150/200W	3000K/4000K/5000K	6770/8710/10580	50,000 Hours	1 pc	12.61"x6.80"x5.1"	80680215384-1
LWP30FCO/CCT	30W	100W	3000K/4000K/5000K	4050	50,000 Hours	1 pc	7.15"x4.56"x7.4"	80680215480-0
LWP12BZACEM-SDT/CCT	15W	N/A	3500K/4000K/5000K	1775	50,000 Hours	1 pc	10.47"x6.54"x3.78"	80680215629-3

CCT



LF30PBL/DL

LED Flood Light

- Adjustable CCT 2700K, 3000K, 4000K, 5000K, 6500K
- 30 Watt, 3000 Lumens
- Comes with Standard Mounting Canopy
- Rugged Polycarbonate Plastic Housing
- Mounting Hardware Included
- Flood Head Rotates Up/Down and Left to Right
- Suitable for Wet Locations

CCT



LF15BZ/DL



LF30BZ/CCT

CCT



LF50BZ/CCT

LED Slim Flood Light(Knuckle Mount)

- Available in 15 Watt(5000K), 30 Watt & 50Watt (CCT & Wattage Adjustable)
- 120-277 Dual Voltages
- Aluminum Rust-Proof Body
- Wall or Ground Mounting Standard 1/2" Thread
- Suitable For Wet Location

CCT



LF100BZ/CCT

CCT



LF150BZ/CCT

LED Flood Light (Trunion Mount)

- Adjustable CCT 3000K, 4000K, 5000K
- Adjustable Watt 100/80/60W & 150/120/100W
- Aluminum Rust-Proof Body
- Wall or Surface Mounting
- Suitable For Wet Location
- 100-277Volt

CCT



LWP40CPF-D/CCT
LWP60CPF-D/CCT

LED Square Canopy Light

- 40 Watt & 60Watt(CCT & Wattage Adjustable)
- 120-277 Dual Voltages
- Aluminum Rust-Proof Body
- 0-10 Volt Dimmable Driver
- Suitable For Wet Location(IP65)
- Microwave Motion Sensor Internally Installed(Sold Separately)
- External Battery Backup Available BK400OD & BK800OD (Sold Separately)

CCT

8", 9", & 12" Flush Mount LED Round & Square

- 14 Watts 980 Lumen, 18 Watts 1260 Lumen, or 22Watts 1540 Lumen
- Available in Nickel Satin, White, and Bronze Finishes
- Indoor* and Outdoor Use
- Available in 8", 9" (White, Round) or 12" Diameter & Length
- Adjustable Color Settable
- 35,000 Hour Life

*Future Unit will be CCT Adjustable



INDOOR/OUTDOOR



C147RD-DISK/BZ
C2211RD-DISK/BZ



C147RD-DISK/NS
C2211RD-DISK/NS



C147RD-DISK/WH*
(Indoor use only)
C2211RD-DISK/WH



C147SQ-DISK/BZ
C2211SQ-DISK/BZ



C147SQ-DISK/NS*
C2211SQ-DISK/NS



C147SQ-DISK/WH
C2211SQ-DISK/WH

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (DxH)	UPC
LF30PBL/CCT	30W LED Flood Light Black Finish	30W	2700K/3000K/4000K/5000K/6500K	3000	50,000 Hours	6 pcs	10.5"x5.88"x4.38"	74616080108-7
LF15BZ/DL	15W LED Flood Light Bronze Finish	15W	5000K	1620	50,000 Hours	10 pcs	5.35"x4.33"x1.5"	80680215582-1
LF30BZ/CCT	30W LED Flood Light Bronze Finish	30/20W	3000K/4000K/5000K	4050/2900	50,000 Hours	8 pcs	7.17"x8.58"x1.89"	80680215445-9
LF50BZ/CCT	50W LED Flood Light Bronze Finish	50/35W	3000K/4000K/5000K	6850/4795	50,000 Hours	8 pcs	8.49"x9.93"x1.93"	79357374915-4
LF100BZ/CCT	100W LED Flood Light Bronze Finish	100/80/60W	3000K/4000K/5000K	14000/11200/8400	50,000 Hours	1 pc	10.28"x2.72"x12.28"	80680215496-1
LF150BZ/CCT	150W LED Flood Light Bronze Finish	150/120/100W	3000K/4000K/5000K	21750/17400/14500	50,000 Hours	1 pc	11.45"x2.87"x13.11"	80680215497-8
LWP40CPF-D/CCT	40W LED Canopy Bronze Finish	40/30/20W	3000K/4000K/5000K	5000/3750/2500	50,000 Hours	4 pcs	8.03"x8.03"x3.66"	80680215363-6
LWP60CPF-D/CCT	60W LED Canopy Bronze Finish	60/40/25W	3000K/4000K/5000K	7500/5000/3125	50,000 Hours	4 pcs	10"x10"x4.17"	80680215364-3
C147RD-DISK/YY*	8" Round Flush Mount Ceiling Fixtures Bronze Finish	14W	3000K/3500K/5000K	980	35,000 Hours	6 pcs	8"x1"	80680215368-1
C147SQ-DISK/YY*	8" Square Flush Mount Ceiling Fixtures Bronze Finish	14W	3000K/3500K/5000K	980	35,000 Hours	6 pcs	8"x8"x1"	80680215370-4
C2211RD-DISK/YY*	12" Round Flush Mount Ceiling Fixtures Bronze Finish	22W	3000K/3500K/5000K	1540	35,000 Hours	6 pcs	11"x1"	80680215414-5
C2211SQ-DISK/YY*	12" Square Flush Mount Ceiling Fixtures Bronze Finish	22W	3000K/3500K/5000K	1540	35,000 Hours	6 pcs	12"x12"x1"	80680215415-2

YY(Stands for BZ=Bronze, NS=Nickel Satin or WH=White)**



CCT

S15WSAT/NS-LED

LED Saturn Wall Sconce

- LED Module Gives Smooth Even Light
- 15W 3000K Warm White, 4000K Cool White, 5000K Day Light
- 50,000 Hour Life
- Outdoor Wet Locations Rated
- Dimensions: 7"x 3-1/2" x 10"
- S15WSAT/NS-LED(BK) (Battery Backup Unit Available)


 LWP24SQ-UPDN-BZ/830
 LWP24SQ-UPDN-BZ/850

Up And Down LED Square Wall Sconce

- Integrated 24Watt LED, 2100Lumen Output, 5000K Day Light or 3000K Warm White
- Rugged Corrosion Resistant Cast Aluminum Housing and Tempered Glass Lens
- Fixture Shoots Light Up and Down
- Outdoor Wet Locations Rated



CCT



LWP24TUPDN-BZ/CCT LWP12TDN-BLK/CCT

Up And Down LED Cylinder Wall Sconce

- Adjustable Color Settable 3000K, 4000K, 5000K
- Integrated 12/24Watt LED, 1200/1900Lumen Output
- Rugged Corrosion Resistant Cast Aluminum Housing and Tempered Glass Lens
- 12W Fixture Shoots Light Down, 24W Up and Down
- Outdoor Wet Locations Rated
- Model BZ=Bronze, BLK=Black



LW2ADS-LED

Low Voltage LED Address Light

- Use 85% Less Energy than Incandescent Unit
- Long Lasting 25,000 Hours Lamp (2 Included) Visible 115 Feet away
- Easy Hook-Up to Existing Door Bell Power
- Display up to 5 numbers


 SL-4818
 SL-2409
 SL-24RGB
 SL48-15RGB


48 Ft & 24 Ft Regular and RGB LED String Light

- Wet Location Approved, Outdoor Weatherproof
- 48ft Includes 18 Bulbs (Spaced 2.5ft Apart), 24ft Includes 9 Bulbs (Spaced 2.5ft Apart)
- 48ft RGB Includes 15 Bulbs (Spaced 3.2ft Apart), 24ft RGB Includes 12 Bulbs (Spaced 2ft Apart)
- Link up to 26 Sets (24ft AC), 20 Sets (48ft AC), 3 Sets (24ft & 48ft RGB, DC)
- RGB Unit Comes With a Remote Control



SP1VZ/WH-BZ/830




SP1HZ/WH-BZ/830

LED Step Light 120V

- Integrated 2.5 Watt LED, 40 Lumen Output, 3000K Warm White
- White and Bronze Cover Plates Included in Each Package
- Glare Free Projects Light Downward
- Outdoor Wet Locations Rated

Model#	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions(LxWxD)	UPC	Warranty
S15WSAT/NS-LED	15W	3000K/4000K/5000K	1100	50,000 Hours	4 pcs	7"x 3-1/2" x 10"	680596583318	2 Years
LWP24SQ-UPDN-8XX/BZ	24W	3000K, 5000K	2100	50,000 Hours	6 pcs	11.83"x 6.18" x 3.54"	806802155623	5 Years
LWP24TUPDN-BZ/CCT	24W	3000K/4000K/5000K	1900	50,000 Hours	6 pcs	11-7/8"x 6-7/8" x 4-1/4"	806802154046	2 Years
LWP12TDN-BZ/CCT	12W	3000K/4000K/5000K	1200	50,000 Hours	6 pcs	11-7/8"x 6-7/8" x 4-1/4"	806802156224	2 Years
LWP12TDN-BLK/CCT	12W	3000K/4000K/5000K	1200	50,000 Hours	6 pcs	11-7/8"x 6-7/8" x 4-1/4"	746160800431	2 Years
SL-4818	1W/Per Bulb	2200K	60/Per Bulb	15,000 Hours	4 pc	48'	746160800394	2 Years
SL-2409	1W/Per Bulb	2200K	60/Per Bulb	15,000 Hours	4 pc	24'	806802155517	2 Years
SL-24RGB	0.6W/Per Bulb	RGB	-	15,000 Hours	4 pc	24'	806802156477	2 Years
SL48-15RGB	0.5W/Per Bulb	RGB	-	15,000 Hours	8 pc	48'	746160800059	2 Years
LW2ADS-LED	1.5W	4000K	40	25,000 Hours	10 pcs	10-1/8"x5-1/16"x2"	793573450197	3 Years
SP1VZ/WH-BZ/830	2.5W	3000K	40	25,000 Hours	10 pcs	2-3/4"x4-1/2"x1-1/2"	806802155005	2 Years
SP1HZ/WH-BZ/830	2.5W	3000K	40	25,000 Hours	10 pcs	4-1/2"x2-3/4"x1-1/2"	806802154992	2 Years



LED Wired Landscape Lights 12V

- Rugged PC Plastic Housing
- Includes a 2 Watt LED Wedge Base Lamp (Replaceable)*
- For Outdoor Wet Location Use
- Works with Most All 12 Volt Outdoor Landscape Transformers
- 3 Designs: Straw Umbrella, Brim Top, and Step Down With Easy Snap Cable Connector



LS3PSP-12V-BL
LS3PSP-12V-BL4PK

LED Wired Landscape Light 12V

- Rugged PC Plastic Housing
- Includes a 3 Watt LED G4 2-Pin Lamp(Replaceable)*
- For Outdoor Wet Location Use
- Works with Most All 12 Volt Outdoor Landscape Transformers
- Two Step Pagoda Design With Easy Snap Cable Connector
- Available in 1-pack or 4-pack



LS3ASD12V-BL

LED Wired Landscape Light 12V

- Rugged Cast Aluminum Housing
- 3 Watt Integrated LED
- For Outdoor Wet Location Use
- Works With Most All 12 Volt Outdoor Landscape Transformers
- Step Down Top Design With Easy Snap Cable Connector



LS2ARDP12V-BLCCT

CCT

LED Wired Landscape Light 12V

- Adjustable Color Settable 3000K Warm White, 4000K Cool White, 5000K Day Light
- Rugged Cast Aluminum Housing
- 2 Watt Integrated LED
- For Outdoor Wet Location Use
- Works With Most All 12 Volt Outdoor Landscape Transformers
- Round Disk Design With Easy Snap Cable Connector



LS2AGJR12V-BL

LED Wired Landscape Light 12V

- Rugged Cast Aluminum Housing
- 2 Watt Integrated LED
- For Outdoor Wet Location Use
- Works With Most All 12 Volt Outdoor Landscape Transformers
- Round Water Droplet Glass Lens Jar Design With Easy Snap Cable Connector



LS3ARDL12V-BL

LED Wired Landscape Light 12V

- Rugged Cast Aluminum Housing
- 3 Watt Integrated LED
- For Outdoor Wet Location Use
- Works With Most All 12 Volt Outdoor Landscape Transformers
- Round Water Droplet Glass Lens Jar Design With Easy Snap Cable Connector



Model#	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions	UPC
LS2PUB-12V-BL	2W	3000K	150	15,000 Hours	6 pcs	H1 20.25" x H2 14.25" x W 4.88"	746160800653
LS2PCP-12V-BL	2W	3000K	150	15,000 Hours	6 pcs	H1 20.125" x H2 14.125" x W 4.75"	746160800660
LS2PSD-12V-BL	2W	3000K	150	15,000 Hours	6 pcs	H1 19.5" x H2 13.5" x W 4.88"	746160800646
LS3PSP-12V-BL	3W	3000K	120	15,000 Hours	6 pcs	H1 14.5" x H2 9.25" x W 5.125"	746160800899
LS3PSP-12V-BL4PK	3W	3000K	120	15,000 Hours	4/4 packs	H1 14.5" x H2 9.25" x W 5.125"	746160800882
LS3ASD12V-BL	3W	3000K	100	15,000 Hours	6 pcs	H1 22.4" x H2 16" x W 6"	746160801414
LS2ARDP12V-BLCCT	2W	3000K/4000K/5000K	100	15,000 Hours	6 pcs	H1 24" x H2 17.25" x W 7"	746160801445
LS2AGJR12V-BL	2W	3000K	130	15,000 Hours	6 pcs	H1 18.5" x H2 11.75" x W 5.5"	746160801384
LS3ARDL12V-BL	3W	3000K	130	15,000 Hours	6 pcs	H1 23" x H2 15" x W 6"	746160801391



LS3BPW12V-BL

LED Wired Landscape Light 12V

- Aluminum Housing
- 3 Watt Integrated LED
- For Outdoor Wet Location Use
- Works With Most All 12 Volt Outdoor Landscape Transformers
- Square Bollard Design With Easy Screw-In Cable Connector



LS6FLSQ12V-BL

LED Wired Landscape Square Spot Light 12V

- Adjustable Head
- Aluminum Housing
- 6.5 Watt Integrated LED
- For Outdoor Wet Location Use
- Works With Most All 12 Volt Outdoor Landscape Transformers
- Includes Easy Snap Cable Connector



LS16FLRD12V-BL

LED Wired Landscape Round Spot Light 12V

- Adjustable Head
- Aluminum Housing
- 16 Watt Integrated LED
- For Outdoor Wet Location Use
- Works With Most All 12 Volt Outdoor Landscape Transformers
- Includes Easy Snap Cable Connector



LS6FL12V-BLCCT

CCT

LED Wired Landscape Spot Light 12V

- Adjustable Color Settable 3000K Warm White, 4000K Cool White, 5000K Day Light
- Adjustable Head
- Aluminum Housing
- 6 Watt Integrated LED
- For Outdoor Wet Location Use
- Works With Most All 12 Volt Outdoor Landscape Transformers
- Includes Easy Snap Cable Connector



LS3FL1-12V-BL
LS3FL1-12V-BL3PK

LED Wired Landscape Spot Light 12V

- Adjustable Head
- Aluminum Housing
- Includes a 3 Watt LED MR11 Lamp(Replaceable)*
- For Outdoor Wet Location Use
- Works with Most All 12 Volt Outdoor Landscape Transformers
- Includes Easy Snap Cable Connector
- Available in 1-Pack or 3-Pack

LANDSCAPE LIGHTING ACCESSORIES - REPLACEABLE LAMPS



LB1T5WB/WW
UPC:793573525567



LB25MR11/WW
UPC: 793573526298



LB4JC/WW
UPC:793573525512



LB1JC/WW
UPC:793573450487

QUICK CONNECT CABLE CONNECTOR



LSCTR1-1PK
UPC:746160801179

LANDSCAPE TRANSFORMERS WITH PHOTOCELL



60W

LS60WPTFPC
UPC:746160801544



120W

LS120WPTFPC
UPC:746160801452

Model#	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions	UPC
LS3BPW12V-BL	3W	3000K	100	15,000 Hours	6 pcs	H1 21.25" x H2 15" x W 2.25"	746160801537
LS6FLSQ12V-BL	6.5W	3000K	500	15,000 Hours	6 pcs	H1 16" x H2 9.75" x W 5"	746160801438
LS16FLRD12V-BL	16W	3000K	900	15,000 Hours	6 pcs	H1 17" x H2 10.5" x W 5.4"	746160801421
LS6FL12V-BLCCT	6W	3000K/4000K/5000K	500	15,000 Hours	6 pcs	H1 11" x H2 6" x W 6.3"	746160801407
LS3FL1-12V-BL	3W	3000K	300	15,000 Hours	6 pcs	H1 10.25" x H2 7.5" x W 4.75"	746160800844
LS3FL1-12V-BL3PK	3W	3000K	300	15,000 Hours	6/3 packs	H1 10.25" x H2 7.5" x W 4.75"	746160801117



20 Watt Dual Color Motion Security LED Light

- Ideal for Driveways, Garages, Patios, Warehouse, Walkways, Parking Lots, and Recreational Areas
- Motion Activated Auto ON/OFF.
- Install Optical Lens to Convert 5000K to 3000K.
- Adjustable ON Time.
- Wall Mount with Standard Canopy, Aluminum Body.
- Integrated Dusk to Dawn Photocell.
- Motion Detection up to 70 feet out.



10 Watt Single Head Motion Security LED Light

- Ideal for Driveways, Garages, Patios, Warehouse, Walkways, Parking Lots, and Recreational Areas
- Motion Activated Auto ON/OFF.
- Adjustable ON Time.
- Wall Mount with Standard Canopy, Aluminum Body.
- Integrated Dusk to Dawn Photocell.
- Motion Detection up to 70 feet out.
- Install Optical Lens to Convert 5000K to 3000K.

(Accessories)




Replacement Motion Sensor Unit

- For Use with Outdoor Lighting. This Includes Flood Lights, Security Lights, Area Lights, and More.
- Integrated Dusk to Dawn Photocell.
- For Use with any Incandescent ,CFL or LED Lamp.
- Plastic Poly-Carbonate Unit.



20 Watt LED Dual Head Security Flood Light

- Ideal for Driveways, Garages, Patios, Warehouse, Walkways, Parking Lots, and Recreational Areas
- Wall Mount with Standard Canopy, Aluminum Body.
- Can be Used to Replace Existing Halogen Security Light
- Dawn and Dusk Photocell Kit Sold Separately
- White and Bronze Available
- Install Optical Lens to Convert 5000K to 3000K
- Also Available As A 3000K Unit



20 Watt Dual Head Security LED Light

- Ideal for Driveways, Garages, Patios, Warehouse, Walkways, Parking Lots, and Recreational Areas
- Wall Mount with Standard Canopy, Plastic Body.
- Can be Used to Replace Existing Halogen Security Light
- Dawn and Dusk Included(Can be Shut Off)
- Adjustable Color Settable 2700K, 3000K, 3500K, 4000K, 5000K



20 Watt Dual Head Motion Security LED Light

- Ideal for Driveways, Garages, Patios, Warehouse, Walkways, Parking Lots, and Recreational Areas
- Motion Activated Auto ON/OFF.
- Adjustable Color Settable 2700K, 3000K, 3500K, 4000K, 5000K
- Adjustable ON Time.
- Wall Mount with Standard Canopy, Plastic Poly-Carbonate Body.
- Integrated Dusk to Dawn Photocell.
- Motion Detection up to 70 feet out.

Model#	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	UPC Prefix 680596
LF10MH1-*/XX	10W	3000K/5000K	820	50,000 Hours	6 pcs	58286-1 White 58287-8 Bronze
LF20MH2-*/XX	20W	3000K/5000K	1640	50,000 Hours	6 pcs	58264-9 White 58263-2 Bronze
LF20H2-*/XX	20W	3000K/5000K	1640	50,000 Hours	6 pcs	58262-5 White 58261-8 Bronze
LF20PH2-*/PCCT	20W	2700K/3000K/3500K/4000K/5000K	2000	50,000 Hours	8 pcs	74616080054-7 White 74616080053-0 Bronze
LF20PMH2-*/CCT	20W	2700K/3000K/3500K/4000K/5000K	2000	50,000 Hours	4 pcs	74616080045-5 White 74616080044-8 Bronze
Model#	LED Indicator	Manual Override	Detection Zone	Adjustable Timer	Case Pack	UPC Prefix 680596
LFMS-WH	Yes	Yes	180° & 70Ft	1-5-10 Minutes	6 pcs	58270-0
LFMS-BZ	Yes	Yes	180° & 70Ft	1-5-10 Minutes	6 pcs	58271-7

Note: * unit color, XX lamp color.


LF10MF1-BZ/DL
CCT

10 Watt Single Head Motion Security LED Light

- Ideal For Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots, and Recreational areas.
- 10 Watt LED Square Head 270° Motion Security Light
- Install Optical Lens to Convert 5000K to 3000K.
- Motion Activated On/Off
- Wall Mount with Standard Canopy, Aluminum Body.
- Integrated Dusk to Dawn Photocell.
- Motion Detection up to 70 Feet Out.


LF20MH3-BL/CCT
 (Black)

CCT

20 Watt Triple Head Motion Security LED Light

- Ideal For Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots, and Recreational areas.
- 20 Watt LED Square Head 180° Motion Security Light.
- Motion Activated On/Off, PC Plastic Unit.
- Wall or Ceiling Mount with Standard Canopy
- Integrated Dusk to Dawn Photocell.
- Motion Detection up to 70 Feet Out.
- Adjustable Color Settable 2700K, 3000K, 3500K, 4000K, 5000K.


LF2516PMH2-WH-CCT
 (White)

CCT

LF2516PMH2-BZ-CCT
 (Bronze)

Watt Adjustable Dual Head Motion Security LED Light


- Ideal For Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots, and Recreational areas.
- 25/16 Watt LED Square Head 120° Motion Security Light.
- Motion Activated On/Off (Motion Detection Can Be Turned Off)
- Adjustable ON Time
- Wall Mount with Standard Canopy, Plastic Poly-Carbonate Body
- Integrated Dusk to Dawn Photocell.
- Motion Detection up to 33 Feet Out.
- Adjustable Color Settable 3000K, 3500K, 4000K, 4500K, 5000K.


FM110PH2-WH
 (White)

FM110PH2-BZ
 (Bronze)

110° Screw In Motion Security Fixture

- Dual Head 110° Screw In Motion Security Fixture
- Operates LED, CFL, Halogen, and Incandescent Lamps
- Poly Carbamate Body
- Ideal For Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots and Recreational areas.
- Adjustable ON Time.
- Wall Mount with Standard Canopy.
- Integrated Dusk to Dawn Photocell.
- Motion detection up to 70Ft Out.
- *Lamps Not Included


FM180AH2-WH
 (White)

FM180AH2-BZ
 (Bronze)

180° Screw In Motion Security Fixture

- Dual Head 180° Motion Security Fixture
- Operates LED, CFL, Halogen, and Incandescent Lamps
- Aluminum Body
- Ideal for Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots, and Recreational Areas
- Adjustable ON Time
- Wall Mount with Standard Canopy
- Integrated Dusk to Dawn Photocell
- Motion Detection up to 70 Feet Out
- *Lamps Not Included


FM270AH2-WH
 (White)

FM270AH2-BZ
 (Bronze)

270° Screw In Motion Security Fixture

- Dual Head 270° Motion Security Fixture
- Operates LED, CFL, Halogen, and Incandescent Lamps
- Aluminum Body with Shade
- Ideal for Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots and Recreational Areas
- Adjustable ON Time
- Wall Mount with Standard Canopy
- Integrated Dusk to Dawn Photocell
- Motion Detection up to 70 feet out
- *Lamps Not Included

Model#	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions(LxWxH)	UPC
LF10MF1-BZ/DL	10W	3000K & 5000K	820	50,000 Hours	6 pcs	4-9/16" x 6-3/16" x 7-1/16"	68059658279-3
LF20MH3-BL/CCT	20W	2700K/3000K/3500K/4000K/5000K	2000	50,000 Hours	6 pcs	15" x 8-1/8" x 4-1/8"	74616080077-6
LF2516PMH2-WH-CCT	25/16W	3000K/3500K/4500K/5000K	2250/1440	25,000 Hours	6 pcs	10.08" x 4.96" x 4.41"	74616080119-3
LF2516PMH2-BZ-CCT	25/16W	3000K/3500K/4500K/5000K	2250/1440	25,000 Hours	6 pcs	10.08" x 4.96" x 4.41"	74616080118-6
FM110PH2-WH *	-	-	-	-	10 pcs	9-1/2" x 4" x 6"	68059658319-6
FM110PH2-BZ *	-	-	-	-	10 pcs	9-1/2" x 4" x 6"	68059658320-2
FM180AH2-WH *	-	-	-	-	10 pcs	9-1/2" x 4" x 6-3/4"	68059658321-9
FM180AH2-BZ *	-	-	-	-	5 pcs	9-1/2" x 4" x 6-3/4"	68059658322-6
FM270AH2-WH *	-	-	-	-	6 pcs	13-1/2" x 7-1/4 x 10"	80680215407-7
FM270AH2-BZ *	-	-	-	-	6 pcs	13-1/2" x 7-1/4 x 10"	80680215406-0

* Bulbs not included. We recommend installing CTL PAR Lamps.



LF6MH2-SLR-WH/DL

LF6MH2-SLR-BL/DL

Solar LED Motion Security Light

- Motion Activated Auto ON/OFF.
- Ideal For Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots, and Recreational areas.
- Adjustable ON Time.
- Integrated Dusk to Dawn Photocell.
- 140° Motion Detection up to 26 feet out.
- Adjustable 3S or 7Mins On-Time When Motion is Detected



LF12FMH2SLR-BLCCT

CCT

Solar Powered Motion Sensing Area Light

- Adjustable Color Settable 3000K Warm White, 4000K Cool White & 6500K Day Light
- 12V Solar Powered, 12 Watt
- 160° Motion Sensing Up to 32 Feet out
- High Efficiency Monocrystalline Solar Panel
- 1200 Lumens Once Motion is Detected
- Night Light Mode Gives 60 Lumens of Light Until Dawn
- Multiple Mounting Methods, Parts Included (Flat Surface or a Corner)
- For Outdoor Use
- Long Lasting Lithium Battery



LF15MSB-SLR-CCT

CCT

Solar Powered Motion Sensing Area Light

- Adjustable Color Settable 3000K Warm White, 4000K Cool White & 6000K Day Light
- 12V Solar Powered, 15 Watt
- 120° Motion Sensing Up to 27 Feet out
- High Efficiency Monocrystalline Solar Panel
- 1700 Lumens at Maximum Output Upon Motion Sensed
- Night Light Mode: Light Always On, Set to 20, 40, or 60% Until Dawn
- Multiple Mounting Methods, Parts Included
- For Outdoor Use
- Long Lasting Lithium Battery



LF8MSB-SLRDL

Solar Powered Motion Sensing Area Light

- 12V Solar Powered, 8 Watt, 6500K Day Light
- Mode 1 - 40 Lumen of Nightlight always on, to 800 Lumen upon motion detection.
- Mode 2 - 800 Lumen light turns on once motion is detected.
- Mode 3 - 40 Lumen of Nightlight always on until dawn (motion is bypassed)
- Sensor detection area 120° wide and 32 feet out.
- Short or Extended Mounting Arms.
- High Efficiency Monocrystalline Solar Panel
- For Outdoor Use
- Long Lasting Lithium Battery



LF1000MWG-SLR-DL

Solar Powered Motion Sensing Wall Light

- 12V Solar Powered, 6500K Day Light
- Mode 1 - 250 Lumens Light, turns on upon motion, 20 Second ON Time
- Mode 2 - 1000 Lumens Light, turns on upon motion, 20 Second ON Time
- Sensor detection area 120° wide and 27 feet out.
- Motion Sensor with photocell only operates in the dark.
- High Efficiency Polycrystalline Solar Panel
- For Outdoor Use
- Long Lasting Lithium Battery



LFCAM-SLRPN1-1PK

Solar Powered Security Camera

- 5MP Camera Pans Right to Left, Up/Down
- App Driven, WiFi Connectivity
- Weatherproof, Outdoor Use
- High Absorbing Monocrystalline Solar Panel Remotely Connected.
- Motion Activates 200 Lumen LED Light & Starts Recording*
- Includes: Two-Way Radio, Day & Night Vision
- Mini SD Card Slot for Recording, Up to 128G, or Cloud Service (SD Card & Cloud Service Sold Separately)*



CM2MPAN-WH

Indoor Home Security Camera

- 2MP(1080p) Camera Pans Right to Left, Up/Down
- App Driven, WiFi Connectivity
- Low Voltage USB-C Cable and Adapter Included
- Table Top, Wall Mount, or Ceiling Mount
- Includes: Two-Way Radio, Day & Night Vision, and Motion Detection
- Mini SD Card Slot for Recording, Up to 128G, or Cloud Service (SD Card & Cloud Service Sold Separately)

Model#	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions(LxWxH)	UPC
LF6MH2-SLR-WH/DL	9W	6500K	700	40,000 Hours	6 pcs	7.4"x 4.68"x 9.49"	68059658357-8
LF6MH2-SLR-BL/DL	9W	6500K	700	40,000 Hours	6 pcs	7.4"x 4.68"x 9.49"	68059658356-1
LF12FMH2SLR-BLCCT	12W	3000K/4000K/6500K	1200	25,000 Hours	6 pcs	9.91"x 7.26"x 5.83"	74616080121-6
LF15MSB-SLR-CCT	15W	3000K/4000K/6000K	1700	25,000 Hours	6 pcs	18.7"x 8.23"x 2.01"	74616080079-0
LF8MSB-SLRDL	8W	6500K	800	-	6 pcs	13.75"x 4.32"x 1.75"	74616080131-5
LF1000MWG-SLR-DL	-	6500K	1000	-	6 pcs	5.4"x 3.75"x 2"	74616080133-9
LFCAM-SLRPN1-1PK	-	-	200	-	4 pcs	5.55"x 4.13"x 7.28"	74616080116-2
CM2MPAN-WH	-	-	-	-	8 pcs	3.15"x 3.15"x 4.65"	74616080120-9



SMOOTH LED RECESSED LAMP

- 3 inch, 4 inch, 6 inch kits Available in White & Matte Black Finish
- Dimmable, 90CRI, Title 24, JA8
- Adjustable Color Settable 2700K, 3000K, 3500K Warm White, 4000K Cool White, and 5000K Day Light.
- Comes with Standard Quick Connect Plug and E26 Screw in Base
- Available in Multi Packs



BAFFLED LED RECESSED LAMP

- 3 inch, 4 inch, 6 inch kits Available
- Dimmable, 90CRI, Title 24, JA8
- Adjustable Color Settable(See Chart Below)
- Comes with Standard Quick Connect and E26 Screw in Base

4&6 INCH CHANGING COLOR LED RECESSED CAN TRIM KITS

- 50,000 Hour Life, 2 Year Warranty
- Suitable for Indoor & Wet Locations
- 120V Input
- 3 CCT 3000K, 4000K, 5000K Controlled by the flip of the wall Switch
- 10W 700 Lumen Output



Easy to Change Color
With Just a Flip of the Switch



CCT



POWER FAILURE 6 INCH BAFFLED LED RECESSED DOWN LIGHT

- Adjustable color settable 2700K, 3000K, 3500K, 4000K, 5000K
- Indoor use/dimmable
- Used as a normal lamp & if the power goes out it switches to battery power on its own (2-in-1 function)
- Operates 3 hours during power outage
- Fits Standard 6 Inch Recess Cans
- Comes with Standard Quick Connect Plug
- Auto recharging when power is on

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (DxH)	UPC
LC8RT3-ECO/CCT	3 Inch Dimmable, Smooth Retrofit Can Kit, 3CCT	8W	2700K/3000K/3500K/4000K/5000K	500	50,000	6 pcs	4.19"x1.54"	793573-749185
LC8RT3-S-CCT-BLK	3 Inch Dimmable, Smooth Retrofit Can Kit, 3CCT	8W	2700K/3000K/3500K/4000K/5000K	500	50,000	6 pcs	4.19"x1.54"	746160-800868
LC8RT3-ECO-B/CCT	3 Inch Dimmable, Baffled Retrofit Can Kit, 3CCT	8W	2700K/3000K/3500K/4000K/5000K	500	35,000	6 pcs	4.19"x1.54"	746160-800103
LC10RT4-S/CCT/**	4 Inch Dimmable, Smooth Retrofit Can Kit, 3CCT	8.7W	2700K/3000K/3500K/4000K/5000K	750	50,000	4 pcs	5.12"x1.85"	80680215611-8
LC10RT4-S3/CCT/6PK	4 Inch Dimmable, Smooth Retrofit Can Kit, 3CCT	8.7W	2700K/3000K/3500K/4000K/5000K	750	50,000	4 pcs	5.12"x1.85"	80680215615-6
LC10RT4-S-CCT-BLK	4 Inch Dimmable, Smooth Retrofit Can Kit, 3CCT	10W	2700K/3000K/3500K/4000K/5000K	800	50,000	4 pcs	5.12"x1.85"	80680215636-1
LC10RT4-B/CCT	4 Inch Dimmable, Baffled Retrofit Can Kit, 3CCT	10W	3000K/4000K/5000K	800	50,000	4 pcs	5.12"x1.85"	80680215609-5
LC12RT6-S/CCT/**	6 Inch Dimmable, Smooth Retrofit Can Kit, 3CCT	12.5W	2700K/3000K/3500K/4000K/5000K	1000	50,000	4 pcs	7.36"x1.97"	80680215612-5
LC10RT6-S3/CCT/6PK	6 Inch Dimmable, Smooth Retrofit Can Kit, 3CCT	12.5W	2700K/3000K/3500K/4000K/5000K	1000	50,000	4 pcs	7.36"x1.97"	80680215616-3
LC12RT6-S-CCT-BLK	6 Inch Dimmable, Smooth Retrofit Can Kit, 3CCT	12W	2700K/3000K/3500K/4000K/5000K	1000	50,000	4 pcs	7.36"x1.97"	80680215637-8
LC12RT6-B/CCT	6 Inch Dimmable, Baffled Retrofit Can Kit, 3CCT	12.5W	3000K/4000K/5000K	1000	50,000	4 pcs	7.36"x1.97"	80680215610-1
LC10RT4-345K	4 Inch Dimmable, Baffled Retrofit Can Kit Warm White, Cool White, Day Light	10W	3000K	700	50,000	6 pcs	5-1/2"x2-3/4"	80680215465-7
LC10RT6-345K	6 Inch Dimmable, Baffled Retrofit Can Kit Warm White, Cool White, Day Light	10W	4000K	700	50,000	6 pcs	7-1/2"x3"	80680215466-4
LC12RT6-B-CCTBK	6 Inch Dimmable, Battery Backup Baffled Retrofit Can Kit, 3CCT	12W	2700K/3000K/3500K/4000K/5000K	1000	50,000	6 pcs	7.32"x3.39"	746160-800745

**=Available in 1PK(5CCT) & 4PK(3CCT)



LC12RT4-SQW/CCT

CCT

SQUARE LED RECESSED LAMP

- 4 Inch, 6 Inch Kits Available
- Dimmable, 90CRI
- Adjustable Settable 2700K/3000K/3500K/4000K/5000K
- 6 Inch Adjustable 14/12/9 Watt LED 1200/1000/750 Lumen Output
- Comes with Standard Quick Connect Plug and E26 Screw in Base
- Indoor and Wet Locations Use



LC19RT6-SQW/CCT

CCT

SQUARE LED RECESSED LAMP

- 4 Inch, 6 Inch Kits Available
- Dimmable, 90CRI
- Adjustable Settable 2700K/3000K/3500K/4000K/5000K
- 6 Inch Adjustable 14/12/9 Watt LED 1200/1000/750 Lumen Output
- Comes with Standard Quick Connect Plug and E26 Screw in Base
- Indoor and Wet Locations Use



LC7PAR16-ECO/WW
LC7PAR16-ECO/DL

HIGH PERFORMANCE LED PAR16 REFLECTOR LAMP

- Replace Halogen PAR16(50Watts) Lamp
- Dimmable, 90CRI
- 4 Inch LED Pivoting Drop Down Lamp
- For 3 & 4 Inch Trims
- 7Watts, 500 Lumen Output, 3000K Warm White & 5000K Day Light



CCT

6" ARCHITECTURAL LED TRIM KIT & CAN

- Adjustable Color Settable 3000K Soft Warm White, 3500K Bright Warm White and 4000K Cool White
- 250 Watt Equivalent
- Dimmable, 90CRI
- 30/23/15 Watt LED 2550/1955/1275 Lumen Output
- 120-277V, 50,000 Hour Life
- Installs Directly to Ceiling Drywall, No Frame Needed



CCT

8" ARCHITECTURAL LED TRIM KIT & CAN

- Adjustable Color Settable 3000K Soft Warm White, 3500K Bright Warm White and 4000K Cool White
- 400 Watt Equivalent
- Dimmable, 90CRI
- 40 Watt LED 4000 Lumen Output
- 120-277V, 50,000 Hour Life
- Installs Directly to Ceiling Drywall, No Frame Needed

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (DxH)	UPC
LC12RT4-SQW/CCT	4 Inch Dimmable Square, Retrofit Can Kit CCT	10W	2700K/3000K/3500K/4000K/5000K	700	50,000	6 pcs	5-1/8"x3"	680596-581697
LC19RT6-SQW/CCT	6 Inch Dimmable Square, Retrofit Can Kit CCT	14/12/9W	2700K/3000K/3500K/4000K/5000K	1200/1000/750	50,000	6 pcs	6.73"x2.95"	680596-581703
LC7PAR16-ECO/WW	7W 3&4 Inch Recess Trim PAR16 Retrofit Lamp Kit	7W	3000K	500	25,000	6 pcs	1-31/32"x2-7/32"	793573-749840
LC7PAR16-ECO/DL	7W 3&4 Inch Recess Trim PAR16 Retrofit Lamp Kit	7W	5000K	500	25,000	6 pcs	1-31/32"x2-7/32"	680596-582359
LC27RT6-AR/CCT	6 Inch, Retrofit Can Kit, Aluminum Reflector, CCT	30/23/15W	3000K/3500K/4000K	2500/1955/1275	50,000	8 pcs	7.67"x5.9"	680596-581826
LC40RT8-AR/CCT	8 Inch, Retrofit Can Kit, Aluminum Reflector, CCT	40W	3000K/3500K/4000K	4000	50,000	4 pcs	9.25"x7.12"	793573-749789

CCT


LC9RT4-PIVOT/CCT

PIVOTING LED RECESSED LAMP

- Adjustable Color Settable 2700K/3000K/3500K /4000K/5000K
- Dimmable, 90CRI
- Comes with Standard Quick Connect Plug and E26 Screw in Base
- 4 inch kits Available

CCT


LC17RT6-PIVOT/CCT

PIVOTING LED RECESSED LAMP

- Adjustable Color Settable 2700K/3000K/3500K /4000K/5000K
- Dimmable, 90CRI
- Comes with Standard Quick Connect Plug and E26 Screw in Base
- 5&6 inch kits Available



LC7RT4-DDWH/WW

PIVOTING LED DROP DOWN TRIM KIT

- 6Watts, 500 Lumen Output, 3000K Warm White
- Replace Halogen PAR16(50Watts) Lamp
- Dimmable, 90CRI
- 4 Inch LED Pivoting Drop Down Lamp
- For 3 & 4 Inch Trims

CCT

4" LED Pivoting Down Light with J-BOX

- Adjustable Color Settable 2700K Soft Warm, 3000K Warm White, 3500K Bright Warm White, 4000K Cool White and 5000K Day Light
- Dimmable, 90CRI, Title 24
- 50,000 Hour Life
- Easy Installation, J-BOX can be Installed Prior to Trim

CCT

6" LED Pivoting Down Light with J-BOX

- Adjustable Color Settable 2700K Soft Warm, 3000K Warm White, 3500K Bright Warm White, 4000K Cool White and 5000K Day Light
- Dimmable, 90CRI, Title 24
- 50,000 Hour Life
- Easy Installation, J-BOX can be Installed Prior to Trim

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (DxH)	UPC
LC9RT4-PIVOT/CCT	4 Inch Dimmable, Pivoting Retrofit Can Kit, CCT	9W	2700K/3000K/3500K/4000K/5000K	650	50,000	6 pcs	5.51"x5.52"	793573-747990
LC17RT6-PIVOT/CCT	6 Inch Dimmable, Pivoting Retrofit Can Kit, CCT	14W	2700K/3000K/3500K/4000K/5000K	1100	50,000	6 pcs	7.32"x2.64"	793573-749307
LC7RT4-DDWH/WW	6W 4 Inch Pivoting Drop Down Trim Kit	6W	3000K	500	25,000	6 pcs	5.12"x3"	680596-582588
LC9RT4-NCBXPVT/CCT	4 Inch Dimmable, Pivoting Down Light With J-BOX, CCT	9.5W	2700K/3000K/3500K/4000K/5000K	700	50,000	6 pcs	4.92"x0.93"	806802-156248
LC12RT6-NCBXPVT/CCT	6 Inch Dimmable, Pivoting Down Light With J-BOX, CCT	13W	2700K/3000K/3500K/4000K/5000K	1100	50,000	6 pcs	7.21"x2"	806802-156316



CCT

4" Slim Recessed LED Down Light with J-BOX

- Adjustable Color Settable 2700K Soft Warm, 3000K Warm White, 3500K Bright Warm White, 4000K Cool White and 5000K Day Light
- Dimmable, 90CRI, Title 24
- 50,000 Hour Life
- Easy Installation, J-BOX can be Installed Prior to Trim

Available in a 4-pack



CCT

6" Slim Recessed LED Down Light with J-BOX

- Adjustable Color Settable 2700K Soft Warm, 3000K Warm White, 3500K Bright Warm White, 4000K Cool White and 5000K Day Light
- Dimmable, 90CRI, Title 24
- 50,000 Hour Life
- Easy Installation, J-BOX can be Installed Prior to Trim

Available in a 4-pack



CCT

8" Slim Recessed LED Down Light with J-BOX

- Adjustable Color Settable 3000K Warm White 4000K Cool White and 5000K Day Light
- Dimmable, 90CRI, Title 24
- 50,000 Hour Life
- Easy Installation, J-BOX can be Installed Prior to Trim



CCT

CCT

4" & 6" Fire Rated LED Down Light with J-Box

- Adjustable Color Settable 3000K Warm White 4000K Cool White and 5000K Day Light
- Dimmable, 90CRI, Title 24
- 50,000 Hour Life
- Easy Installation, J-BOX can be Installed Prior to Trim



CCT

3" Baffled Recessed LED Down Light with J-BOX

- Adjustable Color Settable 2700K Soft Warm, 3000K Warm White, 3500K Bright Warm White, 4000K Cool White and 5000K Day Light
- Dimmable, 90CRI, Title 24
- 50,000 Hour Life
- Easy Installation, J-BOX can be Installed Prior to Trim



CCT

CCT

4" & 6" Smooth Recessed LED Down Light with J-BOX

- Adjustable Color Settable 2700K Soft Warm, 3000K Warm White, 3500K Bright Warm White, 4000K Cool White and 5000K Day Light
- Dimmable, 90CRI, Title 24
- 50,000 Hour Life
- Easy Installation, J-BOX can be Installed Prior to Trim




Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (DxH)	UPC
LC10RT4-NCBX/CCT	4 Inch Dimmable, Slim Recessed Down Light With J-BOX, SCCT	9W	2700K/3000K/3500K/4000K/5000K	700	50,000	4 pcs	4.8"x2.08"	806802-156064
LC10RT4-NCBX/CCT/4PK	4 Inch Dimmable, Slim Recessed Down Light With J-BOX, SCCT, 4 Pack	13W	2700K/3000K/3500K/4000K/5000K	800	50,000	4 pcs	4.8"x0.71"	746160-800905
LC12RT6-NCBX/CCT	6 Inch Dimmable, Slim Recessed Down Light With J-BOX, SCCT	12W	2700K/3000K/3500K/4000K/5000K	950	50,000	4 pcs	6.81"x1.73"	806802-156071
LC12RT6-NCBX/CCT/4PK	6 Inch Dimmable, Slim Recessed Down Light With J-BOX, SCCT, 4 Pack	16W	2700K/3000K/3500K/4000K/5000K	1200	50,000	4 pcs	6.81"x0.71"	746160-800912
LC24RT8-NCBX/CCT	8 Inch Dimmable, Slim Recessed Down Light With J-BOX, SCCT	24W	3000K/4000K/5000K	1800	50,000	4 pcs	8.58"x1.18"	806802-156088
LC10RT4-NFRBXCCT	4 Inch Dimmable, Slim Recessed Down Light Fire Rated With J-Box, SCCT	11W	2700K/3000K/3500K/4000K/5000K	900	50,000	6 pcs	5.31"x2.72"	746160-801513
LC15RT6-NFRBXCCT	6 Inch Dimmable, Slim Recessed Down Light Fire Rated With J-Box, SCCT	12W	2700K/3000K/3500K/4000K/5000K	1100	50,000	6 pcs	7.48"x2.72"	746160-801520
LC8RT3-BNBXCCT	3 Inch Dimmable, Baffled Retrofit Can Kit, SCCT	8W	2700K/3000K/3500K/4000K/5000K	500	50,000	6 pcs	4.17"x1.63"	746160-800998
LC10RT4-BNBXCCT	4 Inch Dimmable, Smooth Retrofit Can Kit, SCCT	11W	2700K/3000K/3500K/4000K/5000K	1000	50,000	6 pcs	5.16"x2.13"	746160-800080
LC15RT6-BNBXCCT	6 Inch Dimmable, Smooth Retrofit Can Kit, SCCT	13W	2700K/3000K/3500K/4000K/5000K	1200	50,000	6 pcs	7.4"x2.24"	746160-800097



CCT

4&6 INCH DIRECT MOUNT DOWNLIGHT

- Wet Locations
- Suitable for Indoor & Wet Locations
- 50,000 Hour Life Time
- Standard Knockout for Romex or Conduit Connection
- 3000K & 5000K Adjustable



CCT

EASY INSTALLATION
NO CAN OR J-BOX NEEDED!

6" LED MOTION SENSING DOWN LIGHT DISK

- Mounts Directly onto a 4" Octagon J-box
- Indoor and Outdoor Wet Locations Use
- 11W 850 Lumen Output, 90CRI, 5.9"D
- 2700K, 3000K, 3500K, 4000K, 5000K CCT Adjustable
- Auto On When Motion Sensed/Off After 1/2/5 Minutes if No Motion Sensed
- Meets NFPA70, NEC Section 410.16C(1) Requirements



CCT

7" LED MOTION SENSING DOWN LIGHT DISK

- Mounts Directly onto a 3.5" - 4" Octagon J-box
- Indoor and Outdoor Wet Locations Use
- 15W 1050 Lumen Output, 90CRI, 7.68"D
- 2700K, 3000K, 3500K, 4000K, 5000K CCT Adjustable
- Auto On When Motion Sensed/Off After 2 Minutes if No Motion Sensed
- Meets NFPA70, NEC Section 410.16C(1) Requirements



CCT

5 INCH LED TRIM DISK

- Mounts Directly Onto a J-box or Use it in a 4" Recess Can
- Dimmable, 90CRI, Title24, 5-7/8"D
- 3000K, 4000K, 5000K CCT Available
- Indoor and Wet Locations Use
- 10W 650 Lumen Output



CCT

7 INCH LED TRIM DISK

- 13W Mounts Directly Onto a J-box, 14W Mounts Directly Onto a J-Box or Use It in a 6" Recessed Can
- Dimmable, 90CRI, Title24
- Available in 3000K Warm White(13W), or Adjustable 2700K, 3000K, 3500K, 4000K, 5000K(14W)
- Indoor and Wet Locations Use
- 13W 900 Lumen, 7-3/8"D & 14W 1100Lumen, 7-1/4"D



LC13RT6-DISK-930



LC20RT6-DISK/CCT



LC-BAT-BACKUP

DOWNLIGHT BATTERY BACKUP

- Runs Fixtures for 90 Minutes
- External Battery Backup
- Connects To Downlight Driver
- Operates Downlights that are 15W and Below
- Can Also be used to Backup T8 Tubes
- Installs Remotely from Fixtures

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (DxH)	UPC
LC10RT4-JBX/2CCT	4 Inch Remodel J-Box Can Warm White	10W	3000K/5000K	700	50,000	4	5"x2.36"	80680215557-9
LC14RT6-JBX/2CCT	6 Inch Remodel J-Box Can Warm White	14W	3000K/5000K	1000	50,000	4	6.89"x2.36"	80680215558-6
LC60RT4-DISK-MS/CCT	3.5"-4" J-Box Downlight Disk With PIR Motion Sensor 5CCT	11W	2700K/3000K/3500K/4000K/5000K	850	25,000	12	6-3/4"x1.1"	80680215545-6
LC90RT6-DISK-MS/CCT	3.5"-4" J-Box Downlight Disk With PIR Motion Sensor 5CCT	15W	2700K/3000K/3500K/4000K/5000K	1050	25,000	12	7.68"x1.5"	80680215565-4
LC11RT4-DISK/CCT	2.75"-3.5" J-Box Dimmable Surface Mount Ceiling Disk 3CCT	10W	3000K/4000K/5000K	650	50,000	6	5-7/8"x2-3/8"	680596-58225-0
LC13RT6-DISK-930	3.5"-4" J-Box Dimmable Surface Mount Ceiling Disk Warm White	13W	3000K	900	50,000	6	7-3/8"x1-3/16"	80680215605-7
LC20RT6-DISK/CCT	3.5"-4" J-Box Dimmable Surface Mount Ceiling Disk 5CCT	14W	2700K/3000K/3500K/4000K/5000K	1100	50,000	6	7-1/4"x2-7/16"	80680215560-9



R3RMLED

R3NCLED

3" Dedicated LED Recess Cans

- New Construction and Remodel Housing
- Brackets Come with Pre Installed Nails(NC)
- Adjustable Brackets & Standard LED Plug
- Aluminum Material for Better Heat Dissipation of LED Fixtures
- IC Rated




R4RMLED-IC

R4NCLED-IC

4" Dedicated LED Recess Cans

- New Construction and Remodel Housing
- Brackets Come with Pre Installed Nails(NC)
- Adjustable Brackets & Standard LED Plug
- Aluminum Material for Better Heat Dissipation of LED Fixtures
- IC Rated



R6RMLED-IC

R6NCLED-IC

6" Dedicated LED Recess Cans

- New Construction and Remodel Housing
- Brackets Come with Pre Installed Nails(NC)
- Adjustable Brackets & Standard LED Plug
- Aluminum Material for Better Heat Dissipation of LED Fixtures
- IC Rated



R6RMSLED-IC

R6NCSLED-IC

6" Shallow LED Can

- New Construction and Remodel Housing
- Brackets Come with Pre-Installed Nails(NC)
- Adjustable Brackets & Standard LED Plug
- Aluminum Material for Better Heat Dissipation of LED Fixtures
- IC Rated

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (DxH)	UPC
R3RMLED	3 Inch Remodel Can	N/A	N/A	N/A	N/A	6	3"	793573-74924-6
R3NCLED	3 Inch New Construction Can	N/A	N/A	N/A	N/A	6	3"	793573-74923-9
R4RMLED-IC	4 Inch Remodel Can	N/A	N/A	N/A	N/A	6	4"	793573-74844-7
R4NCLED-IC	4 Inch New Construction Can	N/A	N/A	N/A	N/A	6	4"	793573-74842-3
R6RMLED-IC	6 Inch Remodel Can	N/A	N/A	N/A	N/A	6	6"	793573-74845-4
R6NCLED-IC	6 Inch New Construction Can	N/A	N/A	N/A	N/A	6	6"	793573-74843-0
R6RMSLED-IC	Remodel Short Can	N/A	N/A	N/A	N/A	6	6"	680596-58266-3
R6NCSLED-IC	New Construction Short Can	N/A	N/A	N/A	N/A	6	6"	680596-58265-6

CCT & Watt Adjustable



LB11PL-H/CCT



LB7PL-M/WW
LB7PL-M/CW

CCT



LB16R30PL-V/CCT



LB11PL-H/CW



LB8PL-MX23-2/CW

LED PL Replacement 2 Pin & 4 Pin Lamps

- Type A Works With Existing Ballast
- Type B Works With Direct AC Power
- Type A+B Works Both Ways
- CCT Units are Adjustable Color Settable
- WW Unit is 2700K Lamp Color
- CW Units Are 4000K Lamp Color
- LB7PL-M and LB8PL-MX23-2 Unit is 2-Pin & Operates On Magnetic Ballasts. All Other Models On Electric Ballasts.
- All Lamps Work On Multiple Plug-In Socket Configurations and Have Different Watt Replacements (See Detailed Spec Sheets On Our Website).

CCT



LB60A-D/CCT2PK
LB75A-D/CCT2PK
LB100A-D/CCT2PK

CCT



LB60A-D/CCTBK

CCT & WATT Adjustable



LB100ASWD-CCT

LED Color Adjustable Bulbs

- 2-Pack Dimmable A Lamps: 60/75/100 Watt Replacement 800/1100/1500 Lumen Available
- BK Dimmable A Lamp: 60 Watt Replacement 800 Lumen Operates As A Normal Lamp During Power Outage Will Run On Battery Power For 90 Minutes Minimum
- Multi-Function Dimmable A Lamp is Watt Adjustable (15W, 11W, 8W, & 5W) and Adjustable 6CCT 2700K, 3000K, 3500K, 4000K, 5000K, & 6500K
- BR30 Reflector Lamp 3-3/4" Diameter 65W Replacement 650 Lumen, Dimmable
- PAR38 Parabolic Reflector 4-3/4" Diameter 90W Replacement 1200 Lumen, Dimmable, Adjustable Beam Angle 20 or 40°
- CCT Lamps are 5CCT Adjustable 2700K, 3000K, 3500K, 4000K, 5000K

CCT



LB65R30-D/CCT

CCT



LB90PAR38BM-D/CCT

LED PAR Lamps

- Three Size Options: Par20, Par30, Par38
- 50 Watt, 75 Watt, and 120 Watt Replacement Lamps Available
- Two Color Temperature Options: 3000K Warm White, 5000K Day Light
- Suitable for Wet Locations
- Dimmable
- Short Neck Available (LB75PAR30SS)



LB50PAR20-D/WW



LB75PAR30-D/WW



LB120PAR38-D/WW

LED R Lamps

- Three Size Options: R20, R30, R40
- 50 Watt, 65Watt, 75 Watt, 90 Watt Replaceable Lamps Available
- Two Color Temperature Options: 3000K Warm White & 5000K Day Light
- Power Failure Battery Backup Bulb Available
- Dimmable, Except Battery Backup Bulb



LB50R20-D/WW



LB75R30-D/WW



LB65R30-WWBK



LB90R40-D/WW

T10 LED Tubular Lamps

- Dimmable
- 15,000 Hour Lamp Life
- Available in 2700K Warm White
- 60 Watt Replacement
- Clear & Frosted



LB60T10C-D/WW



LB60T10F-D/WW



LB40A-D/WW



LB60A-D/WW



LB75A-D/WW



LB100A-D/WW

LED Standard A Lamps

- 40 Watt, 60 Watt, 75 Watt, and 100 Watt Replacement Available
- Available in Dimmable or Non-Dimmable Versions
- Two Color Temperature Options: 5000K Day Light and 2700K Warm White
- Saves 90% Energy Compared to Halogen
- Multipack Options Available As Well



LB125A21-D/WW
LB125A21-D/DL



LB150A21-D/WW
LB150A21-D/DL



LB200A23-D/WW
LB200A23-D/DL

LED High Lumen A Lamp

- 125Watt Replacement Available, 2000 Lumens(A21)
- 150Watt Replacement Available, 2550-2600 Lumens(A21)
- 200Watt Replacement Available, 3005-3200 Lumens(A23)
- Dimmable
- 2700K Warm White & 5000K Day Light
- Saves 90% Energy Compared to Halogen



LB100A-3WAY/WW
LB100A-3WAY/DL



LB150A-3WAY/WW
LB150A-3WAY/DL

LED 3Way Lamp

- 40/60/100Watt Replacement Available, 500/800/1600Lumens(A19)
- 50/100/150Watt Replacement Available, 620/1600/2150Lumens(A21)
- 3000K Warm White & 5000K Day Light
- Saves 90% Energy Compared to Halogen



LB250GB/CW

LED Ultra-Bright Garage Light

- Replaces 250-300 Watt Incandescent Lamps
- 42 Watt, 4200 Lumen Brightness
- Instant On, High Power LED Bulb
- Multi-Use: Use it with Flaps Up, Down, or Angled
- Not Dimmable



LB18CB/**



*LB36CB/**



*LB54CB/**



LB120CB/850

LED Heavy Duty Corn Bulbs

- Instant on High Power LED Bulb
- 18W, 36W, 54W(Both E26, E39 Base)
- 120W E39 Base, 5000K Day Light
- 3000K Warm White, and Adjustable 3CCT Available for 18W, 36W,&54W**
- 75 Watt, 150 Watt, 200 Watt, 400 Watt HID Replacement

*LB36CB & LB54CB are Watt Adjustable

LED High Power Bulb Boss T- Bulbs

- Instant on High Power LED Bulb
- 45Watt 5400 Lumen, 90Watt 10800 Lumen
- 45Watt E26 Base, 90Watt E39 Base
- 350,500 Watt Incandescent Lamp Replacement
- 5000K Day Light
- Wet Location Rated



LB45TB/DL



LB90TB/DL



LB54HCB/850

180° LED Retrofit Lamp for Shoe Box & Wall Packs

- Adjustable 75/63/54 Watt LED, 8600/7200 /6200 Lumen Output, 5000K Day Light
- Comparable to 250 Watt MH or HPS Lamp
- 90% More Efficient Than Halogen
- Magnesium Alloy Heat Sink. Second Generation Optics on Chips
- Direct Power 120/277V
- Ratcheting E39 Base
- Dimmable 0-10 Volt



LB5A/**

LED Party Bulbs

- Yellow Color Lamp Acts As a Bug Lamp
- Available In 3 Watt-Yellow & Red, 5 Watt-Green & Blue, 6 Watt-Orange
- 15,000 Hour Lamp Life

(Black Light Lamp Also Available)



LB514-VINT/22K



LB4FCN-VINT/22K



LB60G25-VINT/21K



LB4T10-VINT/21K



LB4A-VINT/21K

Vintage LED Lamps

- Available in 4 Different Shapes
- Instant on, Instant Bright, Last Up to 15,000 Hours
- No Uv or Infrared Radiation
- 2100K Warm White
- Filament LED Chip Gives Incandescent Glow
- Bulb is Tinted Amber for Vintage Look



LB60G16-D/WW/2PK



LB40G16-D/WW/2PK



LB40CA-D/WW/2PK



LB10S14-WW/2PK



LB60CAST21-WW/3PK
LB60CAST21-DL/3PK**

Clear LED Lamps

- 2700K Warm White
- Filament LED Chip Gives Incandescent Glow
- Available in Standard, Globes, and Candle Lamp Shapes
- 15,000 Hour Lamp Life

(5000K Day Light) **



LB25FCNC-D/WW-2PK
LB40FCNC-D/WW-2PK
LB40FCNC-D/WW-4PK
LB60FCNC-D/WW-2PK



LB40FCNF-D/WW-2PK



LB40TCC-DE12WW2PK
LB60TCC-DE12WW2PK
LB100TCC-DE12WW2PK



LB25TCNC-D/WW/2PK
LB40TCNC-D/WW/2PK
LB60TCNC-D/WW/2PK



LB40TCNF-D/WW-2PK

LED Candle Lamps

- Replaces 25Watt, 40 Watt & 60 Watt Incandescent
- Save 80% of Existing Energy
- 15,000 Hour Lamp Life
- 2700K Warm White
- Dimmable
- Available in two shapes, Torpedo & Flame Tip
- Available in Clear & Frosted
- Multi Pack



LB60G25-D/WW/2PK



LB60FG25-D/WW/2PK

G25 LED Globe Lamps

- Dimmable
- 15,000 Hour Lamp Life
- Available in 2700K Warm White
- 60 Watt Replacement
- Clear & Frosted
- Multi-Pack



LB25MR16/WW*



LB35MR16-D/WW



LB45MR16-D/WW
LB50MR16-D/WW

MR16 LED Lamps

- 15,000 Hour Lamp Life
- 25 Watt, 35 Watt, 45 Watt, 50 Watt Replacement Available
- Two Color Temperature Options: 3000K Warm White & 5000K Day Light

* Colored MR16's Available



LB35GU10-D/WW



LB50GU10-D/WW*

GU10 LED Lamps

- Dimmable
- 25,000 Hour Lamp Life
- 35 Watt, 50 Watt Replacement Available
- (LB35GU10-D/WW) 5.5 Watt, 350 Lumens
- (LB50GU10-D/WW) 7 Watt, 500 Lumens
- Available in 3000K Warm White and 5000K Day Light*





LB60A-GU24/WW



LB100A-GU24/DL



LB60A-GU24/CCT
LB100A-GU24/CCT

LED GU24 Pin Base A Lamp

- 15,000 Hour Lamp Life
- 60Watt, 100Watt Replacement
- CCT Lamp Available in 9.5Watt (800 Lumens), and 14Watt (1500 Lumens)
- Also Available in 3000K Warm White (9.5W, 800 Lumens) and 5000K Day Light (15W, 1600 Lumens)
- CCT Lamp is Adjustable Color Settable



LB35T7-E17-WW

LED Appliance Lamp(120V)

- Dimmable
- 15,000 Hour Lamp Life
- 3 Watt Replaces 35 W Halogen
- 3000K Warm White, 550 Lumens
- 360 Degree Beam Angle
- E17 Base
- For Use in Appliances, Refrigerator, and More



LB50MCAN-WW



LB75MCAN-WW

LED Mini Can Bulb(120V)

- Dimmable
- 15,000 Hour Lamp Life
- 5 Watt(600 Lumens) Replaces 50 W Halogen
- 7 Watt(770 Lumens) Replaces 75 W Halogen
- 3000K Warm White
- 360 Degree Beam Angle
- E11 Base
- For Use in Hanging Lamps, Ceiling Fans, Pendants, and More



LB40G8-WW
LB40G8-DL

LED G8 Lamp(120V)

- Dimmable
- 15,000 Hour Lamp Life
- 4 Watt Replaces 40 W Halogen
- 3000K Warm White & 5000K Day Light, 480 Lumens
- 360 Degree Beam Angle
- GY8.6 Base
- For Use in Under-Cabinets, Outdoor Security, Pendants, and More



LB50GY635-WW
LB50GY635-DL

LED JCD Lamp(120V)

- Dimmable
- 15,000 Hour Lamp Life
- 5 Watt Replaces 50 W Halogen
- 3000K Warm White & 5000K Day Light, 500 Lumens
- 360 Degree Beam Angle
- GY6.35 Base
- For Use in Wall Sconces, Hanging Lights, Pendants, and More



LB75GY635-WW
LB75GY635-DL

LED JCD Lamp(120V)

- Dimmable
- 15,000 Hour Lamp Life
- 6 Watt Replaces 75 W Halogen
- 3000K Warm White & 5000K Day Light, 700 Lumens
- 360 Degree Beam Angle
- GY6.35 Base
- For Use in Wall Sconces, Hanging Lights, Pendants, and More



LB35G9/WW



LB50G9/WW

G9 LED Lamp(120V)

- 15,000 Hour Lamp Life
- 35 & 50Watt Halogen Replacement
- 350 Lumens, 600 Lumens
- 3000K Warm White
- For Use in Wall Sconces, Hanging Lights, Pendants, and More

For use in



Flood Light
and More



LB60J78/WW

Halogen J78 Replacement Lamp(120V)

- 15,000 Hour Lamp Life
- 5 Watt Replaces 60 W Halogen
- 3000K Warm White, 550 Lumens
- 360 Degree Beam Angle
- RS7 Base



FLOOD LIGHT




LB150J118/WW

Halogen J118 Replacement Lamp(120V)

- 15,000 Hour Lamp Life
- 10 Watt Replaces 150 W Halogen
- 3000K Warm White, 1000 Lumens
- Dimmable



LANDSCAPE
LIGHT



NUMBER
SIGNS



LB1T5-WB/WW

Auto/RV Wedge Base LED Lamp(12V)

- 15,000 Hour Lamp Life
- 2 Watt Replaces 30 Watt Halogen
- 3000K Warm White, 300 Lumens



LB1JC/WW
LB1JC/CW*



LB4JC/WW



STEP
LIGHT



PENDANT

G4 LED JC Lamps(12V)

- Lamps Fit in Task Lights, Puck Light, Stairways, and Pendants
- 15,000 Hour Lamp Life
- 3000K & 4000K*
- 10 Watt, 30 Watt Replaceable
- 115 Lumens, 125 Lumens*, 350 Lumens



LB2PK/WW

G4 LED Puck Lamp(12V)

- 12,000 Hour Lamp Life
- 2 Watt Replaces 25 Watt Halogen
- 3000K Warm White, 260 Lumens
- 120° Beam Angle
- For Use in Hockey Pucks & Under-Cabinet Lighting



BA15D
BASE



LB3GBK/WW



LB21383/WW



BA15S
BASE

LED Elevator Lamps(12V)

- 25,000 Hour Lamp Life
- Replace 25 Watt GBK and 25 Watt 1383 Incandescent Lamps
- 3000K Warm White



BA15S
BASE



LB4BAYN/WW

LED Auto/RV Lamp(12V)

- 15,000 Hour Lamp Life
- 12Volts AC/DC
- 3000K Warm White, 300 Lumens
- 300° Beam Angle
- For Use in Landscape Light, Autos, RV, & Boats



LB1S8-1156/WW



120°
BEAM ANGLE
BA15S Base

S8 LED Lamp(12V)

- 15,000 Hour Lamp Life
- 12Volts AC/DC
- 3000K Warm White, 150 Lumens
- 120° Beam Angle
- For Use in Autos, RV, & Boats




LB12T5-APNP/840

Plug-N-Play LED T-5 Tubes

- Operates on Most Fluorescent Ballast, Program Start
- 12" Length, Type A
- 4000K Cool White
- Cannot be Direct-Wired
- Replace F8T5 Fluorescent

Plug-N-Play LED T-5 Tubes


- Operates on Most Fluorescent Ballast, Program Start
- 21" Length, Type A
- 4000K Cool White
- Cannot be Direct-Wired
- Replace F13T5 Fluorescent



LB21T5-APNP/840

Plug-N-Play LED T-5 Tubes

- Operates on Most Fluorescent Ballast, Program Start
- 46" Length, Type A
- 4000K Cool White
- Cannot be Direct-Wired
- Replace 28-54 Watt Fluorescent



LB46T5-PNP/840



LB24T8-U/840

Future Model: (LB24T8-U/CCT)

Plug-N-Play or Direct Wire LED T-8 U6 Tubes

- Plug-N-Play Units Run on Instant Start Ballast
- Can Also be Direct Wired 120-277V
- 2 Foot Length, Type A+B
- 4000K Cool White
- This Lamp Has A Safety Fuse to Protect Against Over Heating



LBFC8LED-CCT



LBFC12LED-CCT

Plug-N-Play or Direct Wire LED T-9 Circular Lamp

- Plug-N-Play Units Run on Instant Start Ballast
- Can Also be Direct Wired 120-277V (Type A+B Wiring Option)
- 8 Inch & 12 Inch Adjustable Color Settable 3000K Warm White, 4000K Cool White, and 5000K Day Light
- Use it with a Standard Circleline Plug
- Type A+B



LB18T8-XPNP-CCT

Plug-N-Play or Direct Wire LED T-8 Tubes

- Plug-N-Play Units Run on Instant Start & Electronic Ballast
- Can Also be Direct Wired 120-277V
- 18 Inch Length, Type A+B
- Adjustable Color Settable 3000K Warm White, 4100K Cool White, and 5000K Day Light
- Replace F15T8 Fluorescent



LB48T12-XPNP-CCT

Plug-N-Play or Direct Wire LED T-12 Tubes

- Plug-N-Play Units Run on Instant Start & Magnetic/Electronic Ballast
- Can Also be Direct Wired 120-277V
- 48 Inch Length, Type A+B
- Adjustable Color Settable 3000K Warm White, 4000K Cool White, 5000K Day Light, and 6500K Bright Day Light
- Replace F40T12 Fluorescent



LB24T8-PNP/8**

Plug-N-Play or Direct Wire LED T-8 Tubes 2Ft

- Plug-N-Play Units Run on Rapid Start, Instant Start, Program Start & Magnetic Ballasts
- Can Also be Direct Wired 120-277V
- 2 Foot Length, Type A+B
- Two Color Temperature Options: 5000K Daylight, 3000K Warm White.



LB24T8-PNP+B/CCT

Plug-N-Play or Direct Wire LED T-8 Tubes 2Ft

- Plug-N-Play Units Run on Rapid Start, Instant Start, Program Start & Electronic Ballasts
- Can Also be Direct Wired 120-277V
- 2 Foot Length, Type A+B
- Five Color Temperature Options: 3000K, 3500K, 4000K, 5000K, 6500K



LB48T8-APNP/840-2PK

Plug-N-Play LED T-8 Tubes

- Operates on Most Fluorescent Ballast, Program Start
- 48" Length
- 4000K Cool White
- Cannot be Direct-Wired
- Type A



LB48T8-XPNP/8**

Available in 2-Pack

Plug-N-Play or Direct Wire LED T-8 Tubes 4Ft

- Plug-N-Play Units Run on Instant Start & Magnetic Ballasts
- Can Also be Direct Wired 120-277V
- 4 Foot Length, Type A+B
- Three Color Temperature Options: 5000K Daylight, 4000K Cool White, 3000K Warm White.
- This Lamp Has A Safety Fuse to Protect Against Over Heating



LB48T8-DIR/BK



CCT

48" LED T8 BATTERY BACKUP LAMP

- Adjustable color settable 2700K, 3000K, 3500K, 4000K, 5000K
- Direct connect to line voltage 120-277VAC (type B)
- Emergency mode; gives 380 lumens and operates for 90 minutes
- Used as a normal lamp with emergency mode to operate on battery during power outage
- Self-Testing monthly: If emergency function is abnormal, the lamp indicator light will flash. Lamp also includes manual test switch



↑
Splits

LB96T8-PNP/840 Comes in 4ft Package

Plug-N-Play or Direct Wire LED T-8 Tubes 8Ft

- Plug-N-Play Units Run on Instant Start Ballast
- Can Also be Direct Wired 120-277V
- 8 Foot Length, Type A+B
- 4000K Cool White
- This Lamp Has A Safety Fuse to Protect Against Over Heating
- 2-Pin Conversion Kit Available

SOCKETS



FP-T812LH



FP-2612CS



FP-1226CS



FP-GUCS



IB40AC-APL
IB40AC-APL2PK

INCANDESCENT APPLIANCE LAMP

- 40Watt A15 Appliance Bulb
- Ideal For Conventional Oven, Refrigerator, High and Low Temperature Use
- Indoor Use Only
- E26 Base
- 5,000 Hour Lamp Life
- Available in 1-pack Or 2-Pack



IB250R40RDHL
IB250R40RDHL/2PK

INCANDESCENT HEAT LAMP(RED)

- 250 Watt R40 Infrared Red Reflector
- Ideal For Heating: Bathrooms, Animal Habitats, Use As Food Warmers, & More
- Indoor Use Only
- E26 Brass Base
- 5,000 Hour Lamp Life
- 180 Degree Beam Angle
- Available in 1-pack Or 2-Pack



IB250R40CLHL
IB250R40CLHL/2PK

INCANDESCENT HEAT LAMP(CLEAR)

- 250 Watt R40 Infrared Clear Reflector
- Ideal For Heating: Bathrooms, Animal Habitats, Use As Food Warmers, & More
- Indoor Use Only
- E26 Brass Base
- 5,000 Hour Lamp Life
- 180 Degree Beam Angle
- Available in 1-pack Or 2-Pack



CP10CS-12NPK

10.5" REFLECTOR BROODER LAMP WITH CLAMP

- Corrosion-resistant aluminum shade
- Built-in hanger allows lamp to be hung
- Heat resistant ceramic socket
- Double wire bulb guard
- 6 foot electrical cord with polarized male prongs
- Scratch resistant clamp
- Ball joint for easy positioning
- 300W bulb maximum, sold separately



DL4RF1-WH



DL4RF1-BL

LED Reflector Desk Lamps

- Long Life Integrated LED Lamp
- Easy Snap Rocker Switch
- 5ft Cord Included
- Adjustable Head
- 3000K Warm White Light Color
- Available in White or Black



DL81HLU-WH-CCT



DL81HLU-BL-CCT

CCT

LED Linear Desk Lamps

- Adjustable Lamp Head
- Integrated LED Lamp
- 5ft. Cord with USB Adapter
- Multi Function Touch Switch: On/Off, Color Adjustment, and Dimming Function.
- USB Phone Charging Outlet(Adapter Included)
- Adjustable 3CCT Light Color- 3000K Warm White, 4000K Cool White, & 5000K Daylight
- Available in White or Black



CP81HL-WH-CCT



CP81HL-BL-CCT

CCT

LED Linear Clip-On Desk Lamps

- Easy Clip-On Base, Universal use Lamp
- Smooth Dimming Function
- 5ft USB Cord Included
- USB Adapter Included
- Flexible Adjustable Head
- Adjustable 3CCT Light Color- 3000K Warm White, 4000K Cool White, & 5000K Daylight
- Available in White or Black



TB3SB-WH-CCT



TB3SB-BL-CCT

CCT

Touch Switch



LED Rechargeable Portable Table Lamps

- Battery Operated
- Touch Switch: ON/OFF
- Touch Dimming and Lamp Color Changing
- Lamp Can Last Up to 30 Days* on One Charge
- Integrated LED Lamp
- Included USB Charging Cable
- Adjustable 3CCT Light Color- 3000K Warm White, 4000K Cool White, & 6500K Daylight
- Available in White or Black

*Future Models Will Be Size Adjustable



TB3RU1-GR



TB3RU1-GO

CCT

Touch Switch



LED Rechargeable Portable Table Lamps

- Adjustable to Two Sizes
- Battery Operated
- Touch Switch: ON/OFF
- Touch Dimming and Lamp Color Changing
- Lamp Can Last Up to 30 Days* on One Charge
- Integrated LED Lamp
- Included USB Charging Cable
- Adjustable 3CCT Light Color- 3000K Warm White, 4000K Cool White, & 6500K Daylight
- Available in Green or Gold

Model#	Description	Wattage	Incandescent Equivalent	Case Pack	Lumens	Dimensions (LxWxH)
DL4RF1-WH	4.5Watt LED Desk Lamp, White, W/Cord & Switch, 3000K	4.5Watt	30Watt	8	280	5.2"x5.2"x14.96"
DL4RF1-BL	4.5Watt LED Desk Lamp, Black, W/Cord & Switch, 3000K	4.5Watt	30Watt	8	280	5.2"x5.2"x14.96"
DL81HLU-WH-CCT	8Watt LED Linear Desk Lamp, White, USB Charger, Dimmable, 3CCT	8Watt	30Watt	8	350	5.12"x5.12"x24.61"
DL81HLU-BL-CCT	8Watt LED Linear Desk Lamp, Black, USB Charger, Dimmable, 3CCT	8Watt	30Watt	8	350	5.12"x5.12"x24.61"
CP81HL-WH-CCT	8Watt LED Linear Clip On Lamp, White, Dimmable, 3CCT	8Watt	30Watt	8	400	4.17"x2.93"x27.17"
CP81HL-BL-CCT	8Watt LED Linear Clip On Lamp, Black, Dimmable, 3CCT	8Watt	30Watt	8	400	4.17"x2.93"x27.17"
TB3SB-WH-CCT	3Watt LED Table Lamp, White, Dimmable, 3CCT	3Watt	30Watt	6	300	4.33"x4.33"x15"
TB3SB-BL-CCT	3Watt LED Table Lamp, Black, Dimmable, 3CCT	3Watt	30Watt	6	300	4.33"x4.33"x15"
TB3RU1-GR	3Watt LED Table Lamp, Green, Dimmable, 3CCT	3Watt	30Watt	6	300	4.33"x4.33"x14.75"
TB3RU1-GO	3Watt LED Table Lamp, Gold, Dimmable, 3CCT	3Watt	30Watt	6	300	4.33"x4.33"x14.75"



Adjustable Color Under-Cabinet Fixture

- 1" Thin LED Dimmable Under - Cabinet and 4" Wide
- 25,000 Hour Lamp Life
- Powder Coated White Finish
- Plug in or Hard Wire and Linking Connector Included
- 9 Inch 3Watts, 12 Inch 5Watts, 18 Inch 8Watts, 24 Inch 12Watts, 32 Inch 16Watts, 40 Inch 20Watts
- Adjustable Color Temperature Under-Cabinet Fixture 3000K & 4000K & 5000K in One Unit
- 90 CRI



Adjustable Color LED Under-Cabinet Task

- 1" Thin LED Dimmable Under - Cabinet and 5" Wide
- 25,000 Hour Lamp Life
- Powder Coated White Finish
- Plug in or Hard Wire and Linking Connector Included
- 9 Inch 5Watts, 12 Inch 6Watts, 18 Inch 9Watts, 24 Inch 11Watts, 33 Inch 13Watts, 42 Inch 16Watts Available
- Adjustable Color Temperature-See Chart Below
- 90 CRI



Hard Wire Adjustable Color Under-Cabinet Fixture

- 1" Thin LED Dimmable Under- Cabinet and 3.5" Wide
- 50,000 Hour Lamp Life
- Powder Coated White Finish
- Hard Wire Connection
- 9 Inch 4Watts, 12 Inch 5Watts, 18 Inch 8Watts, 24 Inch 10Watts, 34 Inch 15Watts, 42 Inch 20 Watts Available
- Adjustable Color Temperature- See Chart Below
- 90 CRI



Switch Boxes

- Available for 4 Inch Tri-Color Under-cabinet & 5 Inch Dual-Color Under-cabinet Fixtures

12" Linking Cords (2 Per Pack)

- For 4" Tri-Color Under-cabinet Fixtures
- For 5" Dual-Color Under-cabinet Fixtures

Model#	Description	Wattage	Replace Halogen	Case Pack	Kelvin Color	Lumens	Dimensions (LxWxH)
UL094-DCT	9" 3 Watt LED Lamp With Switch White Finish, Dimmable	3Watt	25Watt	6	3000K/ 4000K/ 5000K	170	9"x3-5/8"x1"
UL124-DCT	12" 5 Watt LED Lamp With Switch White Finish, Dimmable	5Watt	35Watt			270	12"x3-5/8"x1"
UL184-DCT	18" 8 Watt LED Lamp With Switch White Finish, Dimmable	8Watt	75Watt			450	18"x3-5/8"x1"
UL244-DCT	24" 12Watt LED Lamp With Switch White Finish, Dimmable	12Watt	100Watt			650	24"x3-5/8"x1"
UL324-DCT	32" 16Watt LED Lamp With Switch White Finish, Dimmable	16Watt	125Watt			880	32"x3-5/8"x1"
UL404-DCT	40" 20Watt LED Lamp With Switch White Finish, Dimmable	20Watt	150Watt			1100	40"x3-5/8"x1"
UL095-D/WH	9" 5 Watt LED Lamp With Switch Dimmable	5Watt	25Watt		2700K/ 3000K/ 3500K/ 4000K/ 5000K	360	9"x5"x1"
UL125-D/WH	12" 6 Watt LED Lamp With Switch Dimmable	6Watt	50Watt			420	12"x5"x1"
UL185-D/WH	18" 9 Watt LED Lamp With Switch Dimmable	9Watt	75Watt			600	18"x5"x1"
UL245-D/WH	24" 11 Watt LED Lamp With Switch Dimmable	11Watt	100Watt			780	24"x5"x1"
UL335-D/WH	34" 13 Watt LED Lamp With Switch Dimmable	13Watt	125Watt			900	34"x5"x1"
UL425-D/WH	42" 16 Watt LED Lamp With Switch Dimmable	16Watt	150Watt			880	42"x5"x1-1/8"
UL093-DCT	9" 4 Watt LED Lamp With Switch Dimmable	4Watt	25Watt		3000K/ 4000K	310	9"x3-1/2"x1"
UL123-DCT	12" 5 Watt LED Lamp With Switch Dimmable	5Watt	50Watt			380	12"x3-1/2"x1"
UL183-DCT	18" 8 Watt LED Lamp With Switch Dimmable	8Watt	75Watt			620	18"x3-1/2"x1"
UL243-DCT	24" 10 Watt LED Lamp With Switch Dimmable	10Watt	100Watt		2700K/ 3000K/ 3500K/ 4000K/ 5000K	850	24"x3-1/2"x1"
UL343-DCT	34" 15 Watt LED Lamp With Switch Dimmable	15Watt	125Watt			1400	34"x3-1/2"x1"
UL423-DCT	42" 20 Watt LED Lamp With Switch Dimmable	20Watt	150Watt			1900	42"x3-1/2"x1"

**YY= Available in 09, 12, 18, 24, 33, 42

***ZZ= Available in 09, 12, 18, 24, 32, 40

****RR= Available in 09, 12, 18, 24, 34, 42



LED Slim Under-Cabinet Light

- 18" 9 Watt and 24" 11 Watt LED Strip Available, 24" Grow Light*
- Cool to the Touch
- Super-Bright LEDs Last up to 25,000 Hours
- Easy Installation, Slim Design
- Day Light 5000K (Except Grow Light)
- Includes Cord & Switch



LED Linkable Task Stick Light

- Low, 3/4" Wide T5 Profile. Ideal for Tight Space Application
- Includes On/Off Switch
- Linkable up to 20 Units
- Includes 6 Ft Power Cord, Linking Connector
- 12 Inch, 5 Watt Lamp and 24 Inch 10 Watt Sizes
- Available ULST1-HWS is a Hard Wire Connection Box with Switch & 3 Inch Link. (Sold Separately)



LED Linkable Task Strip Light

- 12" 4.3 Watt, 16" 6 Watt, and 24" 10 Watt LED Strip Available
- Cool to the Touch
- Super-Bright LEDs Last up to 30,000 Hours
- Easy Installation Slim Design, Linkable up to 30 Units(4.3W), 13 Units(6W) and 10 Units(10W)
- Warm White 3000K, 90 CRI
- Includes Cord & Switch



18", 24" & 48" LED Light Strip


- 18" 9 Watt, 24" 10 Watt, and 48" 18 Watt LED
- LEDs Last up to 20,000 Hours
- 24" & 48" Cool White 4000K, 18" Day Light 5000K
- 18" & 24" 5Ft Cord & Switch on Units end Cap
- 48" 8Ft Cord with Inline Cord Switch

*All Future Models Will Be Converted to 5000K

Model#	Description	Wattage	Replace Halogen	Case Pack	Lumens	Dimensions (LxWxH)
UL18ST3/DL	18" 9Watt LED Under-Cabinet Complete Cord & Switch	9Watt	N/A	6	650	18"x1.9"x0.75"
UL24ST3/DL	24" 11Watt LED Under-Cabinet Complete Cord & Switch	11Watt	N/A		830	24"x1.9"x0.75"
UL24ST3/GROW	24" 11Watt LED Grow Light Unit Complete Cord & Switch	11Watt	N/A		N/A	24"x1.9"x0.75"
UL12ST1/WW	12" 5 Watt LED Lamp With Switch, White Finish	5Watt	25Watt		350	12"x3/4"x1-1/4"
UL24ST1/WW	24" 10 Watt LED Lamp With Switch, White Finish	10Watt	75Watt	50	700	24"x3/4"x1-1/4"
ULST1-HWS	Hardwire Connection Box With Switch & 3" Link	N/A	N/A		N/A	4"x2-3/8"x1"
UL12ST2/WW	12" 4Watt LED Stick Light Unit Complete Cord & Switch	4.3Watt	N/A		200	12"x1.26"x0.7"
UL16ST2/WW	16" 6Watt LED Stick Light Unit Complete Cord & Switch	6Watt	N/A		300	16"x1.26"x0.7"
UL24ST2/WW	24" 10Watt LED Stick Light Unit Complete Cord & Switch	10Watt	N/A	6	650	24"x1.26"x0.7"
UL1800	18" 9W LED Light String 5' Cord	9Watt	N/A		1000	17.85"x1.67"x1.85"
UL2400	24" 10W LED Light String 5' Cord	10Watt	N/A		1000	23.62"x1.67"x1.85"
UL4800	48" 18W LED Light String 5' Cord	18Watt	N/A		2000	47.27"x1.67"x1.85"



UL3PK/WH
(White)



UL3PK/NS
(Nickle Satin)

3 PACK LED PUCK LIGHT KIT

- Three 1.8W LED Pucks Included
- 15,000 LED Life
- Low Voltage System
- 80% Energy Saving Over Halogen
- Snap Off Base Ring For Recess Mount With in 3/4" Cabinet Wall
- Surface or Recess Mount
- Instant on Kit Included
- White and Nickel Satin Colors Available

COMES WITH

Power Supply	3 Jumpers 1Pcs 6 Inch 2Pcs 12 Inch
In Line Switch	48" Or 96" Strip



48" & 96" Tape Light Kit

Flexible LED Tape Light Kit

- Low Voltage Safe to the Touch
- Pull Off Tape Backing and Stick Any Where
- Flexible Strip can be Curved 90°
- Cut and Jump Sections
- 25,000 Lamp Life
- Warm White



120" Tape Light Kit



RGB TAPE LIGHT KIT

- Low Voltage Safe to The Touch
- Pull Off Tape Backing And Stick Anywhere
- Flexible Strip can be Curved 90°
- Can be Cut to Shorter Length
- 25,000 Lamp Life
- 10 Foot RGB Strip
- RGB Controller Included



Model#	Description	Wattage	Incandescent Equivalent	Lumens	CRI	Lamp Life	Case Pack	Dimensions (LxWxD)	Kelvin Color	UPC Prefix 793573
UL3PK/WH	3x2W LED Hockey Puck Light	2W	20W	150	≥80	15,000	6	2-3/4"x9/16"	3000K	52542-0
UL3PK/NS	3x2W LED Hockey Puck Light	2W	20W	150	≥80	15,000	6	2-3/4"x9/16"	3000K	52541-3
UL48TP/WW	48" LED Tape Light Kit Warm White	7W	N/A	400	70	25,000	10	48"x5/16"	3000K	52555-0
UL9610TP/WW	96" LED Tape Light Kit Warm White	10W	N/A	600	70	25,000	10	96"x5/16"	3000K	74941-3
UL120TP/RGB	10 Foot LED RGB Strip	15W	N/A	600	N/A	50,000	10	118.11"x0.39"	N/A	58328-8


CORDLESS
FLIP-UP-HANDLE

LF5PHH/DL
Cordless 6 Watt LED Handheld Work Light

- Battery Powered(4AA Not Included)
- Light Mode: 100% Light, 50%Power Saving Mode, & Flashing Mode
- Magnetic Back Sticks to Metal Surfaces
- Bright White Day Light
- Indoor/Outdoor Use


CORDLESS
FOLDS FLAT

LF10PHH/DL
Cordless 10 Watt LED Handheld Work Light

- Rechargeable Lithium Battery
- USB Charging Wire Included
- Battery Pack Has USB Charging Port & Can Charge Small Items Like Cell Phone
- Light Mode: 100% Light, 50%Power Saving Mode, & Flashing Mode
- Bright White Day Light
- Indoor/Outdoor Use


CORDLESS
INCLUDED

LF10HH/DL
Cordless 10 Watt LED Handheld Work Light

- Rechargeable Lithium Battery
- 120V Charger and 12V Car Charger Included
- Magnetic Base
- Bright White Daylight
- Indoor/Outdoor Use
- Will Operate on Charger If Battery Power is Out


LF10CLMP/DL

16 Watt LED Hanging Clamp Light

- 2-in-1 Functionality: Portable Worklight, Clamp Light, Hanging Light
- 5 Ft Outdoor Rated Grounded Power Cord
- On/Off Power Switch
- Indoor/Outdoor Use


LF20HH/CRD

LF50HH/CRD
20&52Watt LED Handheld Work Light

- Cool to the Touch
- Rugged High Impact Housing
- 5' Cord with Grounded Plug
- Long Life 30,000 Hours
- Multi Directional Adjustable Head
- Indoor and Outdoor Use


SL-5H50/850
50 Ft LED JOB Site Work Light String

- Weatherproof Indoor & Outdoor ETL Wet Location Approved
- Includes 5x10Watt LED Lamps
- Lamps Spaced 10 Ft Apart
- Link up to 400ft
- Flexible Heavy-Duty Cord and three prong plug

Model#	Description	LED Wattage	Halogen Equivalent	Kelvin Color	Lumens	Lamp Life	Case Pack	UPC Prefix 680596
LF5PHH/DL	Portable LED Hand Held Light	6W	50W	6000K	500	50,000 Hours	12 pcs	80680215574-6
LF10PHH/DL	Portable LED Hand Held Light	10W	60W	6000K	700	10,000 Hours	10 pcs	80680215567-8
LF10HH/DL	Portable LED Hand Held Light	10W	50W	6000K	800	50,000 Hours	12 pcs	58167-3
LF10CLMP/DL	16W Hanging Clamp Light, 5' Cord	16W	50W	5000K	1800	30,000 Hours	10 pcs	58323-3
LF20HH/CRD	20W Red Color Hand Held Unit 5' Cord, Magnetic Base	20W	100W	5000K	2000	30,000 Hours	6 pcs	58196-3
LF50HH/CRD	52W Red Color Hand Held Unit 5' Cord, Magnetic Base	52W	250W	5000K	5000	30,000 Hours	6 pcs	80680215653-8
SL-5H50/850	5x10W LED JOB Site Work Light String 50 Feet	50W	200W	5000K	6000	50,000 Hours	4 pcs	80680215547-0



CORDLESS

LF30BTWL/DL



30 Watt LED Cordless Tripod

- Rechargeable Lithium Battery
- USB Charging Wire Included
- Cordless Tripod Telescopes to 6' Height
- Multi Directional Adjustable Flood Heads
- LED Integrated Bulb
- Detachable Head Allows Unit to be Used as a Handheld Unit
- Light Modes: 100% 3000 Lumens, 50% 1500 Lumens, & 20% 600 Lumens
- Operating Time: 100% 2Hrs, 50% 4Hrs, & 20% 10Hrs
- Indoor/Outdoor Use



LF20TWL/DL




20 Watt Single LED Tripod

- Cool to the Touch
- 9' Cord with Grounded Plug
- Tripod Telescopes to 5.75' Height
- Multi Directional Adjustable Flood Head
- LED Integrated Bulb
- Detachable Head Allows Unit to be Used as a Handheld Unit
- On/Off Switch Included
- Indoor and Outdoor Use



LF40TWL/DL




40 Watt LED Dual Head Tripod

- Cool to the Touch
- 5' Cord with Grounded Plug
- Tripod Telescopes to 5.6' Height
- Multi Directional Adjustable Flood Heads
- LED Integrated Bulb
- Detachable Head Allows Unit to be Used as a Handheld Unit
- On/Off Switch Included
- Indoor and Outdoor Use



LF104TWL/DL



104 Watt LED Dual Head Tripod

- Cool to the Touch
- 5' Cord with Grounded Plug
- Tripod Telescopes to 5.6' Height
- Multi Directional Adjustable Flood Heads
- LED Integrated Bulb
- Detachable Head Allows Unit to be Used as a Handheld Unit
- On/Off Switch Included
- Indoor and Outdoor Use



LF8WL/CRD

8 Watt LED Trouble Light

- Rugged High Impact Housing
- Three Prong 6 Ft Cord & Convenience Outlet
- Long Life 50,000 Hours
- Adjustable Mounting Hooks and Magnet
- Indoor and Outdoor Use

Model#	Description	LED Wattage	Halogen Equivalent	Kelvin Color	Lumens	Lamp Life	Case Pack	UPC Prefix 680596
LF30BTWL/DL	30W Triple Head Rechargeable Tripod Unit	30W	200W	5000K	3000	30,000 Hours	2 pcs	74616080137-7
LF20TWL/DL	20W Single Red Color Head Tripod Unit 5.75' Cord, Magnetic Base	20W	100W	5000K	2200	50,000 Hours	2 pcs	58184-0
LF40TWL/DL	40W Dual Red Color Head Tripod Unit 5' Cord	40W	200W	5000K	4000	30,000 Hours	2 pcs	58183-3
LF104TWL/DL	104W Dual Red Color Head Tripod Unit 5' Cord	104W	500W	5000K	10000	30,000 Hours	2 pcs	80680215638-5
LF8WL/CRD	8W LED Trouble Light 6' Cord	8W	-	5000K	800	50,000 Hours	6 pcs	80680215590-6

Notes





